

## 1. Product and company identification

<b>Product name</b>	: GLAZE COAT HARDENER
<b>Supplier</b>	: Eclectic Products Inc. 1075 Arrowsmith Eugene, OR 97402 541-484-9621
<b>Material uses</b>	: Consumer products: Consumer product.
<b>Manufacturer</b>	: Eclectic Products Inc. 1075 Arrowsmith Eugene, OR 97402 541-484-9621
<b>Code</b>	: 1085061
<b>Validation date</b>	: <b>11/6/2013.</b>
<b>Print date</b>	: 11/6/2013.
<b>Responsible name</b>	: <b>Regulatory Compliance</b>
<b>In case of emergency</b>	: CALL INFOTRAC 1-800-535-5053 or 001-352-323-3500

## 2. Hazards identification

<b>Physical state</b>	: Liquid.
<b>Emergency overview</b>	: <b>DANGER!</b>  CAUSES EYE AND SKIN BURNS. HARMFUL IF ABSORBED THROUGH SKIN OR IF SWALLOWED. CAUSES RESPIRATORY TRACT IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION.  <b>Harmful</b> in contact with skin and if swallowed. Corrosive to eyes and skin. Causes burns. Severely irritating to the respiratory system. May cause sensitization by skin contact. Do not breathe vapor or mist. Do not ingest. Do not get in eyes or on skin or clothing. Use only with adequate ventilation. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling.
<b>Routes of entry</b>	: Dermal contact. Eye contact. Inhalation.
<b><u>Potential acute health effects</u></b>	
<b>Inhalation</b>	: Severely irritating to the respiratory system. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
<b>Ingestion</b>	: Toxic if swallowed. May cause burns to mouth, throat and stomach.
<b>Skin</b>	: Corrosive to the skin. Causes burns. Toxic in contact with skin. May cause sensitization by skin contact.
<b>Eyes</b>	: Corrosive to eyes. Causes burns.
<b><u>Potential chronic health effects</u></b>	
<b>Chronic effects</b>	: <b>Once sensitized</b> , a severe allergic reaction may occur when subsequently exposed to very low levels.
<b>Carcinogenicity</b>	: No known significant effects or critical hazards.
<b>Mutagenicity</b>	: No known significant effects or critical hazards.
<b>Teratogenicity</b>	: No known significant effects or critical hazards.
<b>Developmental effects</b>	: No known significant effects or critical hazards.
<b>Fertility effects</b>	: No known significant effects or critical hazards.
<b>Target organs</b>	: Contains material which may cause damage to the following organs: skin.
<b><u>Over-exposure signs/symptoms</u></b>	

## 2. Hazards identification

- Inhalation** : Adverse symptoms may include the following:  
respiratory tract irritation  
coughing
- Ingestion** : Adverse symptoms may include the following:  
stomach pains
- Skin** : Adverse symptoms may include the following:  
pain or irritation  
redness  
blistering may occur
- Eyes** : Adverse symptoms may include the following:  
pain  
watering  
redness
- Medical conditions aggravated by over-exposure** : Pre-existing skin disorders may be aggravated by over-exposure to this product.

See toxicological information (Section 11)

## 3. Composition/information on ingredients

<u>Name</u>	<u>CAS number</u>	<u>%</u>
Monyl Phenol	84852-15-3	30-60
Polyoxypropylenediamine	9046-10-0	10-30
Alkyl Ether Amine	39423-51-3	10-30
N-Aminoethylpiperazine	140-31-8	5-10

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

## 4. First aid measures

- Eye contact** : Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
- Skin contact** : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.
- Inhalation** : Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
- Ingestion** : Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

## 5 . Fire-fighting measures

- Flammability of the product** : In a fire or if heated, a pressure increase will occur and the container may burst.
- Extinguishing media**
- Suitable** : Use an extinguishing agent suitable for the surrounding fire.
  - Not suitable** : None known.
- Special exposure hazards** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
- Hazardous combustion products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
nitrogen oxides
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## 6 . Accidental release measures

- Personal precautions** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.
- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## 7 . Handling and storage

- Handling** : Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

## 7 . Handling and storage

- Storage** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## 8 . Exposure controls/personal protection

Consult local authorities for acceptable exposure limits.

- Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.
- Engineering measures** : Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Personal protection**
- Respiratory** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
- Hands** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Eyes** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.
- Skin** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## 9 . Physical and chemical properties

- Physical state** : Liquid.
- Flash point** : Not available.
- Color** : Clear.
- Odor** : Amine-like.
- Boiling/condensation point** : >100°C (>212°F)
- Specific gravity** : 0.96
- Estimated Vapor Density** : >1 [Air = 1]
- VOC %** : 5.41065%
- Evaporation rate** : 1 (butyl acetate = 1)
- Solubility** : Partially soluble in the following materials: water.

## 10 . Stability and reactivity

<b>Stability</b>	: The product is stable.
<b>Conditions to avoid</b>	: No specific data.
<b>Materials to avoid</b>	: No specific data.
<b>Hazardous decomposition products</b>	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
<b>Hazardous polymerization</b>	: Under normal conditions of storage and use, hazardous polymerization will not occur.
<b>Conditions of reactivity</b>	: Flammable in the presence of the following materials or conditions: heat.

## 11 . Toxicological information

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Nonyl Phenol	LD50 Oral	Rat	1882 mg/kg	-
	LD50 Oral	Rat	1300 mg/kg	-
	LDLo Dermal	Rabbit	3160 mg/kg	-
	TDL0 Oral	Rat	10 mg/kg	-
Alkyl Ether Amine	LD50 Dermal	Rabbit	0.61 g/kg	-
	LD50 Oral	Rat	0.22 g/kg	-
Polyoxypropylenediamine	LD50 Dermal	Rabbit	360 mg/kg	-
	LD50 Oral	Rat	242 mg/kg	-
N-Aminoethylpiperazine	LD50 Dermal	Rabbit	880 uL/kg	-
	LD50 Oral	Rat	2140 uL/kg	-

### Carcinogenicity

#### Conclusion/Summary

**IDLH** : Not available.

**Synergistic products** : Not available.

## 12 . Ecological information

**Environmental effects** : Water polluting material. May be harmful to the environment if released in large quantities.

### Aquatic ecotoxicity

Product/ingredient name	Test	Result	Species	Exposure
Nonyl Phenol	-	Acute EC50 0.41 mg/L Fresh water	Algae - Green algae - Pseudokirchneriella subcapitata	96 hours
	-	Acute EC50 0.33 mg/L Fresh water	Algae - Green algae - Pseudokirchneriella subcapitata	72 hours
	-	Acute EC50 0.03 mg/L Marine water	Algae - Skeletonema costatum	72 hours
	-	Acute EC50 0.029 mg/L Marine water	Algae - Skeletonema costatum	96 hours
	-	Acute EC50 0.027 mg/L Marine water	Algae - Skeletonema costatum	96 hours
	-	Acute EC50 137 ug/L Marine water	Crustaceans - Amphipod - Eohaustorius estuarius - Adult	48 hours

## 12 . Ecological information

-	Acute LC50 >0.047 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis bahia - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours
-	Acute LC50 142 ug/L Marine water	Fish - Sheepshead minnow - Cyprinodon variegatus - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
-	Acute LC50 138.25 ug/L Fresh water	Fish - Fathead minnow - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling) - 4 weeks	96 hours
-	Acute LC50 135.1 ug/L Fresh water	Fish - Bluegill - Lepomis macrochirus - Juvenile (Fledgling, Hatchling, Weanling) - 4 weeks	96 hours
-	Acute LC50 70 ug/L Marine water	Fish - Inland silverside - Menidia beryllina - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
-	Acute LC50 17 ug/L Marine water	Fish - Winter flounder - Pleuronectes americanus - Larvae - 2 days	96 hours
-	Chronic NOEC 30 ug/L Fresh water	Fish - Zebra danio - Danio rerio - Fry - 2 days	160 days
-	Chronic NOEC 23 ug/L Fresh water	Fish - Fathead minnow - Pimephales promelas - Embryo - <24 hours	33 days
-	Chronic NOEC 7.4 ug/L Fresh water	Fish - Fathead minnow - Pimephales	33 days

## 12 . Ecological information

	-	Chronic erd:i44c:7pt 0.12 mg/L Fresh water	promelas - Embryo - <24 hours Algae - Green algae - Pseudokirchneriella subcapitata	96 hours
	-	Chronic erd:i44c:7pt 0.013 mg/L Marine water	Algae - ek0:83n0:7pt - Skeletonema costatum	72 hours
	-	Chronic erd:i44c:7pt 0.012 mg/L Marine water	Algae - ek0:83n0:7pt - Skeletonema costatum	96 hours
N-Aminoethylpiperazine	-	Acute LC50 2190000 ug/L Fresh water	Fish - Fathead minnow - Pimephales promelas - 31 days - 21 mm - 0.147 g	96 hours

**Conclusion/Summary** : Not available.

**Biodegradability**

**Conclusion/Summary** : Not available.



## 13 . Disposal considerations

**Waste disposal** : The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

## 14 . Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
<b>DOT Classification</b>	760	CORROSIVE LIQUID, N.O.S. (Polyoxypropylenediamine, Nonyl Phenol). Marine pollutant (Nonyl Phenol)	8	II	 	<b>Limited quantity</b> Yes.

**GLAZE COAT HARDENER**

**14 . Transport information**

<b>TDG Classification</b>	1760	CORROSIVE LIQUID, N.O.S. (Nonyl Phenol, Polyoxypropylenediamine)	8	III		-
<b>IMDG Class</b>	1760	CORROSIVE LIQUID, N.O.S. (Nonyl Phenol, Polyoxypropylenediamine). Marine pollutant (Nonyl Phenol)	8	III	 	<b>Emergency schedules (EmS)</b> F-A, S-B  <b>Remarks</b> Limited quantity
<b>IATA-DGR Class</b>	1760	CORROSIVE LIQUID, N.O.S. (Polyoxypropylenediamine, Nonyl Phenol)	8	III	 	-

PG\* : Packing group

**15 . Regulatory information**

**U.S. Federal regulations** : **TSCA 8(b) inventory:** All components are listed or exempted.  
SARA 311/312 - Acute, Chronic

**Canada**


**WHMIS (Canada)** :  Class D-1B: Material causing immediate and serious toxic effects (Toxic).  
Class D-2A: Material causing other toxic effects (Very toxic).  
Class D-2B: Material causing other toxic effects (Toxic).  
Class E: Corrosive material

**Canada inventory** :  All components are listed or exempted.

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.


**Mexico**

**Classification** :



**EU regulations**

**Hazard symbol or symbols** :





## 15 . Regulatory information

**Risk phrases** : R62- Possible risk of impaired fertility.  
 R63- Possible risk of harm to the unborn child.  
 R21/22- Harmful in contact with skin and if swallowed.  
 R34- Causes burns.  
 R43- May cause sensitization by skin contact.  
 R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Safety phrases** : S2- Keep out of the reach of children.  
 S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
 S29- Do not empty into drains.  
 S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.  
 S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).  
 S61- Avoid release to the environment. Refer to special instructions/safety data sheet.

### International regulations

**International lists** :  **Australia inventory (AICS)**: All components are listed or exempted.  
**China inventory (IECSC)**: All components are listed or exempted.  
**Japan inventory**: Not determined.  
**Korea inventory**: All components are listed or exempted.  
**New Zealand Inventory of Chemicals (NZIoC)**: All components are listed or exempted.  
**Philippines inventory (PICCS)**: All components are listed or exempted.

**EU Inventory** :  Not determined.

## 16 . Other information


**Hazardous Material Information System (U.S.A.)** :

Health	*	3
Flammability		1
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

**National Fire Protection Association (U.S.A.)** :



**Date of printing** : 11/6/2013.

**Date of issue** : 11/6/2013.

**Date of previous issue** : 3/23/2012.

**Version** : 1.03

Indicates information that has changed from previously issued version.

Notice to reader

## **16 . Other information**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.