# SAFETY DATA SHEET



# 1. Identification

Product identifier	CLEAN ACTION® II		
Other means of identification			
SDS number	576N-92A		
Product code	HIL00807		
Recommended use	Carpet Cleaner		
<b>Recommended restrictions</b>	For Labeled Use Only		
Manufacturer/Importer/Supplier/Distributor information			
Manufacturer			
Company name	HILLYARD INDUSTRIES		
Address	302 North Fourth St.		
	St. Joseph, MO 64501		

Contact person	Regulatory Affairs
Telephone number	(816) 233-1321 (Ext. 8285)
Fax	(816) 383-8485
E-mail	regulatoryaffairs@hillyard.com
Emergency telephone #	(800) 424-9300
	(Only in the event of chemical emergency involving a spill, leak, fire, exposure or accident involving chemicals)

2. Hazard(s) identification

Physical hazards	Flammable liquids Cat	
Health hazards	Serious eye damage/eye irritation	Category 2
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3
OSHA defined hazards	Not classified.	
Label elements		

Signal word	Warning
Hazard statement	Combustible liquid. Causes serious eye irritation. Harmful to aquatic life.
Precautionary statement	
Prevention	Keep away from flames and hot surfaces-No smoking. Wear eye/face protection. Wash thoroughly after handling. Avoid release to the environment. Wear protective gloves/eye protection/face protection.
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.
Storage	Store in a well-ventilated place. Keep cool.
Disposal	Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law. Waste from normal use may be sewered to a public-owned treatment works in compliance with applicable federal, state and local requirements. CONTAINER DISPOSAL: Triple rinse (or equivalent), then offer clean, dry container for recycling or reconditioning.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Propylene Glycol Propyl Ether		1569-01-3	3 - < 5
Alcohols (C12-15 In, Saturated) Ethoxylate		68131-39-5	1 - < 3
Sodium Lauryl Sulfate		68585-47-7	1 - < 3
Other components below reportable	levels		90 - 100

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Not available.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do

Fire fightingIn case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do<br/>so without risk.Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

Use standard firefighting procedures and consider the hazards of other involved materials. Combustible liquid.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General fire hazards

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. This product is miscible in wate Prevent product from entering drains.	
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.	
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.	
7. Handling and storage		
Precautions for safe handling	Keep away from open flames, hot surfaces and sources of ignition. When using do not smoke. Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.	
Conditions for safe storage,	Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight.	

## 8. Exposure controls/personal protection

#### **Occupational exposure limits**

including any incompatibilities

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped

with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

	I
Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.
Individual protection measures,	such as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles) and a face shield.
Skin protection	
Hand protection	For prolonged or repeated skin contact use suitable protective gloves.
Other	None normally required. If unable to avoid prolonged or repeated contact with skin, wear impervious clothing.
Respiratory protection	Not normally required with adequate ventilation.
Thermal hazards	None known.
General hygiene considerations	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

### 9. Physical and chemical properties

Appearance	Slightly hazy Light green liquid
Physical state	Liquid.
Form	Liquid.
Color	Light green
Odor	Non-objectional odor
Odor threshold	Not available
рН	8.8 - 9.8
Melting point/freezing point	Not available
Initial boiling point and boiling	209 °F (98.33 °C)
range	
Flash point	161.0 °F (71.7 °C) Tag Closed Cup
Evaporation rate	< 1 (ethyl ether = 1)

Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or explosive limits		
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	17.46 mm Hg	
Vapor density	0.8059 Air =1	
Relative density	1.0016 at 77°F	
Solubility(ies)		
Solubility (water)	100 % Complete	
Partition coefficient (n-octanol/water)	Not available	
Auto-ignition temperature	Not available	
Decomposition temperature	Not available	
Viscosity	Not available	
Other information		
Density	8.34 lb/gal	
Explosive properties	Not explosive.	
Oxidizing properties	Not oxidizing.	
Percent volatile	96 - 97 %	
VOC	5 % Concentrate	
10. Stability and reactivity		

## 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Alkaline metals.
Hazardous decomposition products	Nitrogen oxides (NOx).

# 11. Toxicological information

#### Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.	
Skin contact	May be irritating to the skin.	
Eye contact	Causes serious eye irritation.	
Ingestion	Expected to be a low ingestion hazard.	
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation.	

#### Information on toxicological effects

Acute toxicity	May cause respiratory irritation	May cause respiratory irritation. Not known.	
Components	Species	Test Results	
Propylene Glycol Propyl Ether (CAS 1569-01-3)			
Acute			
Dermal			
LD50	Rabbit	3.55 g/kg	
Oral			
LD50	Rat	2.8 g/kg	

\* Estimates for product may be based on additional component data not shown.

Serious eye damage/eye	Causes se	erious eye irritation.	
irritation	020303 30		
Respiratory or skin sensitization			
Respiratory sensitization	Not a resp	viratory sensitizer.	
Skin sensitization	Not availa	ble.	
Germ cell mutagenicity		vailable to indicate product or any componen or genotoxic.	ts present at greater than 0.1% are
Carcinogenicity	Not classi	fiable as to carcinogenicity to humans.	
IARC Monographs. Overall	Evaluation	of Carcinogenicity	
Not listed.			
US. National Toxicology Pi Not listed.	rogram (NTP	) Report on Carcinogens	
	ulated Subs	tances (29 CFR 1910.1001-1050)	
Not regulated.			
Reproductive toxicity	This produ	uct is not expected to cause reproductive or c	levelopmental effects.
Specific target organ toxicity - single exposure	Not classi	fied.	
Specific target organ toxicity - repeated exposure	Not classi	fied.	
Aspiration hazard	Prolonged inhalation may be harmful.		
Chronic effects	Prolonged	Prolonged inhalation may be harmful.	
12. Ecological informatio	n		
Ecotoxicity		aquatic life.	
Product		Species	Test Results
CLEAN ACTION® II		•	
Aquatic			
Crustacea	EC50	Daphnia	32.4203 mg/l, 48 hours estimated
Fish	LC50	Fish	84.6195 mg/l, 96 hours estimated
Components		Species	Test Results
Alcohols (C12-15 In, Saturate	ed) Ethoxylate	e (CAS 68131-39-5)	
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	0.37 - 0.43 mg/l, 48 hours
Fish	LC50	Channel catfish (Ictalurus punctatus)	1.04 - 1.39 mg/l, 96 hours
Sodium Lauryl Sulfate (CAS	68585-47-7)		
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	1.18 - 2.21 mg/l, 48 hours
		additional component data not shown.	
Persistence and degradability	No data is	available on the degradability of this product	i.
Bioaccumulative potential			

Bioaccumulative potential

Partition coefficient n-octan Propylene Glycol Propyl Ether	
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law.
Local disposal regulations	Dispose in accordance with all applicable regulations.

Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Waste from normal product use may be sewered to a public owned treatment works (POTW) in compliance with applicable Federal, State, and local pretreatment requirements.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Triple rinse (or equivalent). Then offer clean, dry container for recycling or reconditioning.
14. Transport information	
DOT	
Not regulated as dangerous g	joods.
Not regulated as dangerous g	joods.
Not regulated as dangerous g	joods.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.
15. Regulatory information	n
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
TSCA Section 12(b) Export	Notification (40 CFR 707, Subpt. D)
Not regulated.	
CERCLA Hazardous Substa Not listed.	Ince List (40 CFR 302.4)
SARA 304 Emergency relea	se notification
Not regulated.	
	ulated Substances (29 CFR 1910.1001-1050)
Not regulated.	
	eauthorization Act of 1986 (SARA)
Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No
SARA 302 Extremely hazard Not listed.	dous substance
SARA 311/312 Hazardous chemical	No
SARA 313 (TRI reporting)	

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

**International Inventories** 

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date Revision date	09-10-2015 07-21-2017
Version # HMIS® ratings	03 Health: 2
Timile Futings	Flammability: 2 Physical hazard: 0
Disclaimer	No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products.
<b>Revision information</b>	This document has undergone significant changes and should be reviewed in its entirety.