

APR-22-2002 MON 01:05 PM COLART AMERICAS
 22/04/02 08:17 FAX

FAX NO. 732 562 0941
 PISCATAWAY

P. 13
 14

00618-2045
 2046
 2055
 2056

11-21-02

SLO-DRI BLENDING FLUID MEDIUM

Page 1 of 3

22/04/02

Material Safety Data Sheet

LIQUITEX

SLO-DRI BLENDING FLUID MEDIUM

Section I

ColArt Americas, Inc
 11 Constitution Avenue
 Piscataway
 New Jersey 08856-1386

Emergency Telephone Number 1-800-628-3385
 Telephone Number for Information 732-562-0770
 Date prepared 22/04/02

Section II Hazard Ingredients/Identity Information

| Hazardous Components | CAS No. | OSHA PEL | ACGIH TLV |
|----------------------|---------|----------|-----------|
| None | | | |

Section III Physical/Chemical Characteristics

| | | | |
|-----------------------|--|-------------------|---------------|
| Boiling Point: | > 100 °C | Specific Gravity: | 1.05 |
| Vapour pressure: | ca. 17mm Hg | Melting Point: | n/a °C |
| Vapour density: | as water | Evaporation rate: | BUAC = 1 0.36 |
| Solubility in water: | Dilutable | | |
| Appearance and odour: | Colourless liquid. No perceptible odour. | | |

Section IV Fire and Explosion Hazard Data

| | | | | | |
|-------------------------------------|--|------------|-------------------|------|-----|
| Flash Point: | n/a °C | closed cup | Flammable limits: | LEL: | n/a |
| | | | | UEL: | n/a |
| Extinguishing Media: | Use media appropriate to surrounding conditions. | | | | |
| Special Fire Fighting Procedures: | Wear self contained breathing apparatus. | | | | |
| Unusual Fire and Explosion Hazards: | May spatter above boiling point. | | | | |

Section V Reactivity Data

| | | | | |
|---------------------------|--------------|-----|----------------------|------|
| Stability: | Unstable | no | Conditions to avoid: | none |
| | Stable: | yes | | |
| Incompatibility: | Acidic media | | | |
| Hazardous Decomposition: | None known | | | |
| Hazardous Polymerization: | none | | | |

V4565

APR-22-2002 MON 01:05 PM COLART AMERICAS
 22/04/02 08:17 FAX

FAX NO. 732 562 0941
 PISCATAWAY

P. 14
 15

SLO-DRI BLENDING FLUID MEDIUM

Page 2 of 3

22/04/02

Section VI Health Hazard Data

| | | | |
|---|---|---|--|
| Routes of Entry | Inhalation? <input checked="" type="checkbox"/> | Skin? <input checked="" type="checkbox"/> | Ingestion? <input checked="" type="checkbox"/> |
| Health Hazards: | | | |
| May cause headache, nausea and skin irritation. | | | |
| Carcinogenicity: | NTP: n/a | IARC Monographs: | n/a |
| | OSHA Regulated | | n/a |
| Signs and Symptoms of Exposure | | Irritation of eyes and respiratory system | |
| Medical Conditions aggravated by exposure | | | |
| First Aid Procedures | | | |
| Eyes: | Wash with water for 15 minutes Get medical attention | | |
| Skin: | Wash off with water | | |
| Inhalation: | Remove to fresh air | | |
| Ingestion: | Give water to drink Get medical attention | | |

Section VII Precautions for Safe Handling and Use

| | |
|---|--------------------------------|
| Steps to be taken if material is spilled | Absorb on inert substrate |
| Sweep up immediately | |
| Waste Disposal Method | According to local regulations |
| Precautions to be taken in Handling and Storage | |
| Normal hygiene | |
| Avoid unnecessary personal contact | |
| Avoid extremes of temperature | |
| Other precautions | None |

01 K-22-2002 MON 01:05 PM COLART AMERICAS
22/04/02 08:17 FAX

FAX NO. 732 562 0941
PISCATAWAY

P. 15
16

SLO-DRI BLENDING FLUID MEDIUM

Page 3 of 3

22/04/02

Section VIII Control Measures

| | | | |
|-----------------------------------|------------------------------------|-----------------------|---------------------------|
| Respiratory protection | Not normally required | | |
| Ventilation | Ensure good extraction/ventilation | | |
| Local exhaust | Not normally required | | |
| Mechanical | Not normally required | | |
| Protective gloves | Not required | Eye protection | If using large quantities |
| Other protective equipment | Protective clothing | | |
| Work/Hygenic Practices | Avoid contact with skin and eyes | | |
| | Avoid inhalation | | |

This product has been evaluated by a toxicologist and is labeled for acute and chronic health hazards in conformity with the Labeling of Hazardous Air Materials Act and Federal regulation 16 CFR 1500.14 of the Federal Hazardous Substances Act.

This product conforms to ASTM D4236 Standard Practice for Labeling Art Materials for Chronic Adverse Health Hazards.