

(7860-98) ✓

00618-1034

Rev'd 12-03-02

Material Safety Data Sheet

Product Name:
LIQUITEX(R) ACRYLIC SLOW-DRI(R) EXTENDER MEDIUM

Product Family:

1. Chemical Product and Company Identification

ColArt Americas, Inc.
11 Constitution Avenue
PO Box 1396
Piscataway, NJ 08855
1-800-445-4278

EMERGENCY TELEPHONE NUMBER:
1-800-628-3385

SUBSTANCE:
LIQUITEX(R) ACRYLIC SLOW-DRI(R) EXTENDER MEDIUM

TRADE NAMES/SYNONYMS:
LIQUITEX ACRYLIC SLOW-DRI EXTENDER MEDIUM; PRODUCT COLORS/CODES: NO. 12-6701;
PRODUCT COLORS/CODES: NO. 12-6704; PRODUCT COLORS/CODES: NO. 12-6711; PRODUCT
COLORS/CODES: NO. 12-1701; BNSS5039

PRODUCT USE:
Arts and Crafts

CREATION DATE:
Nov 14 1997

REVISION DATE:
Jun 02 1999

2. Composition, Information on Ingredients

COMPONENT:
Product has been certified as non-toxic by The Art and Creative
Materials Institute, Inc. and conforms to ASTM D-4236 Standard Practice for
Labeling Art Materials for Acute and Chronic Adverse Health Hazards.

CAS NUMBER:
Not assigned.

EC NUMBER:
Not assigned.

PERCENTAGE:
100

3. Hazards Identification

NFPA RATINGS (SCALE 0-4): HEALTH=1 FIRE=1 REACTIVITY=0

0

EC CLASSIFICATION (CALCULATED):
Not determined.

EMERGENCY OVERVIEW:

PHYSICAL FORM:
liquid

LIQUITEX(R) ACRYLIC SLOW-DRI(R) EXTENDER MEDIUM

99

V4565

1-6

Material Safety Data Sheet

MAJOR HEALTH HAZARDS:
No significant target effects reported.

POTENTIAL HEALTH EFFECTS:

INHALATION:
none

SKIN CONTACT:
none

EYE CONTACT:
none

INGESTION:
none

CARCINOGEN STATUS:

OSHA:
N

NTP:
N

IARC:
N

4. First Aid Measures

INHALATION:
It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

SKIN CONTACT:
It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

EYE CONTACT: It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

INGESTION:
Contact local poison control center or physician immediately.

5. Fire Fighting Measures

FIRE AND EXPLOSION HAZARDS:
Slight fire hazard.

EXTINGUISHING MEDIA:
regular dry chemical, carbon dioxide, water, regular foam

FIRE FIGHTING:
Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products.

LIQUITEX(R) ACRYLIC SLOW-DRI(R) EXTENDER MEDIUM

101.

Material Safety Data Sheet

FLASH POINT:
No data available.

6. Accidental Release Measures

OCCUPATIONAL RELEASE:
Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

7. Handling and Storage

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

8. Exposure Controls, Personal Protection

EXPOSURE LIMITS:

LIQUITEX(R) ACRYLIC SLOW-DRI(R) EXTENDER MEDIUM:
No occupational exposure limits established.

VENTILATION:
Based on available information, additional ventilation is not required.

EYE PROTECTION:
Eye protection not required under normal conditions.

CLOTHING:
Protective clothing is not required under normal conditions.

GLOVES:
Protective gloves are not required under normal conditions.

RESPIRATOR:
No respirator is required under normal conditions of use.
Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

9. Physical and Chemical Properties

PHYSICAL STATE:
liquid

ODOR:
Not available

BOILING POINT:
Not available

FREEZING POINT:
Not available

VAPOR PRESSURE:
Not available

LIQUITEX(R) ACRYLIC SLOW-DRI(R) EXTENDER MEDIUM

~~101~~

4

Material Safety Data Sheet

VAPOR DENSITY:
Not available

SPECIFIC GRAVITY:
Not available

WATER SOLUBILITY:
Not available

PH:
Not available

VOLATILITY:
Not available

ODOR THRESHOLD:
Not available

EVAPORATION RATE:
Not available

COEFFICIENT OF WATER/OIL DISTRIBUTION:
Not available

10. Stability and Reactivity

REACTIVITY:
Stable at normal temperatures and pressure.

CONDITIONS TO AVOID:
None reported.

INCOMPATIBILITIES:
oxidizing materials

HAZARDOUS DECOMPOSITION:
Thermal decomposition products: oxides of carbon, various organic fragments

POLYMERIZATION:
Will not polymerize.

11. Toxicological Information

Not available

12. Ecological Information

Not available

13. Disposal Considerations

Dispose in accordance with all applicable regulations.

14. Transport Information

No classification assigned.

LAND TRANSPORT ADR/RID:
No classification assigned.

LIQUITEX(R) ACRYLIC SLOW-DRI(R) EXTENDER MEDIUM

~~102.~~

5

Material Safety Data Sheet

AIR TRANSPORT IATA/ICAO:
No classification assigned.

MARITIME TRANSPORT IMDG:
No classification assigned.

15. Regulatory Information
U.S. REGULATIONS:

TSCA INVENTORY STATUS:
Y

TSCA 12(b) EXPORT NOTIFICATION:
Not listed.

CERCLA SECTION 103 (40CFR302.4):
N

SARA SECTION 302 (40CFR355.30):
N

SARA SECTION 304 (40CFR355.40):
N

SARA SECTION 313 (40CFR372.65):
N

SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40CFR370.21):

ACUTE:
N

CHRONIC:
N

FIRE:
N

REACTIVE:
N

SUDDEN RELEASE:
N

OSHA PROCESS SAFETY (29CFR1910.119):
N

STATE REGULATIONS:
California Proposition 65:
N

EUROPEAN REGULATIONS:
EC NUMBER:
Not assigned.

16. Other Information
COPYRIGHT 1984-1999 MDL INFORMATION SYSTEMS, INC. ALL RIGHTS RESERVED.

LIQUITEX(R) ACRYLIC SLOW-DRI(R) EXTENDER MEDIUM

103. 6-6