

SAFETY DATA SHEET (SDS)MATERIAL NAME: **A>2 LIGHTFAST HEAVY BODY ACRYLIC**LAST REVISION: **10/28/2015****SECTION 1 – IDENTIFICATION****Material Name**

A>2 LIGHTFAST HEAVY BODY ACRYLIC

Product Number

Various

(All information the same for all colors and sizes.)

Manufacturer Information

Chroma, Inc.

Airport Industrial Park

205 Bucky Drive

Lititz, Pennsylvania 17543

U.S.A.

Phone: 717-626-8866; 1-800-257-8278

Fax: 717-626-9292

Email: jhirneisen@chromaonline.com; infousa@chromaonline.com

Emergency Phone Number: 1-800-257-8278

Poison Control Center: 1-888-516-2502

SECTION 2 – HAZARDS IDENTIFICATION**Classification in accordance with paragraph (d) of 29 CFR 1910.1200.**

There are no GHS label elements.

PRIMARY ROUTES OF ENTRY: INHALATION, INGESTION, EYE, SKIN

EFFECTS AND SYMPTOMS OF ACUTE EXPOSURE: NONE EXPECTED

EFFECTS AND SYMPTOMS OF CHRONIC EXPOSURE: NONE EXPECTED

CARCINOGEN LISTING: NTP: **NO** IARC: **NO** OSHA: **NO**

SEE SECTION 3 FOR COMPONENTS AFFECTED

MEDICAL CONDITIONS USUALLY AGGRAVATED BY OVER EXPOSURE TO THIS PRODUCT: NONE

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	CAS #	PEL/TLV (MG/M#)	Max % Weight	NTP	IARC
NONE					

All Colors – A>2 Lightfast Heavy Body Acrylic

Page 1 of 4

SDS Date 10/15

While we believe that the data contained herein is factual and the opinions expressed are those of qualified experts regarding the results of the tests conducted, the data is not to be taken as a warranty or representation for which we assume legal responsibility. It is offered solely for your consideration and verification. Any use of this data and information must be determined by the user to be in accordance with applicable Federal, State, and Local laws and regulations.

Item Numbers: 00656-0069, 00656-1024, 00656-1025, 00656-1049, 00656-1089, 00656-1744, 00656-1745, 00656-2044, 00656-2045, 00656-2254, 00656-2255, 00656-2554, 00656-3044, 00656-3064, 00656-3065, 00656-3234, 00656-3235, 00656-3264, 00656-3564, 00656-3724, 00656-3784, 00656-3844, 00656-4114, 00656-4115, 00656-4134, 00656-4135, 00656-4164, 00656-4194, 00656-4195, 00656-4284, 00656-4544, 00656-4545, 00656-5164, 00656-5165, 00656-5174, 00656-5175, 00656-5194, 00656-5195, 00656-5234, 00656-5235, 00656-5374, 00656-6024, 00656-6025, 00656-6554, 00656-7014, 00656-7015, 00656-7074, 00656-7084, 00656-7274, 00656-7394, 00656-7804, 00656-7805, 00656-7914, 00656-8044, 00656-8045, 00656-8054, 00656-8055, 00656-8064, 00656-8065, 00656-8074, 00656-8914, 00656-9334, 00656-9504

Page 1 of 4

SECTION 4 – FIRST AID MEASURES

FIRST AID MEASURES: NONE REQUIRED
NO ACUTE HEALTH EFFECTS EXPECTED.

SECTION 5 – FIRE FIGHTING MEASURES

FLASH POINT (METHOD): N/A AUTOIGNITION TEMPERATURE: N/A
EXPLOSION LIMITS IN AIR (% BY VOLUME): NOT EXPLOSIVE
EXTINGUISHING MEDIA: NO SPECIAL MEDIA REQUIRED
FIRE FIGHTING PROCEDURES: NO SPECIAL FIRE FIGHTING PROCEDURES REQUIRED
UNUSUAL FIRE & EXPLOSION HAZARDS: NOT COMBUSTIBLE

SECTION 6 – ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE A MATERIAL IS SPILLED:
Clean up in accordance with all applicable regulations. Absorb spillage with non- combustible, absorbent material.
For waste disposal, see Section 13.

SECTION 7 – HANDLING & STORAGE

PRECAUTIONS TO BE TAKEN DURING STORAGE AND HANDLING:
Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS: NONE REQUIRED
OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC.): NONE REQUIRED
WORK / HYGIENE PRACTICES: NONE REQUIRED
ENGINEERING CONTROLS: NONE REQUIRED

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: N/A MELTING POINT: N/A
VAPOR PRESSURE: N/A
SPECIFIC VAPOR DENSITY (AIR=1): N/A SPECIFIC GRAVITY: N/A
SOLUBILITY IN WATER: N/A REACTIVITY IN WATER: NON-REACTIVE

All Colors – A>2 Lightfast Heavy Body Acrylic

Page 2 of 4

SDS Date 10/15

While we believe that the data contained herein is factual and the opinions expressed are those of qualified experts regarding the results of the tests conducted, the data is not to be taken as a warranty or representation for which we assume legal responsibility. It is offered solely for your consideration and verification. Any use of this data and information must be determined by the user to be in accordance with applicable Federal, State, and Local laws and regulations.

SECTION 10 – STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION PRODUCTS: NONE

STABILITY: STABLE CONDITIONS TO AVOID: NONE

INCOMPATIBILITY (MATERIALS TO AVOID): NONE

HAZARDOUS DECOMPOSITION PRODUCTS: NONE

SECTION 11 – TOXICOLOGICAL INFORMATION

ACUTE EFFECTS ASSOCIATED WITH USE OF THIS MATERIAL: NONE EXPECTED

The summated LD50 is 21400 mg/kg.

The summated LC50 is 41684 mg/cubic meter.

This product is not considered to be a known or suspected human carcinogen by NTP, IARC or OSHA (see section 3)

SECTION 12 – ECOLOGICAL INFORMATION

NO HARMFUL EFFECTS KNOWN OTHER THAN THOSE ASSOCIATED WITH SUSPENDED INERT SOLIDS IN WATER.

SECTION 13 – DISPOSAL CONSIDERATIONS

RCRA HAZARD CLASS (40 CFR 261):

THIS PRODUCT IS NOT CLASSIFIED AS A HAZARDOUS WASTE.

WASTE DISPOSAL METHOD:

DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

SECTION 14 – TRANSPORTATION INFORMATION

U.S. DOT (49 CFR 172.101): THIS IS NOT A HAZARDOUS MATERIAL AS CLASSIFIED BY CFR 172.101.

SECTION 15 – REGULATORY INFORMATION

CONTENTS OF THIS SDS COMPLY WITH OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200

EPA SARA TITLE III CHEMICAL LISTINGS

NONE

SECTION 302.4 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355): NONE

SECTION 313 TOXIC CHEMICALS (40 CFR 372): NONE

All Colors – A>2 Lightfast Heavy Body Acrylic

Page 3 of 4

SDS Date 10/15

While we believe that the data contained herein is factual and the opinions expressed are those of qualified experts regarding the results of the tests conducted, the data is not to be taken as a warranty or representation for which we assume legal responsibility. It is offered solely for your consideration and verification. Any use of this data and information must be determined by the user to be in accordance with applicable Federal, State, and Local laws and regulations.

Item Numbers: 00656-0069, 00656-1024, 00656-1025, 00656-1049, 00656-1089, 00656-1744, 00656-1745, 00656-2044, 00656-2045, 00656-2254, 00656-2255, 00656-2554, 00656-3044, 00656-3064, 00656-3065, 00656-3234, 00656-3235, 00656-3264, 00656-3564, 00656-3724, 00656-3784, 00656-3844, 00656-4114, 00656-4115, 00656-4134, 00656-4135, 00656-4164, 00656-4194, 00656-4195, 00656-4284, 00656-4544, 00656-4545, 00656-5164, 00656-5165, 00656-5174, 00656-5175, 00656-5194, 00656-5195, 00656-5234, 00656-5235, 00656-5374, 00656-6024, 00656-6025, 00656-6554, 00656-7014, 00656-7015, 00656-7074, 00656-7084, 00656-7274, 00656-7394, 00656-7804, 00656-7805, 00656-7914, 00656-8044, 00656-8045, 00656-8054, 00656-8055, 00656-8064, 00656-8065, 00656-8074, 00656-8914, 00656-9334, 00656-9504

Page 3 of 4

INTERNATIONAL REGULATIONS

CANADIAN WHMIS:
THIS PRODUCT IS A CONTROLLED PRODUCT UNDER CANADA'S WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM.

IT CONTAINS THE FOLLOWING TOXIC OR HIGHLY TOXIC MATERIALS:

FERRIC OXIDE
PIGMENT RED 2 DISPERSION

SUPPLEMENTAL STATE COMPLIANCE INFORMATION

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED UNDER NEW JERSEY'S RIGHT TO KNOW PROGRAM:

AMMONIUM HYDROXIDE
PIGMENT RED 101
PIGMENT RED 2 DISPERSION

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) REQUIRING NOTIFICATION TO THE STATE OF WASHINGTON UNDER THEIR CHILDREN'S SAFE PRODUCTS ACT:

NONE

Under CPSC's consumer product regulations (16CFR1500.3 and 150014), this product has the following required acute and chronic hazard labeling:

NONE

SECTION 16 – OTHER INFORMATION

ALL INFORMATION THE SAME FOR ALL COLORS AND SIZES.

THIS PRODUCT DOES NOT CONTAIN EGG, DAIRY, WHEAT, GLUTEN, SOY OR PEANUT PRODUCTS, BY-PRODUCTS OR DERIVATIVES.

THIS PRODUCT DOES NOT CONTAIN LATEX MATERIALS OR ANIMAL DERIVED INGREDIENTS.

All Colors – A>2 Lightfast Heavy Body Acrylic

Page 4 of 4

SDS Date 10/15

While we believe that the data contained herein is factual and the opinions expressed are those of qualified experts regarding the results of the tests conducted, the data is not to be taken as a warranty or representation for which we assume legal responsibility. It is offered solely for your consideration and verification. Any use of this data and information must be determined by the user to be in accordance with applicable Federal, State, and Local laws and regulations.

Item Numbers: 00656-0069, 00656-1024, 00656-1025, 00656-1049, 00656-1089, 00656-1744, 00656-1745, 00656-2044, 00656-2045, 00656-2254, 00656-2255, 00656-2554, 00656-3044, 00656-3064, 00656-3065, 00656-3234, 00656-3235, 00656-3264, 00656-3564, 00656-3724, 00656-3784, 00656-3844, 00656-4114, 00656-4115, 00656-4134, 00656-4135, 00656-4164, 00656-4194, 00656-4195, 00656-4284, 00656-4544, 00656-4545, 00656-5164, 00656-5165, 00656-5174, 00656-5175, 00656-5194, 00656-5195, 00656-5234, 00656-5235, 00656-5374, 00656-6024, 00656-6025, 00656-6554, 00656-7014, 00656-7015, 00656-7074, 00656-7084, 00656-7274, 00656-7394, 00656-7804, 00656-7805, 00656-7914, 00656-8044, 00656-8045, 00656-8054, 00656-8055, 00656-8064, 00656-8065, 00656-8074, 00656-8914, 00656-9334, 00656-9504

Page 4 of 4