Material Name: CRAYOLA® ACRYLIC PAINT; PORTFOLIO SERIES™

SDS ID: BNSSS187

# \* \* \*Section 1 - PRODUCT AND COMPANY IDENTIFICATION\* \* \*

# Material Name: CRAYOLA® ACRYLIC PAINT; PORTFOLIO SERIES™

CRAYOLA LLC 1100 Church Lane

Easton, PA 18044 support@crayola.com Phone: 1-800-272-9652

Health Emergency - Call local Poison Control Center Transportation Emergency: 1-800-535-5053

## Synonyms

PORTFOLIO SERIES ACRYLIC PAINT; VARNISH; BEAD GLAZE; SPARKLE PAINT; GLAMOUR DUST; GLITTER GLAZE; PRODUCT COLORS/CODES: 20-4016; 20-4032; 100-PEARLESCENT MIXING; 113-LIGHT RED; 115-DEEP RED; 127-BURNT SIENA; 128-BURNT UMBER; 186-VIOLET; 244-IVORY BLACK; 300-DEEP MAGENTA; 313-LIGHT GREEN; 316-PHTHALO BLUE; 317-PHTHALO GREEN; 335-RED OXIDE; 381-BRILLIANT BLUE PURPLE; 411-LIGHT YELLOW; 432-TITANIUM WHITE; 434-UNBLEACHED TITANIUM; 500-MEDIUM MAGENTA; 530-BRONZE YELLOW; 570-BRILLANT BLUE; 590-BRILLANT PURPLE; 599-MEDIUM GRAY; 660-BRIGHT AQUA GREEN; 720-BRILLANT ORANGE; 730-TURNER'S YELLOW; 830-BRILLANT YELLOW; BIG YELLOW BOX 78-100; 78-1080; 78-1141; 78-1330; 78-1506; 78-1507; 78-1512; 78-1555; 04-1106; 04-1109; 04-1500; 04-1908; 04-1200; 04-1202; 04-1506; 04-1509; 04-1520; 04-1301; 20-1997; 94-1200; 94-1201; 94-1203; 94-1350; 04-1360; 94-3200; 94-3202; 94-4200; 94-4202; 94-4222; VARNISH 23-2436; 23-3301; 23-3302; 23-3303; 23-4087

### **Product Use**

Arts and Crafts

# \* \* \*Section 2 - HAZARDS IDENTIFICATION\* \* \*

### EMERGENCY OVERVIEW

Color: various colors Physical Form: liquid Odor: odorless

### POTENTIAL HEALTH EFFECTS

Inhalation: none Skin Contact: none Eye Contact: none Ingestion: none

## \* \* \*Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS\* \* \*

CAS	Component	Percent	Symbol(s)	Risk Phrase(s)
Not Available	Product has been certified as non-toxic by the art and creative materials institute, inc. and conforms	100		
	to astm D-4236 standard practice for labeling art			
	materials for acute and chronic adverse health			
	hazards.			

Page 1 of 5

Issue Date: 02/14/2014 Revision: 1.0106

Print Date: 01/29/2015

Item Numbers: 00629-1009, 00629-1016, 00629-1066, 00629-2256, 00629-3016, 00629-3016, 00629-3716, 00629-4416, 00629-4596, 00629-4916, 00629-4936, 00629-5066, 00629-5056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 0062

## Page 2 of 5

# Safety Data Sheet

Material Name: CRAYOLA® ACRYLIC PAINT; PORTFOLIO SERIES™

SDS ID: BNSSS187

# \* \* \*Section 4 - FIRST AID MEASURES\* \* \*

#### Inhalation

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed. **Skin** 

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

#### Eyes

It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

#### Ingestion

Contact local poison control center or physician immediately.

# \* \* \*Section 5 - FIRE FIGHTING MEASURES\* \* \*

See Section 9 for Flammability Properties

#### NFPA Ratings: Health: 1 Fire: 1 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

### Flammable Properties

Slight fire hazard.

#### **Extinguishing Media**

regular dry chemical, carbon dioxide, water, regular foam

#### **Fire Fighting Measures**

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion byproducts.

# \* \*Section 6 - ACCIDENTAL RELEASE MEASURES\* \* \*

### **Occupational spill/release**

Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

# \* \* \*Section 7 - HANDLING AND STORAGE\* \* \*

## Storage Procedures

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

# \* \* \*Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION\* \* \*

## Component Exposure Limits

ACGIH and EU have not developed exposure limits for any of this product's components.

## Ventilation

Based on available information, additional ventilation is not required.

### PERSONAL PROTECTIVE EQUIPMENT

### Eyes/Face

Eye protection not required under normal conditions.

## **Protective Clothing**

Protective clothing is not required under normal conditions.

Page 2 of 5

Issue Date: 02/14/2014 Revision: 1.0106

Print Date: 01/29/2015

Item Numbers: 00629-1009, 00629-1016, 00629-1066, 00629-2256, 00629-3016, 00629-3046, 00629-3716, 00629-4416, 00629-4596, 00629-4916, 00629-4936, 00629-5056, 00629-5056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 0066

Material Name: CRAYOLA® ACRYLIC PAINT; PORTFOLIO SERIES™

**Glove Recommendations** 

Protective gloves are not required under normal conditions.

# **Respiratory Protection**

No respirator is required under normal conditions of use.

Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

## \* \* \*Section 9 - PHYSICAL AND CHEMICAL PROPERTIES\* \* \*

Physical State:	Liquid
Color:	various colors
Odor:	odorless
pH:	Not available
Boiling Point:	Not available
Evaporation Rate:	Not available
Vapor Density (air = 1):	Not available
Specific Gravity (water = 1):	Not available
Coeff. Water/Oil Dist:	Not available
Volatility:	Not available

Appearance: Not available Physical Form: liquid Odor Threshold: Not available Melting Point: Not available Flash Point: No data available Vapor Pressure: Not available Density: Not available Water Solubility: Not available Viscosity: Not available

# \* \* \*Section 10 - STABILITY AND REACTIVITY\* \* \*

### **Chemical Stability**

Stable at normal temperatures and pressure.

**Conditions to Avoid** 

None reported.

Materials to Avoid

oxidizing materials

**Decomposition Products** 

oxides of carbon

## **Possibility of Hazardous Reactions**

Will not polymerize.

# \* \* \*Section 11 - TOXICOLOGICAL INFORMATION\* \* \*

# Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

## **RTECS Acute Toxicity (selected)**

The components of this material have been reviewed and RTECS publishes no data as of the date on this document.

#### **Component Carcinogenicity**

None of this product's components are listed by ACGIH, IARC, or DFG.

#### **RTECS** Irritation

The components of this material have been reviewed and RTECS publishes no data as of the date on this document.

Page 3 of 5

Issue Date: 02/14/2014 Revision: 1.0106

Print Date: 01/29/2015

Item Numbers: 00629-1009, 00629-1016, 00629-1066, 00629-2256, 00629-3016, 00629-3046, 00629-3716, 00629-4416, 00629-4596, 00629-4916, 00629-4936, 00629-5066, 00629-5056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 0062

SDS ID: BNSSS187

Material Name: CRAYOLA® ACRYLIC PAINT; PORTFOLIO SERIES™

SDS ID: BNSSS187

# \* \* \*Section 12 - ECOLOGICAL INFORMATION\* \* \*

## Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components.

# \* \* \*Section 13 - DISPOSAL CONSIDERATIONS\* \* \*

## **Disposal Methods**

Dispose in accordance with all applicable regulations.

### **Component Waste Numbers**

The U.S. EPA has not published waste numbers for this product's components.

# \* \* \*Section 14 - TRANSPORT INFORMATION\* \* \*

### **US DOT Information**

Not regulated as a hazardous material.

## TDG Information

Not regulated as dangerous goods.

## ADR Information

Not regulated as dangerous goods.

## **RID Information**

Not regulated as dangerous goods.

## IATA Information

Not regulated as dangerous goods.

#### ICAO Information

Not regulated as dangerous goods.

### **IMDG** Information

Not regulated as dangerous goods.

# \* \* \*Section 15 - REGULATORY INFORMATION\* \* \*

### **Component Analysis**

None of this products components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 311/312 (40 CFR 370.21), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

## SARA Section 311/312 (40 CFR 370 Subparts B and C)

Acute Health: No Chronic Health: No Fire: No Pressure: No Reactive: No

## **Component Analysis - State**

None of this product's components are listed on the state lists from CA, MA, MN, NJ or PA.

Not regulated under California Proposition 65

## Canada

This product has been classified in accordance with the criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

**WHMIS Classification:** Not a Controlled Product under Canada's Workplace Hazardous Material Information System.

Page 4 of 5

Issue Date: 02/14/2014 Revision: 1.0106

Print Date: 01/29/2015

Item Numbers: 00629-1009, 00629-1016, 00629-1066, 00629-2256, 00629-3016, 00629-3046, 00629-3716, 00629-4416, 00629-4596, 00629-4916, 00629-4936, 00629-5066, 00629-5056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 0062

Material Name: CRAYOLA® ACRYLIC PAINT; PORTFOLIO SERIES™

**Canadian WHMIS Ingredients Disclosure List** 

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List and no components were found on the list.

## Component Analysis - Inventory

No information is available.

# \* \* \*Section 16 - OTHER INFORMATION\* \* \*

## Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU -Australia: BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CN - China; CPR -Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LOLI - List Of LIsts™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR -New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; RID European Rail Transport; RTECS - Registry of Toxic Effects of Chemical Substances®; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US -**United States** 

End of Sheet BNSSS187

Page 5 of 5

Issue Date: 02/14/2014 Revision: 1.0106

Print Date: 01/29/2015

ttem Numbers: 00629-1009, 00629-1016, 00629-1066, 00629-2256, 00629-3016, 00629-3016, 00629-3716, 00629-4416, 00629-4596, 00629-4916, 00629-4936, 00629-5066, 00629-5056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 00629-6056, 0062

SDS ID: BNSSS187