

SAFETY DATA SHEET (REGULATION (EC) No 1907/2006 - REACH)  
Name: ACRYLIQUES EXTRA FINES - N120021.

Version 1.1 (31/01/2013) - Page 1/7  
Company: Max Sauer SAS

**SAFETY DATA SHEET**  
(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

**SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product identifier**

Product name : ACRYLIQUES EXTRA FINES  
Product code : N120021..

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**1.3. Details of the supplier of the safety data sheet**

Registered company name : Max Sauer SAS.  
Address : 2 rue Lamarck 22000.Saint Brieuc.France.  
Telephone : 0033(0)296682000. Fax : 0033(0)296770065.  
mail@raphael.fr

**1.4. Emergency telephone number : +33 (0)1 45 42 59 59.**

Association/Organisation : INRS / ORFILA <http://www.centres-antipoison.net>.

**SECTION 2 : HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

**In compliance with EC regulation No. 1272/2008 and its amendments.**

Eye irritation, Category 2 (Eye Irrit. 2, H319).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

**In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.**

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

**2.2. Label elements**

**In compliance with EC regulation No. 1272/2008 and its amendments.**

Hazard pictograms :



GHS07

Signal Word :

WARNING

Hazard statements :

H319

Causes serious eye irritation.

Precautionary statements - General :

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P103

Read label before use.

Precautionary statements - Prevention :

P264

Wash ... thoroughly after handling.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

- Made under licence of European Label System® MSDS software from InfoDyne - <http://www.infodyne.fr> -

Item Numbers: 01629-1023, 01629-1024, 01629-1133, 01629-1134, 01629-1163, 01629-1164, 01629-1193, 01629-1194, 01629-1703, 01629-1704, 01629-2009, 01629-2043, 01629-2044, 01629-2123, 01629-2124, 01629-2193, 01629-2194, 01629-2253, 01629-2254, 01629-2293, 01629-2294, 01629-2323, 01629-2324, 01629-2513, 01629-2514, 01629-2553, 01629-2554, 01629-2563, 01629-2564, 01629-3133, 01629-3134, 01629-3173, 01629-3174, 01629-3273, 01629-3274, 01629-3283, 01629-3284, 01629-3383, 01629-3384, 01629-3403, 01629-3543, 01629-3544, 01629-3603, 01629-3604, 01629-3663, 01629-3664, 01629-3723, 01629-3724, 01629-3733, 01629-3734, 01629-3743, 01629-3753, 01629-3754, 01629-3763, 01629-3773, 01629-3774, 01629-3783, 01629-3793, 01629-3794, 01629-3803, 01629-3804, 01629-3813, 01629-3814, 01629-3933, 01629-3934, 01629-4043, 01629-4044, 01629-4163, 01629-4164, 01629-4193, 01629-4194, 01629-4373, 01629-4374, 01629-4433, 01629-4434, 01629-4493, 01629-4494, 01629-4523, 01629-4524, 01629-4533, 01629-4534, 01629-4713, 01629-4714, 01629-4723, 01629-4724, 01629-4783, 01629-4784, 01629-4793, 01629-4794, 01629-4893, 01629-4894, 01629-4913, 01629-4914, 01629-4923, 01629-4924, 01629-4933, 01629-4934, 01629-4943, 01629-4944, 01629-5023, 01629-5024, 01629-5093, 01629-5094, 01629-5113, 01629-5114, 01629-5163, 01629-5164, 01629-5173, 01629-5174, 01629-5183, 01629-5184, 01629-5193, 01629-5194, 01629-5203, 01629-5204, 01629-5213, 01629-5214, 01629-5223, 01629-5224, 01629-5253, 01629-5254, 01629-5263, 01629-5264, 01629-5273, 01629-5274, 01629-5303, 01629-5304, 01629-5373, 01629-5374, 01629-5513, 01629-5514, 01629-5753, 01629-5754, 01629-5903, 01629-5904, 01629-5913, 01629-5914, 01629-5923, 01629-5924, 01629-5933, 01629-5934, 01629-6023, 01629-6024, 01629-6533, 01629-6534, 01629-6633, 01629-6634, 01629-6733, 01629-6734, 01629-6923, 01629-6924, 01629-6933, 01629-6934, 01629-6943, 01629-6944, 01629-7053, 01629-7054, 01629-7073, 01629-7074, 01629-7093, 01629-7094, 01629-7113, 01629-7114, 01629-7123, 01629-7313, 01629-7314, 01629-7383, 01629-7384, 01629-7573, 01629-7574, 01629-7663, 01629-7664, 01629-7813, 01629-7823, 01629-7824, 01629-7833, 01629-7834, 01629-7913, 01629-7914, 01629-7923, 01629-7924, 01629-7933, 01629-7934, 01629-7983, 01629-7984, 01629-8003, 01629-8004, 01629-8043, 01629-8044, 01629-8053, 01629-8054, 01629-8063, 01629-8064, 01629-8073, 01629-8074, 01629-8083, 01629-8084, 01629-8213, 01629-8214, 01629-8313, 01629-8314, 01629-8623, 01629-8624, 01629-9093, 01629-9094, 01629-9133, 01629-9213, 01629-9214, 01629-9333, 01629-9334, 01629-9533, 01629-9534, 01629-9613, 01629-9614, 01629-1001

SAFETY DATA SHEET (REGULATION (EC) No 1907/2006 - REACH)  
Name: ACRYLIQUES EXTRA FINES - N120021.

Version 1.1 (31/01/2013) - Page 2/7  
Company: Max Sauer SAS

Precautionary statements - Response :

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313

If eye irritation persists: Get medical advice/attention.

**In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.**

No labelling requirements for this mixture.

### 2.3. Other hazards

No data available.

## SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

No substances fulfil the criteria set forth in annexe II section A of the REACH regulation (EC) n° 1907/2006.

### 3.2. Mixtures

#### Composition :

Identification	Name	Classification	%
CAS: 9036-19-5	OCTYLEPHÉNOXYPOLYÉTHOXYÉTHANOL	GHS07, GHS05, Dgr Xn H: 302-318-412 R: 41-52/53-22	1 <= x % < 2.5
INDEX: 007-001-01-2 CAS: 1336-21-6 EC: 215-647-6	AMMONIA SOLUTION	GHS05, GHS09, Dgr C,N H: 314.1B-400 R: 34-50	0 <= x % < 1

## SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

### 4.1. Description of first aid measures

#### In the event of splashes or contact with eyes :

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

#### In the event of swallowing :

Seek medical attention, showing the label.

### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

## SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

### 5.1. Extinguishing media

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)
- nitrogen oxide (NO)
- nitrogen dioxide (NO<sub>2</sub>)

- Made under licence of European Label System® MSDS software from InfoDyne - <http://www.infodyne.fr> -

Item Numbers: 01629-1023, 01629-1024, 01629-1133, 01629-1134, 01629-1163, 01629-1164, 01629-1193, 01629-1194, 01629-1703, 01629-1704, 01629-2009, 01629-2043, 01629-2044, 01629-2123, 01629-2124, 01629-2193, 01629-2194, 01629-2253, 01629-2254, 01629-2293, 01629-2294, 01629-2323, 01629-2324, 01629-2513, 01629-2514, 01629-2553, 01629-2554, 01629-2563, 01629-2564, 01629-3133, 01629-3134, 01629-3173, 01629-3174, 01629-3273, 01629-3274, 01629-3283, 01629-3284, 01629-3383, 01629-3384, 01629-3403, 01629-3543, 01629-3544, 01629-3603, 01629-3604, 01629-3663, 01629-3664, 01629-3723, 01629-3724, 01629-3733, 01629-3734, 01629-3743, 01629-3753, 01629-3754, 01629-3763, 01629-3773, 01629-3774, 01629-3783, 01629-3793, 01629-3794, 01629-3803, 01629-3804, 01629-3813, 01629-3814, 01629-3933, 01629-3934, 01629-4043, 01629-4044, 01629-4163, 01629-4164, 01629-4193, 01629-4194, 01629-4373, 01629-4374, 01629-4433, 01629-4434, 01629-4493, 01629-4494, 01629-4523, 01629-4524, 01629-4533, 01629-4534, 01629-4713, 01629-4714, 01629-4723, 01629-4724, 01629-4783, 01629-4784, 01629-4793, 01629-4794, 01629-4893, 01629-4894, 01629-4913, 01629-4914, 01629-4923, 01629-4924, 01629-4933, 01629-4934, 01629-4943, 01629-4944, 01629-5023, 01629-5024, 01629-5093, 01629-5094, 01629-5113, 01629-5114, 01629-5163, 01629-5164, 01629-5173, 01629-5174, 01629-5183, 01629-5184, 01629-5193, 01629-5194, 01629-5203, 01629-5204, 01629-5213, 01629-5214, 01629-5223, 01629-5224, 01629-5253, 01629-5254, 01629-5263, 01629-5264, 01629-5273, 01629-5274, 01629-5303, 01629-5304, 01629-5373, 01629-5374, 01629-5513, 01629-5514, 01629-5753, 01629-5754, 01629-5903, 01629-5904, 01629-5913, 01629-5914, 01629-5923, 01629-5924, 01629-5933, 01629-5934, 01629-6023, 01629-6024, 01629-6533, 01629-6534, 01629-6633, 01629-6634, 01629-6733, 01629-6734, 01629-6923, 01629-6924, 01629-6933, 01629-6934, 01629-6943, 01629-6944, 01629-7053, 01629-7054, 01629-7073, 01629-7074, 01629-7093, 01629-7094, 01629-7113, 01629-7114, 01629-7123, 01629-7313, 01629-7314, 01629-7383, 01629-7384, 01629-7573, 01629-7574, 01629-7663, 01629-7664, 01629-7813, 01629-7823, 01629-7824, 01629-7833, 01629-7834, 01629-7913, 01629-7914, 01629-7923, 01629-7924, 01629-7933, 01629-7934, 01629-7983, 01629-7984, 01629-8003, 01629-8004, 01629-8043, 01629-8044, 01629-8053, 01629-8054, 01629-8063, 01629-8064, 01629-8073, 01629-8074, 01629-8083, 01629-8084, 01629-8213, 01629-8214, 01629-8313, 01629-8314, 01629-8623, 01629-8624, 01629-9093, 01629-9094, 01629-9133, 01629-9213, 01629-9214, 01629-9333, 01629-9334, 01629-9533, 01629-9534, 01629-9613, 01629-9614, 01629-1001

SAFETY DATA SHEET (REGULATION (EC) No 1907/2006 - REACH)  
Name: ACRYLIQUES EXTRA FINES - N120021.

Version 1.1 (31/01/2013) - Page 3/7  
Company: Max Sauer SAS

### 5.3. Advice for firefighters

No data available.

---

## SECTION 6 : ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For non fire-fighters

Avoid any contact with the skin and eyes.

#### For fire-fighters

Fire-fighters will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

---

## SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

#### Fire prevention :

Prevent access by unauthorised personnel.

#### Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture.

#### Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

#### Storage

Keep out of reach of children.

#### Packaging

Always keep in packaging made of an identical material to the original.

### 7.3. Specific end use(s)

No data available.

---

## SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

No data available.

### 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

- Made under licence of European Label System® MSDS software from InfoDyne - <http://www.infodyne.fr> -

Item Numbers: 01629-1023, 01629-1024, 01629-1133, 01629-1134, 01629-1163, 01629-1164, 01629-1193, 01629-1194, 01629-1703, 01629-1704, 01629-2009, 01629-2043, 01629-2044, 01629-2123, 01629-2124, 01629-2193, 01629-2194, 01629-2253, 01629-2254, 01629-2293, 01629-2294, 01629-2323, 01629-2324, 01629-2513, 01629-2514, 01629-2553, 01629-2554, 01629-2563, 01629-2564, 01629-3133, 01629-3134, 01629-3173, 01629-3174, 01629-3273, 01629-3274, 01629-3283, 01629-3284, 01629-3383, 01629-3384, 01629-3403, 01629-3543, 01629-3544, 01629-3603, 01629-3604, 01629-3663, 01629-3664, 01629-3723, 01629-3724, 01629-3733, 01629-3734, 01629-3743, 01629-3753, 01629-3754, 01629-3763, 01629-3773, 01629-3774, 01629-3783, 01629-3793, 01629-3794, 01629-3803, 01629-3804, 01629-3813, 01629-3814, 01629-3933, 01629-3934, 01629-4043, 01629-4044, 01629-4163, 01629-4164, 01629-4193, 01629-4194, 01629-4373, 01629-4374, 01629-4433, 01629-4434, 01629-4493, 01629-4494, 01629-4523, 01629-4524, 01629-4533, 01629-4534, 01629-4713, 01629-4714, 01629-4723, 01629-4724, 01629-4783, 01629-4784, 01629-4793, 01629-4794, 01629-4893, 01629-4894, 01629-4913, 01629-4914, 01629-4923, 01629-4924, 01629-4933, 01629-4934, 01629-4943, 01629-4944, 01629-5023, 01629-5024, 01629-5093, 01629-5094, 01629-5113, 01629-5114, 01629-5163, 01629-5164, 01629-5173, 01629-5174, 01629-5183, 01629-5184, 01629-5193, 01629-5194, 01629-5203, 01629-5204, 01629-5213, 01629-5214, 01629-5223, 01629-5224, 01629-5253, 01629-5254, 01629-5263, 01629-5264, 01629-5273, 01629-5274, 01629-5303, 01629-5304, 01629-5373, 01629-5374, 01629-5513, 01629-5514, 01629-5753, 01629-5754, 01629-5903, 01629-5904, 01629-5913, 01629-5914, 01629-5923, 01629-5924, 01629-5933, 01629-5934, 01629-6023, 01629-6024, 01629-6533, 01629-6534, 01629-6633, 01629-6634, 01629-6733, 01629-6734, 01629-6923, 01629-6924, 01629-6933, 01629-6934, 01629-6943, 01629-6944, 01629-7053, 01629-7054, 01629-7073, 01629-7074, 01629-7093, 01629-7094, 01629-7113, 01629-7114, 01629-7123, 01629-7313, 01629-7314, 01629-7383, 01629-7384, 01629-7573, 01629-7574, 01629-7663, 01629-7664, 01629-7813, 01629-7823, 01629-7824, 01629-7833, 01629-7834, 01629-7913, 01629-7914, 01629-7923, 01629-7924, 01629-7933, 01629-7934, 01629-7983, 01629-7984, 01629-8003, 01629-8004, 01629-8043, 01629-8044, 01629-8053, 01629-8054, 01629-8063, 01629-8064, 01629-8073, 01629-8074, 01629-8083, 01629-8084, 01629-8213, 01629-8214, 01629-8313, 01629-8314, 01629-8623, 01629-8624, 01629-9093, 01629-9094, 01629-9133, 01629-9213, 01629-9214, 01629-9333, 01629-9334, 01629-9533, 01629-9534, 01629-9613, 01629-9614, 01629-1001

SAFETY DATA SHEET (REGULATION (EC) No 1907/2006 - REACH)  
Name: ACRYLIQUES EXTRA FINES - N120021.

Version 1.1 (31/01/2013) - Page 4/7  
Company: Max Sauer SAS

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

**- Eye / face protection**

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

**- Hand protection**

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex

Recommended properties :

- Impervious gloves in accordance with standard EN374

**- Body protection**

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

**SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES**

**9.1. Information on basic physical and chemical properties**

**General information :**

Physical state :

viscous liquid.

**Important health, safety and environmental information**

pH :

Not stated.

Boiling point/boiling range :

slightly basic.

Flash point interval :

not specified.

Vapour pressure :

not relevant.

Density :

not relevant.

Water solubility :

> 1

Melting point/melting range :

Dilutable.

Self-ignition temperature :

not specified.

Decomposition point/decomposition range :

not specified.

**9.2. Other information**

No data available.

- Made under licence of European Label System® MSDS software from InfoDyne - <http://www.infodyne.fr> -

Item Numbers: 01629-1023, 01629-1024, 01629-1133, 01629-1134, 01629-1163, 01629-1164, 01629-1193, 01629-1194, 01629-1703, 01629-1704, 01629-2009, 01629-2043, 01629-2044, 01629-2123, 01629-2124, 01629-2193, 01629-2194, 01629-2253, 01629-2254, 01629-2293, 01629-2294, 01629-2323, 01629-2324, 01629-2513, 01629-2514, 01629-2553, 01629-2554, 01629-2563, 01629-2564, 01629-3133, 01629-3134, 01629-3173, 01629-3174, 01629-3273, 01629-3274, 01629-3283, 01629-3284, 01629-3383, 01629-3384, 01629-3403, 01629-3543, 01629-3544, 01629-3603, 01629-3604, 01629-3663, 01629-3664, 01629-3723, 01629-3724, 01629-3733, 01629-3734, 01629-3743, 01629-3753, 01629-3754, 01629-3763, 01629-3773, 01629-3774, 01629-3783, 01629-3793, 01629-3794, 01629-3803, 01629-3804, 01629-3813, 01629-3814, 01629-3933, 01629-3934, 01629-4043, 01629-4044, 01629-4163, 01629-4164, 01629-4193, 01629-4194, 01629-4373, 01629-4374, 01629-4433, 01629-4434, 01629-4493, 01629-4494, 01629-4523, 01629-4524, 01629-4533, 01629-4534, 01629-4713, 01629-4714, 01629-4723, 01629-4724, 01629-4783, 01629-4784, 01629-4793, 01629-4794, 01629-4893, 01629-4894, 01629-4913, 01629-4914, 01629-4923, 01629-4924, 01629-4933, 01629-4934, 01629-4943, 01629-4944, 01629-5023, 01629-5024, 01629-5093, 01629-5094, 01629-5113, 01629-5114, 01629-5163, 01629-5164, 01629-5173, 01629-5174, 01629-5183, 01629-5184, 01629-5193, 01629-5194, 01629-5203, 01629-5204, 01629-5213, 01629-5214, 01629-5223, 01629-5224, 01629-5253, 01629-5254, 01629-5263, 01629-5264, 01629-5273, 01629-5274, 01629-5303, 01629-5304, 01629-5373, 01629-5374, 01629-5513, 01629-5514, 01629-5753, 01629-5754, 01629-5903, 01629-5904, 01629-5913, 01629-5914, 01629-5923, 01629-5924, 01629-5933, 01629-5934, 01629-6023, 01629-6024, 01629-6533, 01629-6534, 01629-6633, 01629-6634, 01629-6733, 01629-6734, 01629-6923, 01629-6924, 01629-6933, 01629-6934, 01629-6943, 01629-6944, 01629-7053, 01629-7054, 01629-7073, 01629-7074, 01629-7093, 01629-7094, 01629-7113, 01629-7114, 01629-7123, 01629-7313, 01629-7314, 01629-7383, 01629-7384, 01629-7573, 01629-7574, 01629-7663, 01629-7664, 01629-7813, 01629-7823, 01629-7824, 01629-7833, 01629-7834, 01629-7913, 01629-7914, 01629-7923, 01629-7924, 01629-7933, 01629-7934, 01629-7983, 01629-7984, 01629-8003, 01629-8004, 01629-8043, 01629-8044, 01629-8053, 01629-8054, 01629-8063, 01629-8064, 01629-8073, 01629-8074, 01629-8083, 01629-8084, 01629-8213, 01629-8214, 01629-8313, 01629-8314, 01629-8623, 01629-8624, 01629-9093, 01629-9094, 01629-9133, 01629-9213, 01629-9214, 01629-9333, 01629-9334, 01629-9533, 01629-9534, 01629-9613, 01629-9614, 01629-1001

SAFETY DATA SHEET (REGULATION (EC) No 1907/2006 - REACH)  
Name: ACRYLIQUES EXTRA FINES - N120021.

Version 1.1 (31/01/2013) - Page 5/7  
Company: Max Sauer SAS

---

## SECTION 10 : STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

### 10.5. Incompatible materials

### 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)
- nitrogen oxide (NO)
- nitrogen dioxide (NO<sub>2</sub>)

---

## SECTION 11 : TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

#### 11.1.1. Substances

No toxicological data available for the substances.

#### 11.1.2. Mixture

No toxicological data available for the mixture.

---

## SECTION 12 : ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### 12.1.1. Substances

Substances classified as category 1 acute toxicity :

OCTYLEPHÉNOXYPOLYÉTHOXYÉTHANOL (CAS: 9036-19-5)

Fish toxicity :

Duration of exposure : 96 h

CL50 = 7.2 mg/l

Species : *Oncorhynchus mykiss*

Algae toxicity :

Duration of exposure : 96 h

CEr50 = 0.21 mg/l

Species : *Pseudokirchnerella subcapitata*

#### 12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

### 12.2. Persistence and degradability

No data available.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

No data available.

- Made under licence of European Label System® MSDS software from InfoDyne - <http://www.infodyne.fr> -

Item Numbers: 01629-1023, 01629-1024, 01629-1133, 01629-1134, 01629-1163, 01629-1164, 01629-1193, 01629-1194, 01629-1703, 01629-1704, 01629-2009, 01629-2043, 01629-2044, 01629-2123, 01629-2124, 01629-2193, 01629-2194, 01629-2253, 01629-2254, 01629-2293, 01629-2294, 01629-2323, 01629-2324, 01629-2513, 01629-2514, 01629-2553, 01629-2554, 01629-2563, 01629-2564, 01629-3133, 01629-3134, 01629-3173, 01629-3174, 01629-3273, 01629-3274, 01629-3283, 01629-3284, 01629-3383, 01629-3384, 01629-3403, 01629-3543, 01629-3544, 01629-3603, 01629-3604, 01629-3663, 01629-3664, 01629-3723, 01629-3724, 01629-3733, 01629-3734, 01629-3743, 01629-3753, 01629-3754, 01629-3763, 01629-3773, 01629-3774, 01629-3783, 01629-3793, 01629-3794, 01629-3803, 01629-3804, 01629-3813, 01629-3814, 01629-3933, 01629-3934, 01629-4043, 01629-4044, 01629-4163, 01629-4164, 01629-4193, 01629-4194, 01629-4373, 01629-4374, 01629-4433, 01629-4434, 01629-4493, 01629-4494, 01629-4523, 01629-4524, 01629-4533, 01629-4534, 01629-4713, 01629-4714, 01629-4723, 01629-4724, 01629-4783, 01629-4784, 01629-4793, 01629-4794, 01629-4893, 01629-4894, 01629-4913, 01629-4914, 01629-4923, 01629-4924, 01629-4933, 01629-4934, 01629-4943, 01629-4944, 01629-5023, 01629-5024, 01629-5093, 01629-5094, 01629-5113, 01629-5114, 01629-5163, 01629-5164, 01629-5173, 01629-5174, 01629-5183, 01629-5184, 01629-5193, 01629-5194, 01629-5203, 01629-5204, 01629-5213, 01629-5214, 01629-5223, 01629-5224, 01629-5253, 01629-5254, 01629-5263, 01629-5264, 01629-5273, 01629-5274, 01629-5303, 01629-5304, 01629-5373, 01629-5374, 01629-5513, 01629-5514, 01629-5753, 01629-5754, 01629-5903, 01629-5904, 01629-5913, 01629-5914, 01629-5923, 01629-5924, 01629-5933, 01629-5934, 01629-6023, 01629-6024, 01629-6533, 01629-6534, 01629-6633, 01629-6634, 01629-6733, 01629-6734, 01629-6923, 01629-6924, 01629-6933, 01629-6934, 01629-6943, 01629-6944, 01629-7053, 01629-7054, 01629-7073, 01629-7074, 01629-7093, 01629-7094, 01629-7113, 01629-7114, 01629-7123, 01629-7313, 01629-7314, 01629-7383, 01629-7384, 01629-7573, 01629-7574, 01629-7663, 01629-7664, 01629-7813, 01629-7823, 01629-7824, 01629-7833, 01629-7834, 01629-7913, 01629-7914, 01629-7923, 01629-7924, 01629-7933, 01629-7934, 01629-7983, 01629-7984, 01629-8003, 01629-8004, 01629-8043, 01629-8044, 01629-8053, 01629-8054, 01629-8063, 01629-8064, 01629-8073, 01629-8074, 01629-8083, 01629-8084, 01629-8213, 01629-8214, 01629-8313, 01629-8314, 01629-8623, 01629-8624, 01629-9093, 01629-9094, 01629-9133, 01629-9213, 01629-9214, 01629-9333, 01629-9334, 01629-9533, 01629-9534, 01629-9613, 01629-9614, 01629-1001

SAFETY DATA SHEET (REGULATION (EC) No 1907/2006 - REACH)  
Name: ACRYLIQUES EXTRA FINES - N120021.

Version 1.1 (31/01/2013) - Page 6/7  
Company: Max Sauer SAS

#### 12.6. Other adverse effects

No data available.

### SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

### SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2011 - IMDG 2010 - ICAO/IATA 2012).

### SECTION 15 : REGULATORY INFORMATION


#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### - Particular provisions :

No data available.

##### - Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704) :

NFPA 704, Labelling: Health=0 Inflammability=1 Instability/Reactivity=1 Specific Risk=none



#### 15.2. Chemical safety assessment

No data available.

### SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

#### Title for H, EUH and R indications mentioned in section 3 :

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

- Made under licence of European Label System® MSDS software from InfoDyne - <http://www.infodyne.fr> -

Item Numbers: 01629-1023, 01629-1024, 01629-1133, 01629-1134, 01629-1163, 01629-1164, 01629-1193, 01629-1194, 01629-1703, 01629-1704, 01629-2009, 01629-2043, 01629-2044, 01629-2123, 01629-2124, 01629-2193, 01629-2194, 01629-2253, 01629-2254, 01629-2293, 01629-2294, 01629-2323, 01629-2324, 01629-2513, 01629-2514, 01629-2553, 01629-2554, 01629-2563, 01629-2564, 01629-3133, 01629-3134, 01629-3173, 01629-3174, 01629-3273, 01629-3274, 01629-3283, 01629-3284, 01629-3383, 01629-3384, 01629-3403, 01629-3543, 01629-3544, 01629-3603, 01629-3604, 01629-3663, 01629-3664, 01629-3723, 01629-3724, 01629-3733, 01629-3734, 01629-3743, 01629-3753, 01629-3754, 01629-3763, 01629-3773, 01629-3774, 01629-3783, 01629-3793, 01629-3794, 01629-3803, 01629-3804, 01629-3813, 01629-3814, 01629-3933, 01629-3934, 01629-4043, 01629-4044, 01629-4163, 01629-4164, 01629-4193, 01629-4194, 01629-4373, 01629-4374, 01629-4433, 01629-4434, 01629-4493, 01629-4494, 01629-4523, 01629-4524, 01629-4533, 01629-4534, 01629-4713, 01629-4714, 01629-4723, 01629-4724, 01629-4783, 01629-4784, 01629-4793, 01629-4794, 01629-4893, 01629-4894, 01629-4913, 01629-4914, 01629-4923, 01629-4924, 01629-4933, 01629-4934, 01629-4943, 01629-4944, 01629-5023, 01629-5024, 01629-5093, 01629-5094, 01629-5113, 01629-5114, 01629-5163, 01629-5164, 01629-5173, 01629-5174, 01629-5183, 01629-5184, 01629-5193, 01629-5194, 01629-5203, 01629-5204, 01629-5213, 01629-5214, 01629-5223, 01629-5224, 01629-5253, 01629-5254, 01629-5263, 01629-5264, 01629-5273, 01629-5274, 01629-5303, 01629-5304, 01629-5373, 01629-5374, 01629-5513, 01629-5514, 01629-5753, 01629-5754, 01629-5903, 01629-5904, 01629-5913, 01629-5914, 01629-5923, 01629-5924, 01629-5933, 01629-5934, 01629-6023, 01629-6024, 01629-6533, 01629-6534, 01629-6633, 01629-6634, 01629-6733, 01629-6734, 01629-6923, 01629-6924, 01629-6933, 01629-6934, 01629-6943, 01629-6944, 01629-7053, 01629-7054, 01629-7073, 01629-7074, 01629-7093, 01629-7094, 01629-7113, 01629-7114, 01629-7123, 01629-7313, 01629-7314, 01629-7383, 01629-7384, 01629-7573, 01629-7574, 01629-7663, 01629-7664, 01629-7813, 01629-7823, 01629-7824, 01629-7833, 01629-7834, 01629-7913, 01629-7914, 01629-7923, 01629-7924, 01629-7933, 01629-7934, 01629-7983, 01629-7984, 01629-8003, 01629-8004, 01629-8043, 01629-8044, 01629-8053, 01629-8054, 01629-8063, 01629-8064, 01629-8073, 01629-8074, 01629-8083, 01629-8084, 01629-8213, 01629-8214, 01629-8313, 01629-8314, 01629-8623, 01629-8624, 01629-9093, 01629-9094, 01629-9133, 01629-9213, 01629-9214, 01629-9333, 01629-9334, 01629-9533, 01629-9534, 01629-9613, 01629-9614, 01629-1001

SAFETY DATA SHEET (REGULATION (EC) No 1907/2006 - REACH)  
Name: ACRYLIQUES EXTRA FINES - N120021.

Version 1.1 (31/01/2013) - Page 7/7  
Company: Max Sauer SAS

H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
R 22	Harmful if swallowed.
R 34	Causes burns.
R 41	Risk of serious damage to eyes.
R 50	Very toxic to aquatic organisms.
R 52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Abbreviations :**

ADR : European agreement concerning the international carriage of dangerous goods by Road.  
IMDG : International Maritime Dangerous Goods.  
IATA : International Air Transport Association.  
ICAO : International Civil Aviation Organisation  
RID : Regulations concerning the International carriage of Dangerous goods by rail.  
GHS07 : Exclamation mark

- Made under licence of European Label System® MSDS software from InfoDyne - <http://www.infodyne.fr> -

Item Numbers: 01629-1023, 01629-1024, 01629-1133, 01629-1134, 01629-1163, 01629-1164, 01629-1193, 01629-1194, 01629-1703, 01629-1704, 01629-2009, 01629-2043, 01629-2044, 01629-2123, 01629-2124, 01629-2193, 01629-2194, 01629-2253, 01629-2254, 01629-2293, 01629-2294, 01629-2323, 01629-2324, 01629-2513, 01629-2514, 01629-2553, 01629-2554, 01629-2563, 01629-2564, 01629-3133, 01629-3134, 01629-3173, 01629-3174, 01629-3273, 01629-3274, 01629-3283, 01629-3284, 01629-3383, 01629-3384, 01629-3403, 01629-3543, 01629-3544, 01629-3603, 01629-3604, 01629-3663, 01629-3664, 01629-3723, 01629-3724, 01629-3733, 01629-3734, 01629-3743, 01629-3753, 01629-3754, 01629-3763, 01629-3773, 01629-3774, 01629-3783, 01629-3793, 01629-3794, 01629-3803, 01629-3804, 01629-3813, 01629-3814, 01629-3933, 01629-3934, 01629-4043, 01629-4044, 01629-4163, 01629-4164, 01629-4193, 01629-4194, 01629-4373, 01629-4374, 01629-4433, 01629-4434, 01629-4493, 01629-4494, 01629-4523, 01629-4524, 01629-4533, 01629-4534, 01629-4713, 01629-4714, 01629-4723, 01629-4724, 01629-4783, 01629-4784, 01629-4793, 01629-4794, 01629-4893, 01629-4894, 01629-4913, 01629-4914, 01629-4923, 01629-4924, 01629-4933, 01629-4934, 01629-4943, 01629-4944, 01629-5023, 01629-5024, 01629-5093, 01629-5094, 01629-5113, 01629-5114, 01629-5163, 01629-5164, 01629-5173, 01629-5174, 01629-5183, 01629-5184, 01629-5193, 01629-5194, 01629-5203, 01629-5204, 01629-5213, 01629-5214, 01629-5223, 01629-5224, 01629-5253, 01629-5254, 01629-5263, 01629-5264, 01629-5273, 01629-5274, 01629-5303, 01629-5304, 01629-5373, 01629-5374, 01629-5513, 01629-5514, 01629-5753, 01629-5754, 01629-5903, 01629-5904, 01629-5913, 01629-5914, 01629-5923, 01629-5924, 01629-5933, 01629-5934, 01629-6023, 01629-6024, 01629-6533, 01629-6534, 01629-6633, 01629-6634, 01629-6733, 01629-6734, 01629-6923, 01629-6924, 01629-6933, 01629-6934, 01629-6943, 01629-6944, 01629-7053, 01629-7054, 01629-7073, 01629-7074, 01629-7093, 01629-7094, 01629-7113, 01629-7114, 01629-7123, 01629-7313, 01629-7314, 01629-7383, 01629-7384, 01629-7573, 01629-7574, 01629-7663, 01629-7664, 01629-7813, 01629-7823, 01629-7824, 01629-7833, 01629-7834, 01629-7913, 01629-7914, 01629-7923, 01629-7924, 01629-7933, 01629-7934, 01629-7983, 01629-7984, 01629-8003, 01629-8004, 01629-8043, 01629-8044, 01629-8053, 01629-8054, 01629-8063, 01629-8064, 01629-8073, 01629-8074, 01629-8083, 01629-8084, 01629-8213, 01629-8214, 01629-8313, 01629-8314, 01629-8623, 01629-8624, 01629-9093, 01629-9094, 01629-9133, 01629-9213, 01629-9214, 01629-9333, 01629-9334, 01629-9533, 01629-9534, 01629-9613, 01629-9614, 01629-1001