

Revised 14/01/14

Page 1 of 4

Item Numbers: 01725-1001, 01725-3005

Archival Oils™ Odourless Classic Medium

Ingestion: Small amounts of liquid aspirated into the respiratory system during ingestion or from vomiting may cause bronchopneumonia or pulmonary oedema. Eye Contact: Contact with eye will cause discomfort, but will not injure eye tissue. Skin Contact: Frequent or prolonged contact may defat and dry the skin, leading to discomfort and irritant dermatitis. **Toxicity Data** Mildly toxic - Inhalation of vapour concentrations above the Time Weighted Average (TWA) Value for Petroleum Derived Complex Substance may be irritating to the eyes and respiratory tract; may cause headaches and dizziness; may act as an anaesthetic and may have other effects on the central nervous system. **FIRST AID MEASURES** Ingestion: DO NOT induce vomiting. Administer artificial respiration if breathing is stopped. Keep at rest. Call for immediate medical attention. Inhalation: Using proper respiratory protection, immediately remove the victim from exposure. Administer artificial respiration if breathing is stopped. Keep at rest. Call for prompt medical attention. Skin contact: Flush with large amounts of water, use mild soap if available. Remove grossly contaminated clothing, including shoes, and launder before re-use. Eve contact: Direct eve contact may cause irritation; Flush eves with large amounts of cool water until irritation subsides. If irritation persists, consult a specialist. Advice to doctor: Treat symptomatically. Avoid gastric lavage - aspiration of product into the respiratory system during ingestion or from vomiting may cause bronchopneumonia or pulmonary oedema **PRECAUTIONS FOR USE** Exposure limit(s): No Time Weighted Average (TWA) exposure standard has been established for this product, however for Petroleum Derived Complex Substance the TWA = 1200mg/m³ (152 ppm) [ExxonMobil (2000)] NB: The Time Weighted Average (TWA) value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. Exposure controls Engineering measures: The use of mechanical or natural ventilation is recommended whenever this product is used in a confined space or is heated above ambient temperatures. Protective measures: Facilities storing or utilizing this material should be equipped with water facilities and appropriate ventilation equipment. Individual protection measures For general use Personal Protection Equipment (PPE) is not required; however a detailed risk assessment on the use of this product taking in to account the work environment and handling methods may indicate PPE is recommended. Eye/face protection: Safety goggles with side shields may be used. Skin protection: Single use nitrile gloves may be worn. Wash material immediately off skin with cool soapy water. Respiratory protection: Where concentrations in the air may exceed the TWA, it is recommended to use a half-face filter mask to protect from overexposure by inhalation. Suitable filter material depends on the workplace but a filter of material type "A" or similar may be considered for use.

Revised 14/01/14

Page 2 of 4

Archival Oils™ Odourless Classic Medium

SAFE H	ANDLING & STORAGE INFORMATION
	with eyes. Wash hands with cool soapy water immediately after use recommended. Operation of use should be conducted in a well lest quantity possible.
Storage: Keep from freezing. and all sources of ignition. Sha	Store in a cool, dry place, well ventilated away from direct sunlight ake/stir well before use. Ensure lid is tightly closed when not in use.
Ambient storage temperatur	e : 1°C - 38°C
	TRANSPORT INFORMATION
Classified as NOT HAZARDO Goods (ADG)Code	US for transport according to the criteria of Australian Dangerous
Classification for Australian Proper Shipping Name: Class/Pack Group: Special Precaution for User: UN Number: Hazchem:	PETROLEUM DERIVED COMPLEX SUBTANCE N/A
Classification for sea transp Proper Shipping Name: Class/Pack Group: Special Precaution for User: UN Number: Hazchem: Marine Pollutant:	PETROLEUM DERIVED COMPLEX SUBTANCE N/A
Classification for air transpo Proper Shipping Name: Class/Pack Group: Special Precaution for User: UN Number: Hazchem:	ort (IATA/ICAO): PETROLEUM DERIVED COMPLEX SUBTANCE N/A HARMFUL N/A N/A
	REGULATORY INFORMATION
Poisons Schedule: AICS Name: NZ Toxic Substance: EPG:	5 Distillates, Petroleum, Hydrotreated Light 4 N/A
	FIRE / EXPLOSION HAZARD
Hazchem Code: None allocat	ed
Suitable extinguishing equip Stable. Use foam, dry chemica	oment al, or water spray to extinguish fire.
	fighting I. Material can form a flammable mixture or can burn only upon above the flash point of approx 80°C.
	It for fire fighters apparatus and full protective clothing. Use water spray to cool fire dry chemical, or water spray to extinguish surrounding fire.

Revised 14/01/14

Page 3 of 4

Item Numbers: 01725-1001, 01725-3005

Archival Oils[™] Odourless Classic Medium

DISPOSAL / ACCIDENTAL RELEASE ADVICE

Small quantities

Do not pour left over product into drains. Unwanted product should be brushed onto newspaper and allowed to dry to be disposed of via domestic waste collection. Soak/Wipe up smaller spills with a rag and dispose of via domestic waste collection.

Large quantities

Clean up immediately. Prevent spill and cleaning runoff from entering sewers, drains and open bodies of water. If a large amount of product enters a waterway advise your local Waste Management. Contain spill with sand or other inert material and transfer to containers for disposal. Avoid walking through spilled product as it may be slippery. Contact local waste disposal authority for disposal advice.

OTHER INFORMATION

Allergy information: <u>This product contains Safflower and other food grade seed oils</u>. Due care has been taken to ensure this product does not contain any other food derivatives or food-based products however we cannot guarantee the same applies to any of our suppliers of the individual components of this product.

Revision: 14th January 2014 – MSDS reformatted and extra information added.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates to only the specific material designated and may not be valid for such material when used in combination with any other materials or in any process unless specified in the text. Since Chroma Australia Pty Ltd cannot anticipate or control conditions of use, each user prior to using the product should assess and control the risks arising from usage of the product.

Revised 14/01/14

Page 4 of 4

Page 4 of 4

Item Numbers: 01725-1001, 01725-3005