



MATERIAL SAFETY DATA SHEET
DALER ♦ ROWNEY
 PAINTING MEDIUM

1 . IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name PAINTING MEDIUM
Supplier DALER – ROWNEY, 2 Corporate Drive , Cranbury, New Jersey, 08512-9584 USA

Emergency telephone number 1-609-655-5252
 Tel. number for information 1-609-655-5252

Product No. 114
Application MEDIUM FOR OIL PAINTING

2 . HAZARDS IDENTIFICATION

Product Type: Medium for oil painting .

Labelling requirements in conformity with ASTM D – 4236

WARNING: FLAMMABLE. VAPOR HARMFUL. EYE IRRITANT
Contains: PETROLIUM DISTILATES

PRECAUTIONS : Keep away from eye. Do store or use near heat or flame. Use only this adequate ventilation. **KEEP OUT OF REACH CHILDREN.**

FIRST AID TREATMENT: If eye contact occurs, rinse with tub water for 5-10 min. If irritant persists seek medical care. If inhalation symptoms occur, move to fresh air. If symptoms persist, see a physician. For further health information contact a poison control center or call ...(+ 1 609-655-5252)

3 . COMPOSITION/INFORMATION ON INGREDIENTS

Substances presenting a health hazard with the meaning of the Dangerous Substances Directive 67/548/EEC.

Names:	% (wt) Concentration	Symbol	R Phrases
White Spirit	40%		10,66

4. FIRST-AID MEASURES

General: In all cases if in doubt or when symptoms persist, seek medical advice. NEVER give anything by mouth to an unconscious person.

Inhalation: Remove affected victim from exposure. Keep at rest. Seek urgent medical attention.

Eye contact: Irrigate with copious amounts of clean water until discomfort subsides. If symptoms persist, seek medical attention.

Skin contact: Wash affected area with large amounts of water. Use soap if available.



MATERIAL SAFETY DATA SHEET

DALER ♦ ROWNEY
PAINTING MEDIUM

Ingestion: DO NOT induce vomiting. Keep at rest. Seek urgent medical attention.

5 . FIRE-FIGHTING MEASURES

Extinguishing Media

Use foam or dry chemical extinguishers

6 . ACCIDENTAL RELEASE MEASURES

Spill Cleanup Methods

Clean with absorbent cloth. Any residue can be cleaned with a cloth dampened with White spirit. Use protective gloves when using solvents and ensure good ventilation. Contain spillage with sand or earth and sweep up. Extinguish any naked flames in the vicinity.
Dispose of in accordance with local regulations.

7. HANDLING AND STORAGE

Handling: Ensure good standards of hygiene. When using, DO NOT eat, drink or smoke.
Wash hands after use.

Storage Reseal bottle when not in use. Store at normal room temperature, away from children.

8 . EXPOSURE CONTROLS/PERSONAL PROTECTION

Wear overalls / smock.
Ensure good cross ventilation. DO NOT eat, drink or smoke whilst using.
Wash hands before eating, drinking or smoking

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Clear water white liquid

Odour : White Spirit.

pH Not Applicable.

Melting point: Not Applicable.

Flash point: 56°C

Flammability : See 5 above.

Explosive properties: Not Applicable.

Specific gravity: 0.91

Solubility water: Insoluble.



MATERIAL SAFETY DATA SHEET

DALER ♦ ROWNEY
PAINTING MEDIUM

Organic solvents: Soluble in white spirit and turpentine.

10. STABILITY AND REACTIVITY

Conditions to avoid: None known.

Materials to avoid: Strong oxidising agents.

Hazardous decomposition products : None known.

11. TOXICOLOGICAL INFORMATION

There are no data on the preparation itself.

Threshold limit: For white spirit : recommended 100 ppm.
 If excessive exposure to white spirit, the following medical effects may result:

Ingestion: Minimal toxicity. Small amounts of white spirit aspirated into the respiratory System during ingestion may cause bronchopneumonia or pulmonary oedema.

Skin: Repeated exposure may cause skin dryness or cracking.

Eyes: Some discomfort may occur, but does not result in damage to the eye tissue.

Respiratory: See ingestion above.

12 . ECOLOGICAL INFORMATION

There is no data on the preparation itself.
 Insoluble in water. Avoid contamination of water courses and soil.

13. DISPOSAL CONSIDERATIONS

Disposal Methods
 Do not allow into drains or water courses. Dispose of in accordance with local regulations

14 . TRANSPORT INFORMATION

Transport only in accordance with ADR for roads, RID for Rail, IMDG for sea and ICAO/IATA for air transport

ADR/RID:	Class	3	Item	Transport document	Label
IMG :	Class	3	UN Nr	1300	Proper shipping name Turpentine Substitute Label Flammable Marine Pollutant
ICAO/IATA:	Class		UN Nr	1300	Proper shipping name Turpentine Substitute Label



MATERIAL SAFETY DATA SHEET

DALER ♦ ROWNEY
PAINTING MEDIUM

Packaging Group. **III**

15. REGULATORY INFORMATION

In accordance with ASTM D – 4236 the product is labelled as follows:

Danger Classification: PLEASE REFER TO SECTION 3.

16. OTHER INFORMATION

The information on this MSDS is based on the present state of our knowledge and national Laws, as the users working conditions are beyond our knowledge and control. The product is not to be used for other purposes than specified in section 1 without first seeking our advice. It is always the responsibility of the user to take necessary steps in order to fulfil the demands laid down in the local rules of legislation. The information in this MSDS is meant as a description of the safety requirements of our product: it is not to be considered as a guarantee of the products properties

Date **September 2011**



MATERIAL SAFETY DATA SHEET

DALER ♦ ROWNEY
PAINTING MEDIUM

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.