



## Safety Data Sheet


### Galkyd, Galkyd Slow Dry

#### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

<b>Product Name</b>	Galkyd, Galkyd Slow Dry	<b>Manufacturer</b>	Gamblin Artists Colors
<b>Recommended Use</b>	Mixing agent for artists' oil colors	<b>Address</b>	323 SE Division Pl Portland, OR 97202
<b>Restrictions on Use</b>	Keep out of reach of children	<b>Telephone</b>	(503) 235-1945
<b>Emergency Contact / Number</b>	Urgent Care / Emergency Room		

#### SECTION 2: HAZARD IDENTIFICATION

##### Hazards

Flammable liquid	Category 4, Combustible liquid	<b>WARNING</b> 
Skin Corrosion / Irritation	Category 2, Causes skin irritation	
Aquatic chronic toxicity	Category 3, Toxic to aquatic life with long lasting effects	
Specific Target Organ Toxicity -single exposure (CNS)	Category 3, May cause drowsiness or dizziness	

##### Precautionary Statements

<b>Prevention:</b>	Keep away from flames and hot surfaces. No smoking. Wear protective gloves, eye and face protection. Wash hands and exposed areas thoroughly after handling. Avoid breathing fumes or vapors. Use only outdoors or in a well-ventilated area.
<b>Response:</b>	In case of fire: Use water mist, dry chemical or CO2 to extinguish. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. If on skin: Wash with plenty of water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice or attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell.
<b>Storage:</b>	Store in a locked, well ventilated place. Keep cool. Keep container tightly closed.
<b>Disposal:</b>	Dispose of contents and container in accordance with all regulations.

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component Name	CAS#	Component Percent
Petroleum naphtha	64742-48-9	40 – 60
Alkyd resin		40 - 60
Safflower Oil*	8001-23-8	10 – 20
*Galkyd Slow Dry only		

#### SECTION 4: FIRST AID MEASURES

##### First Aid Treatment

<b>Eye Contact:</b>	Flush thoroughly with water. If irritation persists, get medical attention.
<b>Skin Contact:</b>	In case of skin contact, wash skin thoroughly with soap and water. Remove contaminated clothing and launder before reuse.
<b>Ingestion:</b>	Do not induce vomiting. Give water or milk to victim if conscious; get medical attention.
<b>Inhalation:</b>	Move victim to fresh air. If respiratory irritation, dizziness, nausea, or unconsciousness occurs, seek immediate medical assistance. Start resuscitation if victim is overcome and call a physician immediately.

##### Most Important Symptoms / Effects

<b>Eye:</b>	May cause redness or irritation
<b>Skin:</b>	May cause rash, cracking or dryness
<b>Inhalation:</b>	May cause dizziness, nausea, headache, and possible central nervous system (cns) depression
<b>Ingestion:</b>	May cause nausea, gastrointestinal irritation or vomiting
<b>Chronic Exposure:</b>	Repeated or prolonged skin contact may aggravate existing dermatitis

##### Indication of Immediate Medical Attention and Special Treatment, If Necessary

## Safety Data Sheet

Galkyd, Galkyd Slow Dry

Persistent eye or skin irritation, ingestion, difficulty in breathing, unconsciousness or respiratory distress. Aspirated material may cause chemical pneumonia.

**SECTION 5: FIREFIGHTING MEASURES****Suitable and Unsuitable Extinguishing Media**

Use fire-fighting techniques such as water fog, foam, dry chemical or carbon dioxide (CO<sub>2</sub>). Use a water spray to cool fire-exposed containers, structures and to protect personnel.

**Specific Hazards Arising from the Chemical**

Burning material may produce toxic smoke, fumes and vapors in a fire. Closed containers may rupture or explode when exposed to extreme heat.

**Specific Protective Equipment and Precautions for Fire-Fighters**

Do not enter confined fire space without full equipment and a positive pressure NIOSH-approved self-contained breathing apparatus. Closed containers may explode from high heat.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****Personal Precautions**

Isolate release area and keep unnecessary or untrained people away. Avoid skin or eye contact with spilled material. See Section 8 for personal protection gear.

**Environmental Precautions**

Contain spill if it can be done with minimal risk. Prevent liquid from entering drains, sewers or waterways. Advise EPA, state or local agencies as required.

**Methods for Cleaning Up**

Do not discharge to the environment. Soak up with absorbent materials. Small spills can be evaporated and absorbent disposed of in trash. Larger spills should be transferred to labeled containers for recovery or safe disposal.

**SECTION 7: HANDLING AND STORAGE****Handling**

Avoid contact with eyes or prolonged skin contact. Keep away from food and beverages. Open container slowly to control possible pressure release. Prevent or clean up small spills and leakage to avoid slip hazard. Always observe good personal hygiene such as washing after handling the material and before eating, drinking or smoking. Routinely wash work clothing and protective equipment. Practice good housekeeping.

Empty containers may contain residue and can be dangerous. Do not attempt to clean container without proper instructions. Empty containers should be taken for recycling, recovery, or disposal. **DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY OR OTHER SOURCES OF IGNITION. THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.**

**Storage**

Keep containers closed when not in use. Store in a cool, well-ventilated area. Use original or other childproof, compatible container.

**SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION****Exposure Limits**

Component Name	ACGIH	OSHA	EU HSPA
Petroleum naphtha	Not Established	500 ppm	1,200 mg/m <sup>3</sup>

**Engineering Controls**

Use appropriate ventilation to maintain airborne concentration limits below exposure limits.

**Protective Equipment**

Wear safety glasses; other equipment will vary based on potential exposure conditions.

**Respiratory Protection**

Maintain good ventilation or air flow. Use a respirator in areas where the exposure is unknown or above OSHA or ACGIH limits.

**General Hygiene**

Wash thoroughly with soap and water after task or shift, when using the restroom or before eating.

## Safety Data Sheet

Galkyd, Galkyd Slow Dry

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance/Physical State</b>	Amber liquid or gel	<b>Flash Point (PMCC)</b>	158 °F
<b>Specific Gravity (Water=1)</b>	0.8 – 0.9	<b>Upper Flammability Limits</b>	Not Determined
<b>Evaporation Rate (ether = 1)</b>	<1	<b>Lower Flammability Limits</b>	Not Determined
<b>pH</b>	Not Applicable	<b>Auto-ignition Temperature</b>	446 °F
<b>Solubility in Water</b>	Negligible	<b>Decomposition Temperature</b>	Not Determined
<b>Odor</b>	Characteristic hydrocarbon	<b>Vapor Pressure (kPa@68 °F)</b>	< 0.1
<b>Odor Threshold</b>	Not Determined	<b>Vapor Density (Air=1)</b>	5
<b>Melting/Freezing Point</b>	Not Determined	<b>Partition Coefficient (n-octanol/water)</b>	Not Determined
<b>Boiling Range</b>	Not Determined	<b>Viscosity</b>	Not Determined
<b>Initial Boiling Point</b>	Not Determined	<b>Temperature</b>	Not Determined

Note: Physical and chemical properties are provided for safety, health and environmental considerations and do not fully represent product specifications. Those should be requested separately.

**SECTION 10: STABILITY AND REACTIVITY**

**Reactivity:** Not reactive at normal storage and use conditions  
**Chemical Stability:** Stable at normal storage and use conditions  
**Possibility of Hazardous Reactions:** Will not occur under normal conditions  
**Conditions to Avoid:** Avoid heat, sparks, open flames and other ignition sources  
**Incompatible Materials:** Strong oxidizers  
**Hazardous Decomposition Products:** Not Applicable

**SECTION 11: TOXICOLOGICAL INFORMATION**

Specific toxicity tests have not been conducted on this mixture. In accordance with OSHA's Hazard Communication Standard 1910.1200, this mixture is assumed to have the same health hazards as its significant components.

**Acute Toxicity Effects**

Product can cause mild eye or skin irritation depending on length and degree of exposure. Repeated exposure may cause skin dryness or cracking. Inhalation of vapors above recommended levels may cause respiratory system irritation or CNS depression. Ingestion may irritate the mouth, throat and stomach.

**Chronic Toxicity Effects**

Long term or repeated exposure may aggravate any acute symptoms.

**Carcinogenicity**

No components of this product above the declaration level of 0.1% have been identified by IARC, OSHA or NTP as carcinogenic.

**SECTION 12: ECOLOGICAL INFORMATION**

<b>Ecotoxicity</b>	Not Determined	<b>Degradability</b>	Not Determined
<b>Mobility</b>	Not Determined	<b>Bioaccumulation</b>	Not Determined

**SECTION 13: DISPOSAL CONSIDERATIONS**

Dispose of in accordance with local, state/province, and federal environmental regulations. Disposal recommendations based on material as supplied. Product is suitable for burning in an enclosed controlled burner for fuel value or disposal by supervised incineration at very high temperatures to prevent formation of undesirable combustion products. Disposal of unused product may be subject to RCRA regulations (40 CFR 261). Disposal of the used product may also be regulated due to ignitability, corrosivity, reactivity or toxicity as determined by Toxicity Characteristics Leaching Procedures (TCLP). Potential RCRA characteristics: IGNITABILITY.

**SECTION 14: TRANSPORT INFORMATION**

**DOT Information** Petroleum distillates, n.o.s. UN1268, PG III, Class 3

Safety Data Sheet

Galkyd, Galkyd Slow Dry

**SECTION 15: REGULATORY INFORMATION**

<b>Inventory Listings</b>	All components are listed on the TSCA inventory
<b>SARA 311/312 Reporting Categories</b>	Flammable, acute, chronic hazard
<b>SARA 313 Reportable Ingredients</b>	None at levels above reporting limits

**SECTION 16: OTHER INFORMATION**

**HMIS** 1-2-0  
**NFPA** 1-2-0

**Department Issuing SDS** Health and Safety

**Disclaimer**

The information contained herein is based on the data available to use and is believed to be correct. However, Gamblin Artists Colors Co. makes no warranty, expressed or implied, regarding the accuracy of these data or the results to be obtained from the use thereof. Gamblin assumes no responsibility for injury from the use of the product described herein.