

1. Identification

Product identifier Williamsburg Flake White, Lead Oil Ground, Silver White Other means of identification Not available. **Recommended use** Artist paint **Recommended restrictions** None known. Manufacturer / Importer / Supplier / Distributor information **Company name** Golden Artist Colors, Inc. Address 188 Bell Rd., New Berlin NY 13411 US Telephone 607-847-6154 gavett@goldenpaints.com E-mail Ben Gavett Contact person **Emergency phone number** 607-847-6154 2. Hazard(s) identification **Physical hazards** Not classified. Acute Health hazards toxicity, oral Category 4 Carcinogenicity Category 1A Reproductive toxicity Category 1A Specific target organ toxicity, repeated Category 2 (Central Nervous System, Kidney, exposure Blood) **OSHA** defined hazards Not classified. Label elements Signal word Danger Hazard statement May cause cancer. May damage fertility or the unborn child. May cause damage to organs (Central Nervous System, Kidney, Blood) through prolonged or repeated exposure. Harmful if swallowed. **Precautionary statement** Prevention Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product. Use personal protective equipment as required. Wash thoroughly after handling. Response If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. Storage Store locked up. Disposal Dispose of contents/container in accordance with local/regional/national/international regulations. Not classified. Hazard(s) not otherwise classified (HNOC) **Environmental hazards** Hazardous to the aquatic environment, acute Category 1 hazard Hazardous to the aquatic environment, Category 1 long-term hazard Supplemental information Hazard symbol Hazard statement Very toxic to aquatic life with long lasting effects.

Response Collect spillage.

3. Composition/information on ingredients

Mixtures			
Chemical name		CAS number	%
Lead carbonate hydroxide		1319-46-6	40 - 60
Linseed oil		8001-26-1	25 - 35
Limestone		1317-65-3	10 - 40
Barium sulphate		7727-43-7	0 - 10
Quartz		14808-60-7	0.1-<1.0
Composition comments	All concentrations are in percent by weight unless percent by volume.	ingredient is a gas. Gas	s concentrations are in
4. First-aid measures			
Inhalation	Not likely, due to the form of the product. If inhaled mouth-to-mouth method if victim inhaled the subst		
Skin contact	Remove contaminated clothing immediately and w separately before reuse. Get medical attention if in		
Eye contact	Immediately flush eyes with plenty of water for at I present and easy to do. Get medical attention if in		
Ingestion	Rinse mouth thoroughly. Never give anything by n convulsions. If swallowed, induce vomiting immed vomiting occurs, keep head low so that stomach o attention.	liately as directed by me	dical personnel. If
Most important symptoms/effects, acute and delayed	Symptoms include itching, burning, redness and t	earing. Symptoms may	be delayed.
Indication of immediate medical attention and special treatment needed	Lead - To avoid further damage, those with kidney exposure. Exposure during pregnancy should be		disease should avoid
General information	Keep victim warm. Keep victim under observation.		
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Water spray, foam, dry powder or carb	on dioxide.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this wi	ill spread the fire.	
Specific hazards arising from the chemical	By heating and fire, toxic vapors/gases may be fo	rmed.	
Special protective equipment and precautions for firefighters	Selection of respiratory protection for firefighting: the workplace. Self-contained breathing apparatus case of fire.		
Fire-fighting equipment/instructions	Use standard firefighting procedures and consider containers from fire area if you can do so without		volved materials. Move
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Avoid contact with skin and eyes. Ventilate well. A clothing.	Avoid breathing mist. We	ear suitable protective
Methods and materials for containment and cleaning up	Spill clean-up restrictions apply. Absorb spillage w disposal, see Section 13 of the SDS.	vith suitable absorbent r	naterial. For waste
Environmental precautions	Do not discharge into drains, water courses or ont	to the ground.	
7. Handling and storage			
Precautions for safe handling	Read label before use. Do not handle until all safe Pregnant women should not work with the produc contact with skin and eyes. Wear personal protect Avoid breathing mist.	t, if there is the least ris	k of exposure. Avoid

Williamsburg Flake White, Williamsburg Lead Oil Ground 903436 Version #: 01 Item Numbers: 03507-1016, 03507-1017 Revision date: - Issue date: 22-November-2013

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Components	Тур			Value	
Lead carbonate hydroxide (CAS 1319-46-6)	TW			0.05 mg/m3	
US. OSHA Table Z-1 Limi	ts for Air Contaminan	ts (29 CFR 1910.10	000)		
Components	Тур	e	,	Value	Form
Barium sulphate (CAS 7727-43-7)	PEL		:	5 mg/m3	Respirable fraction.
				15 mg/m3	Total dust.
Limestone (CAS 1317-65-3	B) PEL			5 mg/m3	Respirable fraction.
	DEL			15 mg/m3	Total dust.
Linseed oil (CAS 8001-26-1)	PEL		:	5 mg/m3	Respirable fraction.
US. OSHA Table Z-3 (29 (CFR 1910.1000)			15 mg/m3	Total dust.
Components	Тур	e	,	Value	Form
Quartz (CAS 14808-60-7)	TW			0.3 mg/m3	Total dust.
				0.1 mg/m3	Respirable.
				2.4 millions of particle	Respirable.
US. ACGIH Threshold Lin	nit Values				
Components	Тур	е		Value	Form
Barium sulphate (CAS 7727-43-7)	TW	4		10 mg/m3	
Lead carbonate hydroxide (CAS 1319-46-6)	TW	4	(0.05 mg/m3	
Quartz (CAS 14808-60-7)	TW	4	(0.025 mg/m3	Respirable fraction.
US NIOSH Pocket Guide	to Chemical Hazards:	Recommended ex	posure limit (REL)	
Components	Тур	e	,	Value	Form
Barium sulphate (CAS 7727-43-7)	TW	4		5 mg/m3	Respirable.
				10 mg/m3	Total
Limestone (CAS 1317-65-3	3) TW/	4		5 mg/m3	Respirable.
				10 mg/m3	Total
Linseed oil (CAS 8001-26-1)	TW	4	:	5 mg/m3	Respirable.
0001 20 1)				10 mg/m3	Mist.
Quartz (CAS 14808-60-7)	TW	4	(0.05 mg/m3	Respirable dust.
ogical limit values	una Indiana				
ACGIH Biological Exposu		Determinant	Specimen	Sompling Tim	.
Componente			Specimen	Sampling Tim	e
Components Lead carbonate hydroxide	Value 300 µg/l	Lead	Blood	*	
Lead carbonate hydroxide (CAS 1319-46-6)	300 µg/l	Lead	Blood	*	
Lead carbonate hydroxide (CAS 1319-46-6) * - For sampling details, ple	300 μg/l ease see the source doo	Lead	Blood	*	
Lead carbonate hydroxide (CAS 1319-46-6) * - For sampling details, ple ropriate engineering	300 µg/l	Lead	Blood	*	
Lead carbonate hydroxide (CAS 1319-46-6) * - For sampling details, ple ropriate engineering trols vidual protection measure	300 μg/l ease see the source doo Provide adequate es, such as personal p	Lead cument. ventilation.	ent		
Lead carbonate hydroxide (CAS 1319-46-6) * - For sampling details, ple ropriate engineering trols vidual protection measure Eye/face protection	300 μg/l ease see the source doo Provide adequate es, such as personal p	Lead cument. ventilation.	ent		
Lead carbonate hydroxide (CAS 1319-46-6) * - For sampling details, ple ropriate engineering trols vidual protection measure	300 μg/l ease see the source doo Provide adequate es, such as personal p Risk of contact: We Chemical resistant	Lead cument. ventilation. protective equipme ear approved safety gloves required for	ent glasses or go	ggles.	Suitable gloves can be
Lead carbonate hydroxide (CAS 1319-46-6) * - For sampling details, ple propriate engineering trols vidual protection measure Eye/face protection Skin protection Hand protection	300 μg/l ease see the source doo Provide adequate es, such as personal p Risk of contact: We Chemical resistant recommended by t	Lead cument. ventilation. protective equipme ear approved safety gloves required for he glove supplier.	ent glasses or go prolonged or r	ggles. repeated contact. S	Suitable gloves can be
Lead carbonate hydroxide (CAS 1319-46-6) * - For sampling details, ple ropriate engineering trols vidual protection measure Eye/face protection Skin protection	300 μg/l ease see the source doo Provide adequate es, such as personal p Risk of contact: We Chemical resistant recommended by t Wear protective clo If ventilation is not	Lead cument. ventilation. protective equipme ear approved safety gloves required for the glove supplier. othing appropriate for	ent glasses or go prolonged or r or the risk of ex ely prevent bui	ggles. epeated contact. \$ ¢posure. ildup of aerosols o	Suitable gloves can be r mists, appropriate

Williamsburg Flake White, Williamsburg Lead Oil Ground 903436 Version #: 01 Item Numbers: 03507-1016, 03507-1017 Revision date: - Issue date: 22-November-2013

SDS US Page 3 618

 Thermal hazards
 Wear appropriate thermal protective clothing, when necessary.
 Page 4 of 8

 Generations
 ARTIST GROUND personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and working clothes should be kept

 separately.

9. Physical and chemical properties

Appearance	Semisolid.		
Physical state	Solid.		
Form	Semisolid.		
Color	White		
Odor	Oily.		
Odor threshold	Not available.		
рН	Not available.		
Melting point/freezing point	Not available.		
Initial boiling point and boiling range	Not available.		
Flash point	Not available.		
Evaporation rate	Not available.		
Flammability (solid, gas)	Not available.		
Upper/lower flammability or exp	osive limits		
Flammability limit - lower (%)	Not available.		
Flammability limit - upper (%)	Not available.		
Vapor pressure	Not available.		
Vapor density	Not available.		
Relative density	2.6		
Solubility(ies)	Not available.		
Partition coefficient (n-octanol/water)	No data available.		
Auto-ignition temperature	Not available.		
Decomposition temperature	Not available.		
Viscosity	Not available.		
40 Stability and reactivity			

10. Stability and reactivity

Reactivity	Stable at normal conditions.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong acids. Strong oxidizing agents.
Hazardous decomposition products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11. Toxicological information

Information on likely routes of	exposure			
Ingestion	Harmful if swallowed.			
Inhalation	Harmful if inhaled. However: Unlikely to be hazardous by inhalation because of the low vapor pressure of the substance at ambient temperature.			
Skin contact	May cause skin irritation.			
Eye contact	May cause eye irritation.			
Symptoms related to the physical, chemical and toxicological characteristics	Symptoms include itching, burning, redness and tearing.			
Information on toxicological effects				

Williamsburg Flake White, Williamsburg Lead Oil Ground 903436 Version #: 01 Revision date: - Issue date: 22-November-2013

Serious eye damage/eye irritation	May cause eye irritation.		
Respiratory sensitization	No data available.		
Skin sensitization	No data available.		
Germ cell mutagenicity	No data available.		
Carcinogenicity	May cause cancer.		
IARC Monographs. Overall I	Evaluation of Carcinogenicity		
Lead carbonate hydroxide Quartz (CAS 14808-60-7) NTP Report on Carcinogens)	2A Probably carcinogenic to humans. 1 Carcinogenic to humans.	
Lead carbonate hydroxide Quartz (CAS 14808-60-7)		Reasonably Anticipated to be a Human Carcinogen. Known To Be Human Carcinogen.	
Reproductive toxicity	May damage fertility. May dam	nage the unborn child.	
Specific target organ toxicity - single exposure	No data available.		
Specific target organ toxicity - repeated exposure	May cause damage to organs repeated exposure.	(Central Nervous System, Kidney, Blood) through prolonged or	
Aspiration hazard	Not classified.		
Chronic effects		dy and may cause damage to the brain and nervous system after d absorption may cause disorder of central nervous system, liver,	

12. Ecological information

Ecotoxicity	Very toxic to	aquatic life with long lasting effects.			
Components		Species	Test Results		
Barium sulphate (CAS 7727-	43-7)				
Aquatic					
Crustacea	EC50	Tubificid worm (Tubifex tubifex)	28.61 - 38.03 mg/l, 48 hours		
Persistence and degradability	egradability No data available.				
Bioaccumulative potential	No data available.				
Mobility in soil	No data available.				
Mobility in general	The product contains substances which are insoluble in water and which sediment in water systems.				
Other adverse effects	No data available.				

13. Disposal considerations

Disposal instructions	Contract with a disposal operator licensed by the Law on Disposal and Cleaning. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities. Do not discharge into drains, water courses or onto the ground. This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste. Dispose of contents/container in accordance with local/regional/international regulations. When your own wastewater treatment plant is not available, collect entire waste and then charge to a licensed industrial waste management professional with manifests for industrial waste.
Hazardous waste code	D008: Waste Lead
Waste from residues / unused products	Dispose in accordance with all applicable regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
14. Transport information	
DOT	

UN number	UN3082
UN proper shipping name	Environmentally hazardous substances, liquid, n.o.s. (Lead carbonate hydroxide)
Transport hazard class(es)	9
Subsidiary class(es)	-
Packing group	111

Williamsburg Flake White, Williamsburg Lead Oil Ground 903436 Version #: 01 Revision date: - Issue date: 22-November-2013 Item Numbers: 03507-1017

N	ASDS for #03507 - WMSBRC	GARTIST GROUND			age e el e
	Environmental hazards				
	Marine pollutant	Yes			
	Special precautions for user	-		cedures before handling.	
	Special provisions	8, 146, 335, IB3, T4, TP1, TF	P29		
	Packaging exceptions	155			
	Packaging non bulk	203			
	Packaging bulk	241			
IAT	A				
	UN number	UN3082			
	UN proper shipping name	Environmentally hazardous s	substance, liquid, n.o.	 s. (Lead carbonate hydroxide) 	
	Transport hazard class(es)	9			
	Subsidiary class(es)	- 111			
	Packaging group	Yes			
	Environmental hazards	9			
	Labels required	9L			
	ERG Code				
	Special precautions for user	Read safety instructions, SD	S and emergency pro	ocedures before handling.	
IMC					
	UN number	UN3082			
	UN proper shipping name		RDOUS SUBSTANCI	E, LIQUID, N.O.S. (Lead carbonate h	ydroxide)
	Transport hazard class(es)	9			
	Subsidiary class(es)	-			
	Packaging group	111			
	Environmental hazards				
	Marine pollutant	Yes			
	Labels required	9			
	EmS	F-A, S-F		and when hafe an have diver	
_	Special precautions for user	-		-	
Anı	nsport in bulk according to nex II of MARPOL 73/78 and IBC Code	This substance/mixture is no	t intended to be trans	ported in bulk.	
15.	Regulatory information				
US	federal regulations	This product is a "Hazardous Standard, 29 CFR 1910.1200		by the OSHA Hazard Communicatio	'n
	TSCA Section 12(b) Export N	otification (40 CFR 707, Sub	opt. D)		
	Not regulated.				
	US. OSHA Specifically Regul	ated Substances (29 CFR 19	910.1001-1050)		
	Lead carbonate hydroxide	(CAS 1319-46-6)	Reproductive toxic	itv	
	,	(Central nervous sy	-	
			Kidney		
			Blood		
			Acute toxicity		
	CERCLA Hazardous Substan	· · ·			
	Barium sulphate (CAS 772	-	LISTED		
	Lead carbonate hydroxide	,	LISTED		
Sup	perfund Amendments and Rea	uthorization Act of 1986 (SA	ARA)		
	Hazard categories	Immediate Hazard - Yes			
		Delayed Hazard - Yes			
		Fire Hazard - No Pressure Hazard - No			
		Reactivity Hazard - No			
	SARA 302 Extremely hazardous substance	No			
	SARA 311/312 Hazardous	Yes			
	chemical				
	SARA 313 (TRI reporting)				
	Chemical name		CAS number	% by wt.	
	Lead carbonate hydroxide		1319-46-6	40 - 60	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Lead carbonate hydroxide (CAS 1319-46-6)

Williamsburg Flake White, Williamsburg Lead Oil Ground 903436 Version #: 01 Revision date: - Issue date: 22-November-2013

SDS US Page 8 6f8

MSDSNtor,#03507 WMSB	BRG ARTIST GROUND	r uge r er e
Safe Drinking Water Act (SDWA)	Not regulated.	
Food and Drug Administration (FDA)	Not regulated.	
US state regulations	WARNING: This product contains a chemical known to the State of birth defects or other reproductive harm.	California to cause cancer and
US. Massachusetts R	TK - Substance List	
Limestone (CAS 1 Linseed oil (CAS 8 Quartz (CAS 1480	rdroxide (CAS 1319-46-6) 317-65-3) 9001-26-1)	
Lead carbonate hv	rdroxide (CAS 1319-46-6) 500 lbs	
	K - Hazardous Substances	
Lead carbonate hy	317-65-3) 001-26-1) 8-60-7) C 65 sition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed subs rdroxide (CAS 1319-46-6)	stance
Quartz (CAS 1480	8-60-7)	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Ricc	 Toxic Substances Control Act (TSCA) Inventory 	Yes
*A "Yes" indicates this product	complies with the inventory requirements administered by the governing country	(s).

A Tes mulcates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date Revision date Version #	22-November-2013 - 01
NFPA Ratings	

1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16.

Disclaimer

US. IARC Monographs on Occupational Exposures to Chemical Agents ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices The information in the sheet was written based on the best knowledge and experience currently available.

This SDS contains revisions in the following section(s):