MSDS for	#01574 - BLOCKX OIL COLOR	Page : 1/4	Page 1 of 4
		Revision n° : 4	
MATERIAL SAFETY DATA SHEET	MATERIAL SAFETY DATA SHEET	Date : 14/12/2015	
		Supersedes : 10/05/2011	
	Couleurs extra fines à l'huile : Naples Yellow Genuine		
		BL02.12.S10/S	511

1. Identification of the product

<u>Identification of the product</u> : Oils colors : Historical series : Genuine Naples Yellow light (ref 2.12.S10), Genuine Naples Dark (ref 2.12.S11)

2. Informations on ingrédients

This product is considered to be hazardous and contains hazardous components (Directive 1999/45/EC).

Composition	Value	n° CAS/n° EINECS/Index CE	Symbole(s)	Phrase(s)R
C.I. Pigment Yellow 41				
lead-antimony compound	60 to 70 %	8012-00-8 / / 082-001-00-6	ΤN	61-20/22-33-62-
				50/53

3. Hazards identification

Risk Phrases

Harmful by inhalation and if swallowed. Danger of cumulative effects. May cause harm to the unborn child. Possible risk of impaired fertility.

<u>Dangerous effects for the environment</u>: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Symptoms relating to use

- Inhalation : Danger of serious damage to health by exposure through inhalation.

<u>- Skin contact</u> : Repeated exposure to this material can result in absorption through skin causing significant health hazard.

- Eye contact : Direct contact with the eyes is likely irritating.

- Ingestion : Severe ingestion hazard.

<u>Note</u> : This product is considered to be hazardous and contains hazardous components (Directive 1999/45/EC).

MSDS for	#01574 - BLOCKX OIL COLOR	Page : 2/4	age 2 of 4
		Revision n° : 4	
MATERIAL SAFETY DATA SHEET	MATERIAL SAFETY DATA SHEET	Date : 14/12/2015	
		Supersedes : 10/05/2011	
	Couleurs extra fines à l'huile : Naples Yellow Genuine		
		BL02.12.S10/S1	1

4. First-aid measures

First aid measures

- Inhalation : Assure fresh air breathing.

- Skin contact : Wash skin thoroughly with mild soap and water.

- Eye contact : Rinse immediately with plenty of water.

- Ingestion

Rinse mouth with water. If swallowed seek medical advice immediately and show this container or label.

5. Fire-fighting measures

Extinguishing media : All extinguishing media can be used. Surrounding fires : Use water spray or fog for cooling exposed containers. Specific hazards : When heated to decomposition, emits dangerous fumes. Protection against fire : Do not enter fire area without proper protective equipment, including respiratory protection. Special procedures Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures

<u>Personal precautions</u>: Equip cleanup crew with proper protection. <u>Environmental precautions</u>: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. <u>Clean up methods</u>: Clean up any spills as soon as possible, using an absorbent material to collect it. Use suitable disposal containers.

7. Handling and storage

<u>Precautions in handling and storage</u> : Handle in accordance with good industrial hygiene and safety procedures.

<u>Storage</u> : Keep only in the original container in a cool, well ventilated place.

<u>Handling</u>

This material or its emissions may affect pregnancy and/or foetus development. Do not breathe gas, fumes, vapour or spray. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.

Poison Inform. Center -Tel. : 070/245.245

MSDS for	#01574 - BLOCKX OIL COLOR	Page : 3/4 Pa	nge 3 of 4
		Revision n° : 4	
MATERIAL SAFETY DATA SHEET	Date : 14/12/2015		
		Supersedes : 10/05/2011	
	Couleurs extra fines à l'huile : Naples Yellow Genuine		
		BL02.12.S10/S11	

8. Exposure controls/personal protection

<u>Personal protection</u> : This material or its emissions may affect pregnancy and/or foetus development.

- Respiratory protection : Wear a mask if sanding of blasting.

- <u>Hand protection</u> : If skin contact or contamination of clothing is likely, protective clothing should be worn.

<u>- Eye protection</u> : Eye protection should only be necessary where liquid could be splashed or sprayed.

- Ingestion : When using, do not eat, drink or smoke.

<u>Industrial hygiene</u> : Local exhaust and general ventilation must be adequate to meet exposure standards.

Exposure controls

<u>- Belgium</u> : : TWA (8 h) : 0.5 mg/m3 (Sb)

9. Physical and chemical properties

<u>Physical state at 20 °C</u> : Viscous liquid. <u>Colour</u> : Yellow. <u>Odour</u> : Oil. <u>Density</u> : 3,7 <u>Solubility in water [mg/l]</u> : Negligible.

10. Stability and reactivity

<u>Hazardous reactions</u> : Stable. <u>Materials to avoid</u> : Oxidizing agent.

11. Toxicological information

<u>On product</u> : This product is considered to be hazardous and contains hazardous components (Directive 1999/45/EC).

12. Ecological information

<u>On product</u> : Toxic to aquatic life.

13. Disposal considerations

General

Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container at hazardous or special waste collection point (container park). EURAL : 08 01 11* / 15 01 10*.

Poison Inform. Center-Tel. : 070/245.245

MATERIAL SAFETY DATA SHEET	Page :4/4 Revision n° : 4 Date : 14/12/2015
	Supersedes : 10/05/2011
Couleurs extra fines à l'huile : Naples Yellow Genuine	
	BL02.12.S10/S11

14. Transport information

<u>ADR/RID</u> : LQ (UN 3082)

15. Regulatory information

Symbol(s)

Toxic. Dangerous for the environment. $\frac{R \text{ Phrase}(s)}{R \text{ Phrase}(s)}$

R20/22 : Harmful by inhalation and if swallowed. R33 : Danger of cumulative effects. R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R61 : May cause harm to the unborn child. R62 : Possible risk of impaired fertility. <u>S Phrase(s)</u>

S1/2 : Keep locked up and out of reach of children. S36/37 : Wear suitable protective clothing and gloves. S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible). S53 : Avoid exposure - obtain special instructions before use. S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets. Warning ! Contains lead. Restricted to professional users.

16. Other information

<u>Further information</u> : Specifications and technical informations on the product may be obtained from your supplier.

The contents and format of this SDS are in accordance with EEC Commission Directive 91/155/EEC including addition 2001/58/EC.

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document

End of document

Item Numbers: 01574-4140, 01574-4144