# **Safety**S**Data**2**Sheet**LER ROWNY GRAD OIL according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010

Print c Versic				EN Page 1 / 6
1.	Identification of the	he substance/mixture	and of the company/u	Indertaking
1.1.	Product identifiers			
	Article No. (manufac Identification of the s		117XXXXXXX GRADUATE OIL C EXCEPT ZINC AN CONFORMS TO A	D TITANIUM WHITE
1.2.	Relevant identified	uses of the substance o	r mixture and uses advi	sed against
	<b>Relevant identified</b> Artists supply and ho Coatings and paints,			
1.3.		lier of the safety data sh		
	Supplier (manufact Daler-Rowney Ltd	urer/importer/downstrea	m user/distributor):	
	Peacock Lane Bracknell, RG12 8SS ENGLAND	3	Telephone: +44 (0) Telefax: +44 (0) 13	
	Dept. responsible f	or information:		
	E-mail		Philip.Gray@daler-	-rowney.com
1.4.	Emergency telephon		+44 (0) 1344 4610	
2.	Hazards identifica	ation		
2.2.	Labelling according Hazard pictograms Hazard statements Precautionary state	n.a. ements IF SWALLOWED: rinse	1272/2008 [CLP]	omiting.
2.3.		n.a. I <b>rd information (EU)</b> n.a.		
2.3.	Supplemental Haza Other hazards Materials such as o	nd information (EU) n.a. cleaning rags, paper wip	bes and protective clothi	ing, which are contaminated with the product may
	Supplemental Haza Other hazards Materials such as o spontaneously self-ig	n.a. n.a. cleaning rags, paper wip gnite some hours later.		ing, which are contaminated with the product may
3.	Supplemental Haza Other hazards Materials such as o spontaneously self-ig Composition / Info	nd information (EU) n.a. cleaning rags, paper wip		ing, which are contaminated with the product may
	Supplemental Haza Other hazards Materials such as o spontaneously self-ig Composition / Info Mixtures	rd information (EU) n.a. cleaning rags, paper wip gnite some hours later. ormation on ingredier	its	ing, which are contaminated with the product may
3.	Supplemental Haza Other hazards Materials such as o spontaneously self-ig Composition / Info Mixtures Product description	n.a. cleaning rags, paper wig gnite some hours later. ormation on ingredier	its	ing, which are contaminated with the product may
3.	Supplemental Haza Other hazards Materials such as o spontaneously self-ig Composition / Info Mixtures	n.a. cleaning rags, paper wig gnite some hours later. ormation on ingredien h / chemical characteriza oil paint	its	ing, which are contaminated with the product may

Item Numbers: 02103-1009

Page 1 of 13

Article No.: Print date Version	117XXXXXXX 13.09.2016 1.0	GRADUATE OIL COLOURS Revision date 12.09.2016 Issue date 19.07.2016	EN Page 2 / 6	
	lo. classif	ication:		

n.a.

Additional information

Full text of classification: see section 16

# 4. First-aid measures

# 4.1. Description of first aid measures

### General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

### In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

### Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

# 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

### 4.3. Indication of any immediate medical attention and special treatment needed

### 5. Firefighting measures

## 5.1. Extinguishing media

### Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Extinguishing media which must not be used for safety reasons:

strong water jet

### 5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage. Vapours form explosive mixtures with air.

# 5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous. Cool closed containers that are near the source of the fire.

# 6. Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations. Vapours form explosive mixtures with air.

# 6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see chapter 13).

# 6.4. Reference to other sections

Observe protective provisions (see chapter 7 and 8).

# 7. Handling and storage

Article No.:	117XXXXXXX	GRADUATE OIL COLOURS	
Print date	13.09.2016	Revision date 12.09.2016	EN
Version	1.0	Issue date 19.07.2016	Page 3 / 6

### 7.1. Precautions for safe handling

### Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Product may become electrostatically charged. Provide earthing of containers, equipment, pumps and ventilation facilities. Anti-static clothing including shoes are recommended. Floors must be electrically conductive. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to chapter 8. Do not empty containers with pressure - no pressure vesse!! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

## Precautions against fire and explosion:

Vapours are heavier than air. Vapours form explosive mixtures with air.

# 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (BGR 132)".

## Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

### Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

### 7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

# 8. Exposure controls / Personal protection

## 8.1. Control parameters

Occupational exposure limit values:

n.a.

# 8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

# **Occupational exposure controls**

### Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

# Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time (maximum wearing time) > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles DIN EN 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

### Eye protection

Wear closely fitting protective glasses in case of splashes.

# Protective clothing

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

## Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

### Environmental exposure controls

Article No.: Print date Version	117XXXXXXX 13.09.2016 1.0	GRADUATE OIL COLOURS Revision date 12.09.2016 Issue date 19.07.2016	EN Page 4 / 6	

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

### 9. Physical and chemical properties

9.1.	Information on basic physical a Appearance: Physical state Colour Odour	n <b>d chemical properties</b> liquid liquid refer to label characteristic			
	Safety relevant basis data		Unit	Method	Remark
	Flash point:	> 100	°C	DIN 53213	
	Ignition temperature in °C:	300	°C		
	Lower explosion limit	n.a.			
	Upper explosion limit	n.a.			
	Vapour pressure at 20 °C:	0,50	mbar		
	Density at 20 °C:	1,00	g/cm³		
	Water solubility (g/L)	insoluble			
	pH at 20 °C:	-			
	Viscosity at 20 °C	> 60	mPa·s		
	Solvent separation test (%)	< 3	%		
	boiling point in °C at 101,3 kPa	185	°C		
9.2.	Other information:				

# 10. Stability and reactivity

### 10.1. Reactivity

### 10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7.

# 10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions. Materials such as cleaning rags, paper wipes and protective clothing, which are contaminated with the product may spontaneously self-ignite some hours later. Vapours form explosive mixtures with air.

### 10.4. Conditions to avoid

Hazardous decomposition byproducts may form with exposure to high temperatures.

# 10.5. Incompatible materials

### 10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

# 11. Toxicological information

Classification according to Regulation (EC) No. 1272/2008 [CLP] No data on preparation itself available.

## 11.1. Information on toxicological effects

### Acute toxicity

Toxicological data are not available.

skin corrosion/irritation; Serious eye damage/eye irritation

Toxicological data are not available.

## Respiratory or skin sensitisation

Toxicological data are not available.

## Specific target organ toxicity

Toxicological data are not available.

### Aspiration hazard

Toxicological data are not available.

## Practical experience/human evidence

### Other observations:

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane

Article No.:	117XXXXXXX	GRADUATE OIL COLOURS		
Print date	13.09.2016	Revision date 12.09.2016	EN	
Version	1.0	Issue date 19.07.2016	Page 5 / 6	

and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

# **Overall Assessment on CMR properties**

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

### Remark

There is no information available on the preparation itself .

# 12. Ecological information

### overall evaluation

Classification according to Regulation (EC) No. 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

### 12.1. Toxicity

Toxicological data are not available.

# 12.2. Persistence and degradability

Toxicological data are not available.

# 12.3. Bioaccumulative potential Toxicological data are not available.

12.4. Mobility in soil Toxicological data are not available.

12.5. Results of PBT assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Other adverse effects

# 13. Disposal considerations

# 13.1. Waste treatment methods

## Appropriate disposal / Product

### Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

# List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 080111

## packaging

## Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste. Send to a collecting point for used paints.

# 14. Transport information

	No dangerous good in sense of this transport r	regulation.
14.1.	UN number	
	r	n.a.
14.2.	UN proper shipping name	
14.3.	Transport hazard class(es)	
		n.a.
14.4.	Packing group	
	r	n.a.
14.5.	Environmental hazards	
	Land transport (ADR/RID)	n.a.
	Marine pollutant	n.a.

Article Print c Versic	late	117XXXXXXX 13.09.2016 1.0	GRADUATE OIL COLOURS Revision date 12.09.2016 Issue date 19.07.2016	EN Page 6 / 6	
14.6.	Transport a case of an a	ecautions for user lways in closed, upr accident or leakage safe handling: see		e that persons transporting the product know what to	do in
	Additional	information			
	Land trans	port (ADR/RID)			
	tunnel restr	,	-		
	Sea transp	ort (IMDG)			
	EmS-No.		n.a.		
14.7.	Transport	in bulk according t	to Annex II of MARPOL and the I	3C Code	
	not applicat	ble			
	SECTION	15: Regulatory in	nformation		
15.1.	Safety, hea	Ith and environme	ental regulations/legislation spec	fic for the substance or mixture	
	EU legislat	ion			
	VOC-value	n according to 199 (in g/L) ISO 11890-: (in g/L) ASTM D 23	2: 0	ions of volatile organic compounds (VOC-guideli	ne).
	National re				
	Observe en			irective (92/85/EEC) for expectant or nursing mothers avenile work protection guideline' (94/33/EC).	S.
	Other regu	lations, restriction	s and prohibition regulations		
15.2.		Safety Assessment afety assessments f	t for substances in this preparation w	ere not carried out.	
16.	Other info	ormation			
	Full text of	classification in s	ection 3:		

# Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

# Additional information

Classification according to Regulation (EC) No. 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

# SafetysData2SbeetALER ROWNY GRAD OIL according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010

Article Print o Versio	date 13.09.2016 Revision date 12.09	
1.	Identification of the substance/mixture and	of the company/undertaking
1.1.	<b>Product identifiers</b> Article No. (manufacturer/supplier): Identification of the substance or mixture	117XXXXXX GRADUATE OIL ZINC MIX WHITE TITANIUM WHITE
1.2.	Relevant identified uses of the substance or mix Relevant identified uses: Artists supply and hobby preparations Coatings and paints, thinners, paint removers	CONFORMS TO ASTM D4236 ture and uses advised against
1.3.	Details of the supplier of the safety data sheet Supplier (manufacturer/importer/downstream us Daler-Rowney Ltd	er/distributor):
	Peacock Lane Bracknell, RG12 8SS ENGLAND Dept. responsible for information:	Telephone: +44 (0) 1344 461083 Telefax: +44 (0) 1344 486511
1.4.	E-mail <b>Emergency telephone number</b> Emergency telephone:	Philip.Gray@daler-rowney.com +44 (0) 1344 461000
2.	Hazards identification	
2.2.	Classification according to Regulation (EC) No. 4 This mixture is classified as hazardous according to Aquatic Chronic 2 / H411 Hazardous to the ac Label elements The product is classified and labelled according to E Labelling according to Regulation (EC) No. 1272 Hazard pictograms	regulation (EC) No. 1272/2008 [CLP]. Juatic environment Toxic to aquatic life with long lasting effects.
	P102Keep out of reach of childrenP103Read label before use.P273Avoid release to the environnP391Collect spillage.	nave product container or label at hand. 
2.3.	<b>Other hazards</b> Materials such as cleaning rags, paper wipes a spontaneously self-ignite some hours later.	nd protective clothing, which are contaminated with the product may
3.	Composition / Information on ingredients	
3.2.	Mixtures	

# 3.2. Mixtures

# Safetys Data 2Sbeet LER ROWNY GRAD OIL according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010

	7XXXXXX 09.2016	GRADUATE OIL Revision date 12.09.2016 Issue date 12.09.2016	EN Page 2 / 7	
Product descri	ption / chem	ical characterization		
Description	oil pair	nt		
Hazardous ing	redients			
Classification	according to	Regulation (EC) No. 1272/2008 [CLP]		
EC No.	REAC	<u> </u>		
	REAC	<u> </u>		Wt %
EC No.	REAC Chem	H No.		Wt % Remark
EC No. CAS No.	REAC Chem	H No. ical name		
EC No. CAS No. INDEX No.	REAC Chem	H No. ical name fication:		
EC No. CAS No. INDEX No. 215-222-5	REAC Chem classi zinc ox	H No. ical name fication:		Remark
EC No. CAS No. INDEX No. 215-222-5 1314-13-2	REAC Chem classi zinc ox Aquati	H No. ical name fication: kide		Remark

# 4.1.

# Description of first aid measures

# General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

### In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

# Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

# After eve contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

# After indestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

### Most important symptoms and effects, both acute and delayed 4.2.

In all cases of doubt, or when symptoms persist, seek medical advice.

### 4.3. Indication of any immediate medical attention and special treatment needed

### **Firefighting measures** 5.

## 5.1. Extinguishing media

### Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

# Extinguishing media which must not be used for safety reasons:

strong water jet

## 5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage. Vapours form explosive mixtures with air.

#### 5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous. Cool closed containers that are near the source of the fire.

#### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures 6.1.

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.

#### 6.2. **Environmental precautions**

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations. Vapours form explosive mixtures with air.

### 63 Methods and material for containment and cleaning up

Article No.: Print date Version	117XXXXXX 13.09.2016 1.2	GRADUATE OIL Revision date 12.09.2016 Issue date 12.09.2016	EN Page 3 / 7

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see chapter 13).

### 6.4. Reference to other sections

Observe protective provisions (see chapter 7 and 8).

### Handling and storage 7.

### 7.1. Precautions for safe handling

# Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Product may become electrostatically charged. Provide earthing of containers, equipment, pumps and ventilation facilities. Anti-static clothing including shoes are recommended. Floors must be electrically conductive. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to chapter 8. Do not empty containers with pressure no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

### Precautions against fire and explosion:

Vapours are heavier than air. Vapours form explosive mixtures with air.

#### Conditions for safe storage, including any incompatibilities 7.2.

### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (BGR 132)".

# Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

### Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### 7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

#### 8. **Exposure controls / Personal protection**

#### 8.1. **Control parameters**

# Occupational exposure limit values:

zinc oxide INDEX No. 030-013-00-7 / EC No. 215-222-5 / CAS No. 1314-13-2 TWA: 5 mg/m3 STEL: 10 mg/m3

### Additional information

TWA : long-term occupational exposure limit value STEL : short-term occupational exposure limit value Ceiling : peak limitation

#### 8.2. **Exposure controls**

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

## **Occupational exposure controls**

## **Respiratory protection**

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

### Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

# SafetysDate2SheetALER ROWNY GRAD OIL according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010

Article Print d Versio	late	117XXXXXX 13.09.2016 1.2	GRADUATE OIL Revision date 12.09.2016 Issue date 12.09.2016		EN Page 4 / 7				
	Observe manufactu glove artic	the instructions and urer. Penetration time cles DIN EN 374	> 0,4 mm ; Breakthrough tin details for use, storage, n e of glove material dependir ting exposed skin areas. In n	naintenance ang on intensity	and replacement provided and duration of exposure				
	Eye prote Wear close		plasses in case of splashes.						
	Protective clothing Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.								
	After cont	Protective measures After contact clean skin thoroughly with water and soap or use appropriate cleanser.							
		nental exposure con ow to enter into surfa	<u>trols</u> ce water or drains. See chap	ter 7. No addit	ional measures necessary.				
9.	Physical	l and chemical pro	perties						
9.1.	Informati Appearar Physical Colour Odour	nce:	Il and chemical properties liquid liquid refer to label characteristic						
		levant basis data		Unit	Method	Remark			
	Lower ex	emperature in °C: plosion limit	n n	99 °C a. a.	DIN 53213				
		plosion limit ressure at 20 °C:		i.a. i.a.					
	Density a			97 g/cm³					
	pH at 20	lubility (g/L) °C:	insolul	-					
	Viscosity	at 20 °C separation test (%)		50 mPa·s < 3 %					
		oint in °C at 101,3 kF		60 °C					
9.2.	Other info	ormation:							
10.	Stability	and reactivity							
10.1.	Reactivit	У							
10.2.	Chemical Stable wh chapter 7	ien applying the recor	mmended regulations for sto	rage and hand	lling. Further information on	correct storage: refer to			
10.3.	Keep awa	rags, paper wipes an	tions strong bases and strong o d protective clothing, which n explosive mixtures with air.						
10.4.		n <b>s to avoid</b> is decomposition bypr	roducts may form with exposi	ure to high tem	nperatures.				
	-	tible materials							
10.6.	Hazardou	us decomposition pr s decomposition byp trogen oxides.	roducts roducts may form with expos	sure to high ter	mperatures, e.g.: carbon dic	oxide, carbon monoxide,			
11.	Toxicolo	ogical information							
		tion according to Reg	ulation (EC) No. 1272/2008   /ailable.	[CLP]					
11.1.		on on toxicological	effects						
	Acute to	<b>cicity</b> ical data are not avail	able						
	1 UNICOIDY								

\_\_\_\_\_

Item Numbers: 02103-1009

Article No.: Print date Version	117XXXXXX 13.09.2016 1.2	GRADUATE OIL Revision date 12.09.2016 Issue date 12.09.2016	EN Page 5 / 7	

### skin corrosion/irritation; Serious eye damage/eye irritation

Toxicological data are not available.

Respiratory or skin sensitisation

Toxicological data are not available.

### Specific target organ toxicity

Toxicological data are not available.

### Aspiration hazard

Toxicological data are not available.

Practical experience/human evidence

### Other observations:

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

### **Overall Assessment on CMR properties**

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

# Remark

There is no information available on the preparation itself .

# 12. Ecological information

### overall evaluation

Classification according to Regulation (EC) No. 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

### 12.1. Toxicity

Toxicological data are not available.

## 12.2. Persistence and degradability

Toxicological data are not available.

12.3. **Bioaccumulative potential** Toxicological data are not available.

# 12.4. Mobility in soil

Toxicological data are not available.

### 12.5. Results of PBT assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Other adverse effects

# 13. Disposal considerations

# 13.1. Waste treatment methods

# Appropriate disposal / Product

# Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

### List of proposed waste codes/waste designations in accordance with EWC

waste paint and varnish containing organic solvents or other dangerous substances

### packaging Recommendation

080111

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste. Send to a collecting point for used paints.

# 14. Transport information

Item Numbers: 02103-1009

# SafetysDate2SheetALER ROWNY GRAD OIL according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010

Article Print o /ersio		117XXXXXX 13.09.2016 1.2	GRADUATE OI Revision date 1 Issue date 12.0	2.09.2016		EN Page 6 / 7	
14.1.	UN number						
				UN 3082			
14.2.	UN proper shipping name Land transport (ADR/RID): Sea transport (IMDG): Air transport (ICAO-TI / IATA-DGR):			Environmentally hazardous substance, liquid, n.o.s. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Environmentally hazardous substance, liquid, n.o.s.			
4.3.	Transport h	azard class(es)					
	<b>_</b>			9			
4.4.	Packing group						
45	Environme	ntal hazards					
1.0.		ort (ADR/RID)		UMWELTGEF	ÄHRDEND		
	Marine pollu			p			
46	•	cautions for use	r	P			
	Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage. Advices on safe handling: see parts 6 - 8						
	Additional information						
	Land transp	oort (ADR/RID)					
	tunnel restri	· · ·		E			
				_			
	Sea transpo	ort (IMDG)					
	EmS-No.			F-A, S-F			
4.7.	Transport i	n bulk according	to Annex II of MA	ARPOL and the	IBC Code		
	not applicable						
	SECTION	15: Regulatory	information				
51				/legislation spe	cific for th	e substance or mixture	
0.1.			iontai rogalationo	logiciation ope			
	•	EU legislation					
		Information according to 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline). VOC-value (in g/L) ISO 11890-2: 0					
	VOC-value (	(in g/L) ASTM D 2	369:	(	)		
	National reg	gulations					
	<b>Restrictions of occupation</b> Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).						
	Other regul	Other regulations, restrictions and prohibition regulations					
5.2.	Chemical Safety Assessment Chemical safety assessments for substances in this preparation were not carried out.						
6.	Other information						
	Full text of	classification in	section 3:				
	Aquatic Acu Aquatic Chro	te 1 / H400 onic 1 / H410	Hazardous to the Hazardous to the			Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.	
		ns and acronym ations and acror	nyms, see: ECHA	Guidance on i	nformation	requirements and chemical safety assessmen	
	chapter R.20	0 (Table of terms	and abbreviations)				
	Additional i	nformation	and abbreviations) egulation (EC) No.		I		

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations.Without written approval, the product must not be used for purposes different from those mentioned in

# SafetysData2SbeetALER ROWNY GRAD OIL according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010

Article No.:	117XXXXXX	GRADUATE OIL		
Print date	13.09.2016	Revision date 12.09.2016	EN	
Version	1.2	Issue date 12.09.2016	Page 7 / 7	

chapter 1.It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.