MSDS for #02116 - MAIMERI ARTI	STI OIL	Page 1
INDUSTRIA M	AIMERI S.P.A.	Revision nr.1 Dated 11/6/2014
ARTISTI OIL COLOURS	01018 Titanium White	Printed on 11/6/2014 Page n. 1 / 8
	Safety data sheet	
SECTION 1. Identification of the su	ubstance/mixture and of the compar	ny/undertaking
1.1. Product identifier		
Code: Product name	01018 ARTISTI OIL COLOURS 01018 Titanium	White
1.2. Relevant identified uses of the substance of	or mixture and uses advised against	
Intended use	Oil colour.	
1.3. Details of the supplier of the safety data sh	leet	
Name Full address District and Country	INDUSTRIA MAIMERI S.P.A. Via Gianni Maimeri, 1 20060 Mediglia Italia Tel. +39 02 906981 Fax +39 02 90698999	(MI)
e-mail address of the competent person responsible for the Safety Data Sheet	schedesicurezza@maimeri.it	
Product distribution by	INDUSTRIA MAIMERI S.P.A. VIA G.MAIMERI 1 (MI) ITALY	I 20060 BETTOLINO DI MEDIGLIA
1.4. Emergency telephone number		
For urgent inquiries refer to	Australia : 131126 USA: 1 800 222 1222 Regno Unito NHS Direct (UK): +44 (0) 845 46 4	47
SECTION 2. Hazards identification	•	
2.1. Classification of the substance or mixture.		
amendments and supplements). The produce 1907/2006 and subsequent amendments.	rsuant to the provisions set forth in EC Regulations to thus requires a safety datasheet that complies for health and/or the environment are given in section	with the provisions of EC Regulation
2.1.1. Regulation 1272/2008 (CLP) and following	g amendments and adjustments.	
Hazard classification and indication: Aquatic Acute 1 H400 Aquatic Chronic 1 H410		
2.1.2. 67/548/EEC and 1999/45/EC Directives an	d following amendments and adjustments.	
Danger Symbols: N		
R phrases: 50/53		
The full wording of the Risk (R) and hazard (H)	phrases is given in section 16 of the sheet.	
2.2. Label elements.		
Hazard labelling pursuant to EC Regulation 12	72/2008 (CLP) and subsequent amendments and sup	pplements.
Hazard pictograms:		
AK		
\sim		
		2 EPY 8.1.21 - SDS 1003

Item Numbers: 02116-1023, 02116-1024, 02116-1025

Page 1 of 8

IND	USTRIA	MAIMERI S.P	P.A.	Revision nr.1 Dated 11/6/2014	
ARTISTI OIL			anium White	Printed on 11/6/2014 Page n. 2 / 8	
ECTION 2. Hazards i	dentification.	/>>			
Signal words:	Warning				
Hazard statements:					
H410 Precautionary statemer		quatic life with long lasting effects.			
P273 P391	Avoid release Collect spillage	to the environment.			
P501 2.3. Other hazards.		ntents / container to in accordance	with local and national nor	ms	
Information not availabl	e.				
		rmation on ingredients			
.1. Substances.	osition/into	mation on ingredients	•		
Information not relevant	t.				
3.2. Mixtures.					
Contains:					
Identification.	Conc. %. C	lassification 67/548/EEC.	Classificati	on 1272/2008 (CLP).	
Zinc oxide CAS. 1314-13-2	35 - 37,5 N	R50/53	Aquatic Acute 1	H400 M=1, Aquatic Chronic 1 H410	
EC. 215-222-5 INDEX. 030-013-00-7	7				
	, 9463881-32-0000				
Cyclohexanamine, N,I CAS. 164383-18-0		npd. with alpha-isotridecyl-omeo R36/38, N R51/53		thanediyl) phosphate 9, Skin Irrit. 2 H315, Aquatic Chronic 2 H411	
EC	0,2 - 0,25		Lye Int. 2 Hore		
INDEX ETHYLENE GLYCOL I		HER			
CAS. 112-34-5		R36	Eye Irrit. 2 H319)	
EC. 203-961-6 INDEX. 603-096-00-8	3				
Distillates (petroleum)	, hydrotreated li				
CAS. 64742-47-8 EC. 265-149-8	0 - 0,05 ×	n R65, Note 4	Asp. Tox. 1 H30	14, Note 4	
INDEX. 649-422-00-2					
1,2,4-TRIMETHYLBEN CAS. 95-63-6		10, Xn R20, Xi R36/37/38, N R51/53	Flam. Liq. 3 H2	26, Acute Tox. 4 H332, Eye Irrit. 2 H319,	
EC. 202-436-9 INDEX. 601-043-00-3	,			5, STOT SE 3 H335, Aquatic Chronic 2 H411	
Note: Upper limit is not					
-		ard (H) phrases is given in section			
T+ = Very Toxic(T+), T = Toxic N = Dangerous for the Environr		C = Corrosive(C), Xi = Irritant(Xi), O = Oxidizii	ng(O), E = Explosive(E), F+ = Extrer	nely Flammable(F+), F = Highly Flammable(F),	
SECTION 4. First a	aid measure	s.			
I.1. Description of first a Not specifically necessa		of good industrial hygiene is recon	nmended.		
		ts, both acute and delayed.			
		able to the product have been report			
Information not availabl		attention and special treatment			

MSDS for #02116 - MAIMERI ARTISTI OIL

INDUSTRIA MAIMERI S.P.A.

ARTISTI OIL COLOURS

01018 Titanium White

Revision nr.1 Dated 11/6/2014 Printed on 11/6/2014 Page n. 3/8

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

7.2. Conditions for safe storage, including any incompatibilities.

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s). Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Éire OEL EU

TLV-ACGIH

Regulatory References: EH40/2005 Workplace exposure limits. Containing the list of workplace exposure limits United Kingdom for use with the Control of Substances Hazardous to Health Regulations (as amended). Code of Practice Chemical Agent Regulations 2011. Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC. ACGIH 2012

Item Numbers: 02116-1023, 02116-1024, 02116-1025

Page 3 of 8

Revision nr.1 Dated 11/6/2014 Printed on 11/6/2014 Page n. 4 / 8

ARTISTI OIL COLOURS 01018 Titanium White

SECTION 8. Exposure controls/personal protection.	/ >>	

				Zine	ic oxide
Threshold Limit Va	alue.				
Туре	Country	TWA/8h		STEL/15	imin
		mg/m3	ppm	mg/m3	ppm
TLV-ACGIH		5		15	

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protection equipment, make sure that the workplace is well aired through effective local aspiration.

HAND PROTECTION

Protect hands with category I (ref. Directive 89/686/EEC and standard EN 374) work gloves, such as those in latex, PVC or equivalent. The following should be considered when choosing work glove material: degradation, breakage times and permeation. Work glove resistance to preparations should be checked before use, as it can be unpredictable. Gloves' limit depends on the duration of exposure. SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (ref. Directive 89/686/CEE and standard EN 344). Wash body with soap and water after removing overalls.

RESPIRATORY PROTECTION

If the threshold value (if available) for one or more of the substances present in the preparation for daily exposure in the workplace or to a fraction established by the company's prevention and protection service is exceeded, wear a mask with an A or universal filter, the class (1, 2 or 3) of which must be chosen according to the limit concentration of use (ref. standard EN 141).

The use of respiratory tract protection equipment, such as masks like that indicated above, is necessary to reduce worker exposure in the absence of technical measures. The protection provided by masks is in any case limited.

If the substance in question is odourless or its olfactory threshold is higher than the relative exposure limit and in the event of an emergency, or when exposure levels are unknown or the concentration of oxygen in the workplace is less than 17% volume, wear self-contained, open-circuit compressed air breathing apparatus (ref. standard EN 137) or fresh air hose breathing apparatus for use with full face mask, half mask or mouthpiece (ref. standard EN 138).

EYE PROTECTION

Use of protective airtight goggles (ref. standard EN 166) recommended.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemi	ical p	properties.
Appearance	-	paste
Colour		white
Odour		OIL
Odour threshold.		Not available.
pH.		
Melting point / freezing point.		Not available.
Initial boiling point.		Not available.
Boiling range.		Not available.
Flash point.	>	60 °C.
Evaporation Rate		Not available.
Flammability of solids and gases		Not available.
Lower inflammability limit.		Not available.
Upper inflammability limit.		Not available.
Lower explosive limit.		Not available.
Upper explosive limit.		Not available.
Vapour pressure.		Not available.
Vapour density		Not available.
Relative density.		0,3 Kg/l
Solubility		INSOLUBLE, DILUTE WITH WHITE SPIRIT
Partition coefficient: n-octanol/water		Not available.
Auto-ignition temperature.		Not available.
Decomposition temperature.		Not available.
Viscosity		3.500.000 / 5.000.000
Explosive properties		Not available.
Oxidising properties		Not available.
9.2. Other information.		
Solid content.		73,64 %

			Revision nr.1 Dated 11/6/2014 Printed on 11/6/2014
ARTISTI OIL COLOURS		anium White	Page n. 5/8
SECTION 9. Physical and chemical propertie	es / >>		
VOC (Directive 1999/13/EC) : VOC (volatile carbon) :	0,63 % - 13,12 0,53 % - 11,12	g/litre. g/litre.	
SECTION 10. Stability and reactivity	' -		
10.1. Reactivity. There are no particular risks of reaction with other	substances in normal co	onditions of use.	
10.2. Chemical stability. The product is stable in normal conditions of use a	and storage.		
10.3. Possibility of hazardous reactions. No hazardous reactions are foreseeable in norma	l conditions of use and s	torage.	
10.4. Conditions to avoid. None in particular. However the usual precautions	s used for chemical produ	ucts should be respect	ed.
10.5. Incompatible materials. Information not available.			
10.6. Hazardous decomposition products. Information not available.			
SECTION 11. Toxicological informat	tion.		
According to currently available data, this proc to good industrial practices. This product may and/or contact with eyes and/or ingestion.			
11.1. Information on toxicological effects.			
Information not available.			
SECTION 12. Ecological information	۱.		
This product is dangerous for the environment aquatic environment.		aquatic organisms. In	the long term, it have negative effects on
12.1. Toxicity. Information not available.			
12.2. Persistence and degradability. Information not available.			
12.3. Bioaccumulative potential. Information not available.			
12.4. Mobility in soil. Information not available.			
12.5. Results of PBT and vPvB assessment.			
On the basis of available data, the product does n	ot contain any PBT or vF	PvB in percentage grea	ater than 0,1%.
12.6. Other adverse effects.			
Information not available.			
SECTION 13. Disposal consideration	ns.		
13.1. Waste treatment methods. Reuse, when possible. Product residues should product should be evaluated according to applicat Disposal must be performed through an authorise Avoid littering. Do not contaminate soil, sewers an Waste transportation may be subject to ADR restr	ble regulations. d waste management fir nd waterways.		

MSDS for #02116 - MAIMERI ARTISTI OIL	

ARTISTI OIL COLOURS

01018 Titanium White

Revision nr.1 Dated 11/6/2014 Printed on 11/6/2014 Page n. 6 / 8

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

These goods must be transported by vehicles authorized to the carriage of dangerous goods according to the provisions set out in the current edition of the Code of International Carriage of Dangerous Goods by Road (ADR) and in all the applicable national regulations. These goods must be packed in their original packagings or in packagings made of materials resistant to their content and not reacting dangerously with it. People loading and unloading dangerous goods must be trained on all the risks deriving from these substances and on all actions that must be taken in case of emergency situations.

Road and rail transport:

ADR/RID Class: Packing Group: Label: Nr. Kemler: Limited Quantity. Tunnel restriction code. Proper Shipping Name:	9 111 9 90 5 L (E) ENV	UN: IRONMENTA	3082 NLLY HAZARDOUS SUBSTAN	ICE, LIQUID, N.O.S. (Zinc oxide)
Carriage by sea (shipping):				
IMO Class: Packing Group: Label: EMS: Marine Pollutant. Proper Shipping Name:	9 III 9 F-A, YES ENV		3082 ALLY HAZARDOUS SUBSTAN	ICE, LIQUID, N.O.S. (Zinc oxide)
Transport by air:				
IATA: Packing Group: Label: Cargo: Packaging instructions:	9 111 9 964	UN:	3082 Maximum quantity:	450 L
Pass.:	904		Maximum quantity.	450 L 🔅 🗸
Packaging instructions: Special Instructions: Proper Shipping Name:		A158 IRONMENTA	Maximum quantity:	450 L ICE, LIQUID, N.O.S. (Zinc oxide)
INFORMATION ON TRANSPORT OL	ITSIDE	E EU MEMBE	R NATIONS: NOT USDOT OF	R IMO REGULATED.

SECTION 15. Regulatory information.

15.1.	Safety,	health and	d environmental	regulations	/legislation	specific fo	or the substan	ce or mixture.

Seveso category. 9i			
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.			
Product. Point. 3			
Substances in Candidate List (Art. 59 REACH). None.			
Substances subject to authorisarion (Annex XIV REACH). None.			
Substances subject to exportation reporting pursuant to (EC) Reg. 689/2008: None.			
Substances subject to the Rotterdam Convention: None.			
Substances subject to the Stockholm Convention:			

Item Numbers: 02116-1023, 02116-1024, 02116-1025

Page 6 of 8

Revision nr.1 Dated 11/6/2014 Printed on 11/6/2014 Page n. 7/8

ARTISTI OIL COLOURS SECTION 15. Regulatory information. ... / >>

None.

Healthcare controls. Information not available.

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 3	Flammable liquid, category 3
Acute Tox. 4	Acute toxicity, category 4
Asp. Tox. 1	Aspiration hazard, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
H226	Flammable liquid and vapour.
H332	Harmful if inhaled.
H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
H315	Causes serious eye irritation.
H335	Very toxic to aquatic life.
H400	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Text of risk (R) phrases mentioned in section 2-3 of the sheet:

B 40	
R10	FLAMMABLE.
R20	HARMFUL BY INHALATION.
R36	IRRITATING TO EYES.
R36/37/38	IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN.
R36/38	IRRITATING TO EYES AND SKIN.
R50/53	VERY TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE
	AQUATIC ENVIRONMENT.
R51/53	TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC
	ENVIRONMENT.
R65	HARMFUL: MAY CAUSE LUNG DAMAGE IF SWALLOWED.

01018 Titanium White

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road

- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration

Item Numbers: 02116-1023, 02116-1024, 02116-1025

Page 7 of 8

Revision nr.1 Dated 11/6/2014 Printed on 11/6/2014 Page n. 8 / 8

Item Numbers: 02116-1023, 02116-1024, 02116-1025