MSDS for #01558 - MAIMERI CLASS	ICO OIL	Page
INDUSTRIA MA	Revision nr.27 Dated 10/7/2014	
CLASSICO OIL COLOURS	03019 White Titaniumzinc	Printed on 10/7/2014 Page n. 1 / 8
	Safety data sheet	
SECTION 1. Identification of the sub	ostance/mixture and of the compar	ny/undertaking
1.1. Product identifier		
Code: Product name	03019 CLASSICO OIL COLOURS 03019 White ⁻	Titaniumzinc
1.2. Relevant identified uses of the substance or	mixture and uses advised against	
Intended use	Oil colour.	
1.3. Details of the supplier of the safety data she	ət	
Name Full address District and Country	INDUSTRIA MAIMERI S.P.A. Via Gianni Maimeri, 1 20060 Mediglia Italia Tel. +39 02 906981	(MI)
e-mail address of the competent person responsible for the Safety Data Sheet	Fax +39 02 90698999 schedesicurezza@maimeri.it	
Product distribution by	INDUSTRIA MAIMERI S.P.A. VIA G.MAIMERI 1 (MI) ITALY	20060 BETTOLINO DI MEDIGLIA
1.4. Emergency telephone number		
For urgent inquiries refer to	Australia : 131126 USA: 1 800 222 1222 Regno Unito NHS Direct (UK): +44 (0) 845 46 4	47
SECTION 2. Hazards identification.		
2.1. Classification of the substance or mixture.		
amendments and supplements). The product 1907/2006 and subsequent amendments.	uant to the provisions set forth in EC Regulation thus requires a safety datasheet that complies r health and/or the environment are given in section	with the provisions of EC Regulation
2.1.1. Regulation 1272/2008 (CLP) and following a	amendments and adjustments.	
Hazard classification and indication: Aquatic Acute 1 H400 Aquatic Chronic 1 H410		
2.1.2. 67/548/EEC and 1999/45/EC Directives and	following amendments and adjustments.	
Danger Symbols: N		
R phrases: 50/53		
The full wording of the Risk (R) and hazard (H) pl	nrases is given in section 16 of the sheet.	
2.2. Label elements.		
Hazard labelling pursuant to EC Regulation 1272	/2008 (CLP) and subsequent amendments and sup	pplements.
Hazard pictograms:		

Item Numbers: 01558-1333, 01558-1334

Page 1 of 8

EPY 8.1.21 - SD

IND	USTRIA M	IAIMERI S.P.	۹.	Revision nr.27 Dated 10/7/2014
CLASSICO OI	L COLOURS	03019 White Ti	itaniumzinc	Printed on 10/7/2014 Page n. 2 / 8
SECTION 2. Hazards i	dentification / >	>		
Signal words:	Warning			
Hazard statements: H410	Very toxic to aquatic	life with long lasting effects.		
Precautionary statement	nts:			
P273 P391	Avoid release to the Collect spillage.	environment.		
P501 2.3. Other hazards.	Dispose of contents	/ container to in accordance wit	th local and national nor	ms
Information not availab	le.			
		tion on ingredients.		
.1. Substances.	Josition/information	tion on ingreatents.		
Information not relevan	ıt.			
3.2. Mixtures.				
Contains:				
Identification.	Conc. %. Classif	ication 67/548/EEC.	Classificati	ion 1272/2008 (CLP).
Zinc oxide CAS. 1314-13-2	40 - 42,5 N R50/53		Aquatic Acute 1	H400 M=1, Aquatic Chronic 1 H410
EC. 215-222-5 INDEX. 030-013-00-	,			
	9463881-32-0000			
Distillates (petroleum CAS. 64742-47-8		lote 4	Asp. Tox. 1 H30	04, Note 4
EC. 265-149-8 INDEX. 649-422-00-	2			
ETHYLENE GLYCOL				
CAS. 112-34-5 EC. 203-961-6	0 - 0,05 Xi R36		Eye Irrit. 2 H319	9
INDEX. 603-096-00-	8			
1,2,4-TRIMETHYLBEN		220, Xi R36/37/38, N R51/53	Elem Lia 2 H2	26, Acute Tox. 4 H332, Eye Irrit. 2 H319,
CAS. 95-63-6 EC. 202-436-9	0 - 0,05 R10, Xn R	(20, XI K36/37/38, N K51/53		5, STOT SE 3 H335, Aquatic Chronic 2 H411
INDEX. 601-043-00-	3			
	included into the range. Risk (R) and hazard (H)	phrases is given in section 16	of the sheet.	
T+ = Very Toxic(T+), T = Toxic N = Dangerous for the Environ		osive(C), Xi = Irritant(Xi), O = Oxidizing(C), E = Explosive(E), F+ = Extrem	nely Flammable(F+), F = Highly Flammable(F),
SECTION 4. First				
4.1. Description of first a				
		d industrial hygiene is recomme	ended.	
4.2. Most important sym No episodes of damage		th acute and delayed. the product have been reporte	d.	
4.3. Indication of any important interview of the second s		tion and special treatment ne	eded.	
		_		
SECTION 5. Firefi		5.		
SUITABLE EXTINGUIS	SHING EQUIPMENT ces are: carbon dioxide			ge that has not caught fire, water spray
	UISHING EQUIPMENT			ontainers exposed to flames to prevent
Do not use jets of w	ater Water is not otto			

CLASSICO OIL COLOURS 03019 White Titaniumzinc

SECTION 5. Firefighting measures. ... / >>

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

5.3. Advice for firefighters. GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

- 6.1. Personal precautions, protective equipment and emergency procedures.
- Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

7.2. Conditions for safe storage, including any incompatibilities.

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Regulatory References:	
United Kingdom	EH40/2005 Workplace exposure limits. Containing the list of workplace exposure limits
	for use with the Control of Substances Hazardous to Health Regulations (as amended).
Éire	Code of Practice Chemical Agent Regulations 2011.
OEL EU	Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive
	2000/39/EC.
TLV-ACGIH	ACGIH 2012

Zinc oxide					
Threshold Limit Value.					
Туре	Country	TWA/8h		STEL/15r	min
		mg/m3	ppm	mg/m3	ppm
TLV-ACGIH		5		15	

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protection equipment, make sure that the workplace is well aired through effective local aspiration.

Item Numbers: 01558-1333, 01558-1334

Revision nr.27 Dated 10/7/2014 Printed on 10/7/2014

Page n. 3/8

CLASSICO OIL COLOURS 03019 White Titaniumzinc

SECTION 8. Exposure controls/personal protection. .../>>

HAND PROTECTION

Protect hands with category I (ref. Directive 89/686/EEC and standard EN 374) work gloves, such as those in latex, PVC or equivalent. The following should be considered when choosing work glove material: degradation, breakage times and permeation. Work glove resistance to preparations should be checked before use, as it can be unpredictable. Gloves' limit depends on the duration of exposure. SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (ref. Directive 89/686/CEE and standard EN 344). Wash body with soap and water after removing overalls.

RESPIRATORY PROTECTION

If the threshold value (if available) for one or more of the substances present in the preparation for daily exposure in the workplace or to a fraction established by the company's prevention and protection service is exceeded, wear a mask with an A or universal filter, the class (1, 2 or 3) of which must be chosen according to the limit concentration of use (ref. standard EN 141).

The use of respiratory tract protection equipment, such as masks like that indicated above, is necessary to reduce worker exposure in the absence of technical measures. The protection provided by masks is in any case limited.

If the substance in question is odourless or its olfactory threshold is higher than the relative exposure limit and in the event of an emergency, or when exposure levels are unknown or the concentration of oxygen in the workplace is less than 17% volume, wear self-contained, open-circuit compressed air breathing apparatus (ref. standard EN 137) or fresh air hose breathing apparatus for use with full face mask, half mask or mouthpiece (ref. standard EN 138).

EYE PROTECTION

Use of protective airtight goggles (ref. standard EN 166) recommended.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

9.1. Information on basic physical and chem	ical p	roperties.
Appearance		paste
Colour		white
Odour		OIL
Odour threshold.		Not available.
pH.		
Melting point / freezing point.		Not available.
Initial boiling point.		Not available.
Boiling range.		Not available.
Flash point.	>	60 °C.
Evaporation Rate		Not available.
Flammability of solids and gases		Not available.
Lower inflammability limit.		Not available.
Upper inflammability limit.		Not available.
Lower explosive limit.		Not available.
Upper explosive limit.		Not available.
Vapour pressure.		Not available.
Vapour density		Not available.
Relative density.		0,2 Kg/l
Solubility		INSOLUBLE, DILUTE WITH WHITE SPIRIT
Partition coefficient: n-octanol/water		Not available.
Auto-ignition temperature.		Not available.
Decomposition temperature.		Not available.
Viscosity		Not available.
Explosive properties		Not available.
Oxidising properties		Not available.
9.2. Other information.		
Solid content.		80,82 %
VOC (Directive 1999/13/EC) :		0,14 % - 3,15 g/litre.
VOC (volatile carbon) :		0,12 % - 2,67 g/litre.
· · · · · · · · · · · · · · · · · · ·		

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

Revision nr.27 Dated 10/7/2014 Printed on 10/7/2014 Page n. 4 / 8

CLASSICO OIL COLOURS 03019 White Titaniumzinc

SECTION 10. Stability and reactivity. ... / >>

10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials. Information not available.

10.6. Hazardous decomposition products.

Information not available.

SECTION 11. Toxicological information.

According to currently available data, this product has not yet produced health damages. Anyway, it must be handled carefully according to good industrial practices. This product may have slight health effects on sensitive people, by inhalation and/or cutaneous absorption and/or contact with eyes and/or ingestion.

11.1. Information on toxicological effects.

Information not available.

SECTION 12. Ecological information.

This product is dangerous for the environment and highly toxic for aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity.

Information not available.

12.2. Persistence and degradability. Information not available.

12.3. Bioaccumulative potential. Information not available.

12.4. Mobility in soil.

Information not available.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects.

Information not available.

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

- Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.
- Avoid littering. Do not contaminate soil, sewers and waterways.
- Waste transportation may be subject to ADR restrictions

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

These goods must be transported by vehicles authorized to the carriage of dangerous goods according to the provisions set out in the current edition of the Code of International Carriage of Dangerous Goods by Road (ADR) and in all the applicable national regulations. These goods must be packed in their original packagings or in packagings made of materials resistant to their content and not reacting dangerously with it. People loading and unloading dangerous goods must be trained on all the risks deriving from these substances and on all actions that must be taken in case of emergency situations.

Revision nr.27 Dated 10/7/2014 Printed on 10/7/2014 Page n. 5 / 8

MSDS for #01558 - MAI			1	Page 6
		IMERI S.P.A.	Revision nr.27 Dated 10/7/2014	
CLASSICO OIL COI	LOURS	03019 White Titaniumzinc	Printed on 10/7/2014 Page n. 6 / 8	
CTION 14. Transport inform	mation / >>			
Road and rail transport:				
ADR/RID Class:	9 UN:	3082		
Packing Group:	III		\sim	
abel:	9		χ / ψ{α}	
Ir. Kemler:	90			
imited Quantity.	5 L			
unnel restriction code.	(E)			
Proper Shipping Name:	ENVIRONI	MENTALLY HAZARDOUS SUBSTANCE, LIQUID	, N.O.S. (Zinc oxide)	
Carriage by sea (shipping):				
MO Class:	9 UN:	3082		
Packing Group:	111		\sim	
_abel:	9			
EMS:	F-A, S-F			
/larine Pollutant.	YES			
Proper Shipping Name:	ENVIRONI	MENTALLY HAZARDOUS SUBSTANCE, LIQUID	, N.O.S. (Zinc oxide)	
ransport by air:				
		2082		
	9 UN: III	3082	<u>^</u>	
Packing Group: .abel:	9		A	
	9	ALL.	▶< <u>¥</u> _>	
Cargo: Packaging instructions:	964	Maximum guantity: 450 L		
ass.:	904		•	
Packaging instructions:	964	Maximum quantity: 450 L		
Special Instructions:	A97, A158			
Proper Shipping Name:		MENTALLY HAZARDOUS SUBSTANCE, LIQUID	$N \cap S$ (Zinc oxide)	
CTION 15. Regulatory		-		
-	-	legislation specific for the substance or mixt	ure.	
Seveso category.	9i			
Restrictions relating to the product	or contained subst	ances pursuant to Annex XVII to EC Regulation 1907	//2006	
Product.		ances pursuant to Annex XVII to EC Regulation 1907	/2000.	
Point. 3				
Substances in Candidate List (Art. None.	59 REACH).			
Substances subject to authorisario	on (Annex XIV REA	CH)		
None.				
Substances subject to exportation None.	reporting pursuant	to (EC) Reg. 689/2008:		
Substances subject to the Rotterda	am Convention:			
None.				
Substances subject to the Stockho	olm Convention:			
None.				
Healthcare controls.				
nformation not available.				
2. Chemical safety assessmer	nt.			
-		ed for the mixture and the substances it contains.		
त्रित्र जालगाल्य ज्वालपु वज्ज्ल्जामिति।	nas ocen process	ea for the mixture and the substances it confidints.		
				
em Numbers: 01558-1333, 01558-1334			(C) E	PY 8.1.21 - SDS 1003 Page

MSDS for #01558 - MAIMERI CLASSICO OIL

INDUSTRIA MAIMERI S.P.A.

CLASSICO OIL COLOURS 03019 White Titaniumzinc

Revision nr.27 Dated 10/7/2014 Printed on 10/7/2014 Page n. 7 / 8

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 3	Flammable liquid, category 3
Acute Tox. 4	Acute toxicity, category 4
Asp. Tox. 1	Aspiration hazard, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
H226	Flammable liquid and vapour.
H332	Harmful if inhaled.
H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Text of risk (R) phrases mentioned in section 2-3 of the sheet:

R10	FLAMMABLE.
R20	HARMFUL BY INHALATION.
R36	IRRITATING TO EYES.
R36/37/38	IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN.
R50/53	VERY TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE
	AQUATIC ENVIRONMENT.
R51/53	TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC
	ENVIRONMENT.
R65	HARMFUL: MAY CAUSE LUNG DAMAGE IF SWALLOWED.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation.

EPY 8.1.21 - S

CLASSICO OIL COLOURS

SECTION 16. Other information. ... / >>

GENERAL BIBLIOGRAPHY

- 1. Directive 1999/45/EC and following amendments
- 2. Directive 67/548/EEC and following amendments and adjustments
- 3. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 4. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 5. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 6. Regulation (EC) 453/2010 of the European Parliament
- 7. Regulation (EC) 286/2011 (II Atp. CLP) of the European Parliament
- 8. The Merck Index. 10th Edition
- 9. Handling Chemical Safety
- 10. Niosh Registry of Toxic Effects of Chemical Substances
- 11. INRS Fiche Toxicologique (toxicological sheet)
- 12. Patty Industrial Hygiene and Toxicology
- 13. N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- 14. ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

03019 White Titaniumzinc

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified: 02 / 03 / 04 / 05 / 06 / 07 / 08 / 09 / 10 / 11 / 12 / 13 / 14 / 15 / 16. Revision nr.27 Dated 10/7/2014 Printed on 10/7/2014 Page n. 8 / 8