

**INDUSTRIA MAIMERI S.P.A.****CLASSICO OIL COLOURS****03408 Turquoise Blue**Revision nr.35  
Dated 10/7/2014  
Printed on 10/7/2014  
Page n. 1 / 8**Safety data sheet****SECTION 1. Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**Code: **03408**  
Product name **CLASSICO OIL COLOURS 03408 Turquoise Blue****1.2. Relevant identified uses of the substance or mixture and uses advised against**Intended use **Oil colour.****1.3. Details of the supplier of the safety data sheet**Name **INDUSTRIA MAIMERI S.P.A.**  
Full address **Via Gianni Maimeri, 1**  
District and Country **20060 Mediglia (MI) Italia**  
Tel. **+39 02 906981**  
Fax **+39 02 90698999**e-mail address of the competent person responsible for the Safety Data Sheet **schedesicurezza@maimeri.it**Product distribution by **INDUSTRIA MAIMERI S.P.A. VIA G.MAIMERI 1 20060 BETTOLINO DI MEDIGLIA (MI) ITALY****1.4. Emergency telephone number**For urgent inquiries refer to **Australia : 131126**  
**USA: 1 800 222 1222**  
**Regno Unito NHS Direct (UK): +44 (0) 845 46 47****SECTION 2. Hazards identification.****2.1. Classification of the substance or mixture.**

The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

**2.1.1. Regulation 1272/2008 (CLP) and following amendments and adjustments.**Hazard classification and indication:  
Aquatic Acute 1 H400  
Aquatic Chronic 1 H410**2.1.2. 67/548/EEC and 1999/45/EC Directives and following amendments and adjustments.**Danger Symbols: **N**  
R phrases: **50/53**

The full wording of the Risk (R) and hazard (H) phrases is given in section 16 of the sheet.

**2.2. Label elements.**

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



| <b>INDUSTRIA MAIMERI S.P.A.</b>  |   | Revision nr.35<br>Dated 10/7/2014<br>Printed on 10/7/2014<br>Page n. 2 / 8 |
|--|---|--|
| <b>CLASSICO OIL COLOURS</b>  | <b>03408 Turquoise Blue</b>   |  |
| <b>SECTION 2. Hazards identification. ... / &gt;&gt;</b>   |   |  |
| Signal words:  | Warning   |  |
| Hazard statements:   | Very toxic to aquatic life with long lasting effects.                               |  |
| Precautionary statements:  | Avoid release to the environment.   |  |
| <b>H410</b>  |   |  |
| <b>P273</b>  | Collect spillage.   |  |
| <b>P391</b>  | Dispose of contents / container to in accordance with local and national norms. . . |  |
| <b>P501</b>  |   |  |
| <b>2.3. Other hazards.</b>   |   |  |
| Information not available.   |   |  |
| <b>SECTION 3. Composition/information on ingredients.</b>  |   |  |
| <b>3.1. Substances.</b>  |   |  |
| Information not relevant.  |   |  |
| <b>3.2. Mixtures.</b>  |   |  |
| <b>Contains:</b>   |   |  |
| <b>Identification.</b>   | <b>Conc. %.</b>   | <b>Classification 67/548/EEC.</b>  |
| <b>Zinc oxide</b>  |   | <b>Classification 1272/2008 (CLP).</b>                                     |
| CAS. 1314-13-2   | 37,5 - 40   | N R50/53   |
| EC. 215-222-5  |   |  |
| INDEX. 030-013-00-7  |   |  |
| Reg. no. 01-2119463881-32-0000   |   |  |
| <b>ETHYLENE GLYCOL MONOBUTYL ETHER</b>   |   |  |
| CAS. 112-34-5  | 0 - 0,05  | Xi R36   |
| EC. 203-961-6  |   |  |
| INDEX. 603-096-00-8  |   |  |
| Note: Upper limit is not included into the range.  |   |  |
| The full wording of the Risk (R) and hazard (H) phrases is given in section 16 of the sheet.   |   |  |
| T+ = Very Toxic(T+), T = Toxic(T), Xn = Harmful(Xn), C = Corrosive(C), Xi = Irritant(Xi), O = Oxidizing(O), E = Explosive(E), F+ = Extremely Flammable(F+), F = Highly Flammable(F), N = Dangerous for the Environment(N)  |   |  |
| <b>SECTION 4. First aid measures.</b>  |   |  |
| <b>4.1. Description of first aid measures.</b>   |   |  |
| Not specifically necessary. Observance of good industrial hygiene is recommended.  |   |  |
| <b>4.2. Most important symptoms and effects, both acute and delayed.</b>   |   |  |
| No episodes of damage to health ascribable to the product have been reported.  |   |  |
| <b>4.3. Indication of any immediate medical attention and special treatment needed.</b>  |   |  |
| Information not available.   |   |  |
| <b>SECTION 5. Firefighting measures.</b>   |   |  |
| <b>5.1. Extinguishing media.</b>   |   |  |
| SUITABLE EXTINGUISHING EQUIPMENT   |   |  |
| The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.  |   |  |
| UNSUITABLE EXTINGUISHING EQUIPMENT   |   |  |
| None in particular.  |   |  |
| <b>5.2. Special hazards arising from the substance or mixture.</b>   |   |  |
| HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE  |   |  |
| Do not breathe combustion products.  |   |  |
| <b>5.3. Advice for firefighters.</b>   |   |  |
| GENERAL INFORMATION  |   |  |
| Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. |   |  |

|                                 |                             |  |
|---------------------------------|-----------------------------|--|
| <b>INDUSTRIA MAIMERI S.P.A.</b> |                             | Revision nr.35<br>Dated 10/7/2014<br>Printed on 10/7/2014<br>Page n. 3 / 8 |
| <b>CLASSICO OIL COLOURS</b>     | <b>03408 Turquoise Blue</b> |  |

**SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS**

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

**SECTION 6. Accidental release measures.****6.1. Personal precautions, protective equipment and emergency procedures.**

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

**6.2. Environmental precautions.**

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

**6.3. Methods and material for containment and cleaning up.**

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

**6.4. Reference to other sections.**

Any information on personal protection and disposal is given in sections 8 and 13.

**SECTION 7. Handling and storage.****7.1. Precautions for safe handling.**

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

**7.2. Conditions for safe storage, including any incompatibilities.**

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

**7.3. Specific end use(s).**

Information not available.

**SECTION 8. Exposure controls/personal protection.****8.1. Control parameters.**

Regulatory References:  
United Kingdom

Éire  
OEL EU

TLV-ACGIH

EH40/2005 Workplace exposure limits. Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations (as amended). Code of Practice Chemical Agent Regulations 2011. Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC. ACGIH 2012

**Zinc oxide****Threshold Limit Value.**

| Type      | Country | TWA/8h            |     | STEL/15min        |     |
|-----------|---------|-------------------|-----|-------------------|-----|
|           |         | mg/m <sup>3</sup> | ppm | mg/m <sup>3</sup> | ppm |
| TLV-ACGIH |         | 5                 |     | 15                |     |

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

**8.2. Exposure controls.**

As the use of adequate technical equipment must always take priority over personal protection equipment, make sure that the workplace is well aired through effective local aspiration.

**HAND PROTECTION**

Protect hands with category I (ref. Directive 89/686/EEC and standard EN 374) work gloves, such as those in latex, PVC or equivalent.

The following should be considered when choosing work glove material: degradation, breakage times and permeation. Work glove resistance to preparations should be checked before use, as it can be unpredictable. Gloves' limit depends on the duration of exposure.

**SKIN PROTECTION**

Wear category I professional long-sleeved overalls and safety footwear (ref. Directive 89/686/CEE and standard EN 344). Wash body with soap and water after removing overalls.

**RESPIRATORY PROTECTION**

If the threshold value (if available) for one or more of the substances present in the preparation for daily exposure in the workplace or to a fraction established by the company's prevention and protection service is exceeded, wear a mask with an A or universal filter, the

**INDUSTRIA MAIMERI S.P.A.****CLASSICO OIL COLOURS****03408 Turquoise Blue**Revision nr.35  
Dated 10/7/2014  
Printed on 10/7/2014  
Page n. 4 / 8**SECTION 8. Exposure controls/personal protection. ... / >>**

class (1, 2 or 3) of which must be chosen according to the limit concentration of use (ref. standard EN 141).

The use of respiratory tract protection equipment, such as masks like that indicated above, is necessary to reduce worker exposure in the absence of technical measures. The protection provided by masks is in any case limited.

If the substance in question is odourless or its olfactory threshold is higher than the relative exposure limit and in the event of an emergency, or when exposure levels are unknown or the concentration of oxygen in the workplace is less than 17% volume, wear self-contained, open-circuit compressed air breathing apparatus (ref. standard EN 137) or fresh air hose breathing apparatus for use with full face mask, half mask or mouthpiece (ref. standard EN 138).

**EYE PROTECTION**

Use of protective airtight goggles (ref. standard EN 166) recommended.

**ENVIRONMENTAL EXPOSURE CONTROLS.**

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

**SECTION 9. Physical and chemical properties.****9.1. Information on basic physical and chemical properties.**

|  |   |                                     |
|--|---|-------------------------------------|
| Appearance                             |   | paste                               |
| Colour                                 |   | turquoise                           |
| Odour                                  |   | LINSEED OIL                         |
| Odour threshold.                       |   | Not available.                      |
| pH.                                    |   |                                     |
| Melting point / freezing point.        |   | Not available.                      |
| Initial boiling point.                 |   | Not available.                      |
| Boiling range.                         |   | Not available.                      |
| Flash point.                           | > | 60 °C.                              |
| Evaporation Rate                       |   | Not available.                      |
| Flammability of solids and gases       |   | Not available.                      |
| Lower inflammability limit.            |   | Not available.                      |
| Upper inflammability limit.            |   | Not available.                      |
| Lower explosive limit.                 |   | Not available.                      |
| Upper explosive limit.                 |   | Not available.                      |
| Vapour pressure.                       |   | Not available.                      |
| Vapour density                         |   | Not available.                      |
| Relative density.                      |   | 0,2 Kg/l                            |
| Solubility                             |   | INSOLUBLE, DILUTE WITH WHITE SPIRIT |
| Partition coefficient: n-octanol/water |   | Not available.                      |
| Auto-ignition temperature.             |   | Not available.                      |
| Decomposition temperature.             |   | Not available.                      |
| Viscosity                              |   | Not available.                      |
| Explosive properties                   |   | Not available.                      |
| Oxidising properties                   |   | Not available.                      |

**9.2. Other information.**

|                              |  |                        |
|------------------------------|--|------------------------|
| Solid content.               |  | 72,10 %                |
| VOC (Directive 1999/13/EC) : |  | 0,14 % - 2,68 g/litre. |
| VOC (volatile carbon) :      |  | 0,12 % - 2,27 g/litre. |

**SECTION 10. Stability and reactivity.****10.1. Reactivity.**

There are no particular risks of reaction with other substances in normal conditions of use.

**10.2. Chemical stability.**

The product is stable in normal conditions of use and storage.

**10.3. Possibility of hazardous reactions.**

No hazardous reactions are foreseeable in normal conditions of use and storage.

**10.4. Conditions to avoid.**

None in particular. However the usual precautions used for chemical products should be respected.

**10.5. Incompatible materials.**

Information not available.


**10.6. Hazardous decomposition products.**

Information not available.


|   |                             |  |
|---|-----------------------------|--|
| <b>INDUSTRIA MAIMERI S.P.A.</b>   |                             | Revision nr.35<br>Dated 10/7/2014<br>Printed on 10/7/2014<br>Page n. 5 / 8 |
| <b>CLASSICO OIL COLOURS</b>   | <b>03408 Turquoise Blue</b> |  |
| <b>SECTION 11. Toxicological information.</b>   |                             |  |
| <p>According to currently available data, this product has not yet produced health damages. Anyway, it must be handled carefully according to good industrial practices. This product may have slight health effects on sensitive people, by inhalation and/or cutaneous absorption and/or contact with eyes and/or ingestion.</p>  |                             |  |
| <b>11.1. Information on toxicological effects.</b>  |                             |  |
| Information not available.  |                             |  |
| <b>SECTION 12. Ecological information.</b>  |                             |  |
| <p>This product is dangerous for the environment and highly toxic for aquatic organisms. In the long term, it have negative effects on aquatic environment.</p>   |                             |  |
| <b>12.1. Toxicity.</b>  |                             |  |
| Information not available.  |                             |  |
| <b>12.2. Persistence and degradability.</b>   |                             |  |
| Information not available.  |                             |  |
| <b>12.3. Bioaccumulative potential.</b>   |                             |  |
| Information not available.  |                             |  |
| <b>12.4. Mobility in soil.</b>  |                             |  |
| Information not available.  |                             |  |
| <b>12.5. Results of PBT and vPvB assessment.</b>  |                             |  |
| On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.   |                             |  |
| <b>12.6. Other adverse effects.</b>   |                             |  |
| Information not available.  |                             |  |
| <b>SECTION 13. Disposal considerations.</b>   |                             |  |
| <b>13.1. Waste treatment methods.</b>   |                             |  |
| <p>Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.<br/>         Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.<br/>         Avoid littering. Do not contaminate soil, sewers and waterways.<br/>         Waste transportation may be subject to ADR restrictions.<br/> <b>CONTAMINATED PACKAGING</b><br/>         Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.</p> |                             |  |
| <b>SECTION 14. Transport information.</b>   |                             |  |
| <p>These goods must be transported by vehicles authorized to the carriage of dangerous goods according to the provisions set out in the current edition of the Code of International Carriage of Dangerous Goods by Road (ADR) and in all the applicable national regulations.<br/>         These goods must be packed in their original packagings or in packagings made of materials resistant to their content and not reacting dangerously with it. People loading and unloading dangerous goods must be trained on all the risks deriving from these substances and on all actions that must be taken in case of emergency situations.</p>                     |                             |  |

**INDUSTRIA MAIMERI S.P.A.****CLASSICO OIL COLOURS****03408 Turquoise Blue**Revision nr.35  
Dated 10/7/2014  
Printed on 10/7/2014  
Page n. 6 / 8**SECTION 14. Transport information. ... / >>****Road and rail transport:**


ADR/RID Class: 9 UN: 3082  
 Packing Group: III  
 Label: 9  
 Nr. Kemler: 90  
 Limited Quantity: 5 L  
 Tunnel restriction code: (E)  
 Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc oxide)

**Carriage by sea (shipping):**

IMO Class: 9 UN: 3082  
 Packing Group: III  
 Label: 9  
 EMS: F-A, S-F  
 Marine Pollutant: YES  
 Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc oxide)

**Transport by air:**

IATA: 9 UN: 3082  
 Packing Group: III  
 Label: 9  
 Cargo:  
 Packaging instructions: 964 Maximum quantity: 450 L  
 Pass.:  
 Packaging instructions: 964 Maximum quantity: 450 L  
 Special Instructions: A97, A158  
 Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc oxide)  
 INFORMATION ON TRANSPORT OUTSIDE EU MEMBER NATIONS: NOT USDOT OR IMO REGULATED.

**SECTION 15. Regulatory information.****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.**

Seveso category: 9i

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

Product Point: 3

Substances in Candidate List (Art. 59 REACH).  
None.Substances subject to authorisation (Annex XIV REACH).  
None.Substances subject to exportation reporting pursuant to (EC) Reg. 689/2008:  
None.Substances subject to the Rotterdam Convention:  
None.Substances subject to the Stockholm Convention:  
None.Healthcare controls.  
Information not available.**15.2. Chemical safety assessment.**

No chemical safety assessment has been processed for the mixture and the substances it contains.

|                                 |                             |  |
|---------------------------------|-----------------------------|--|
| <b>INDUSTRIA MAIMERI S.P.A.</b> |                             | Revision nr.35<br>Dated 10/7/2014<br>Printed on 10/7/2014<br>Page n. 7 / 8 |
| <b>CLASSICO OIL COLOURS</b>     | <b>03408 Turquoise Blue</b> |  |

**SECTION 16. Other information.**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

|                          |  |
|--------------------------|--|
| <b>Eye Irrit. 2</b>      | Eye irritation, category 2   |
| <b>Aquatic Acute 1</b>   | Hazardous to the aquatic environment, acute toxicity, category 1   |
| <b>Aquatic Chronic 1</b> | Hazardous to the aquatic environment, chronic toxicity, category 1 |
| <b>H319</b>              | Causes serious eye irritation.                                     |
| <b>H400</b>              | Very toxic to aquatic life.  |
| <b>H410</b>              | Very toxic to aquatic life with long lasting effects.              |

Text of risk (R) phrases mentioned in section 2-3 of the sheet:

|               |  |
|---------------|--|
| <b>R36</b>    | IRRITATING TO EYES.  |
| <b>R50/53</b> | VERY TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT. |

**LEGEND:**

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation.

**GENERAL BIBLIOGRAPHY**

1. Directive 1999/45/EC and following amendments
2. Directive 67/548/EEC and following amendments and adjustments
3. Regulation (EC) 1907/2006 (REACH) of the European Parliament
4. Regulation (EC) 1272/2008 (CLP) of the European Parliament
5. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
6. Regulation (EC) 453/2010 of the European Parliament
7. Regulation (EC) 286/2011 (II Atp. CLP) of the European Parliament
8. The Merck Index. - 10th Edition
9. Handling Chemical Safety
10. Niosh - Registry of Toxic Effects of Chemical Substances
11. INRS - Fiche Toxicologique (toxicological sheet)
12. Patty - Industrial Hygiene and Toxicology
13. N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
14. ECHA website

**INDUSTRIA MAIMERI S.P.A.****CLASSICO OIL COLOURS****03408 Turquoise Blue**Revision nr.35  
Dated 10/7/2014  
Printed on 10/7/2014  
Page n. 8 / 8**SECTION 16. Other information. ... / >>****Note for users:**

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

**Changes to previous review:**

The following sections were modified:

02 / 03 / 04 / 05 / 06 / 07 / 08 / 09 / 10 / 11 / 12 / 13 / 14 / 15 / 16.