MSDS for #01541 - MAIMERI PURO OIL			Pag	
INDUSTRIA MAIMERI S.P.A.			Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014	
MAIMERI PURO	00356 En	nerald Green	Page n. 1/8	
	Safety of	data sheet		
ECTION 1. Identification	n of the substance/mixture	e and of the compar	v/undertaking	
1. Product identifier				
Code: Product name	00356 MAIMERI PURO	00356 Emerald Gre	en	
2. Relevant identified uses of the	substance or mixture and uses ad	lvised against		
Intended use	Oil colour.			
3. Details of the supplier of the s	afety data sheet			
Name	INDUSTRIA MAIMI	ERI S.P.A.		
Full address District and Country	Via Gianni Maimer 20060 Mediglia	i, 1	(MI)	
·	Italia Tel. +39 02 900	6981		
e-mail address of the competent p	Fax +39 02 900	698999		
responsible for the Safety Data Sh)maimeri.it		
Product distribution by	INDUSTRIA MAIMI (MI) ITALY	ERI S.P.A. VIA G.MAIMERI 1	20060 BETTOLINO DI MEDIGLIA	
4. Emergency telephone number				
For urgent inquiries refer to	Australia : 131126 USA: 1 800 222 12 Regno Unito NHS		47	
ECTION 2. Hazards iden	itification.			
1. Classification of the substance	e or mixture.			
amendments and supplements). 1907/2006 and subsequent amen	. The product thus requires a safe	ety datasheet that complies	on 1272/2008 (CLP) (and subsequent with the provisions of EC Regulation ns 11 and 12 of this sheet.	
1.1. Regulation 1272/2008 (CLP) a	and following amendments and adj	justments.		
Hazard classification and indicatio Aquatic Acute 1 H400 Aquatic Chronic 1 H410	in:			
	Directives and following amendme	nts and adjustments.		
Danger Symbols:	N			
R phrases:	50/53			
The full wording of the Risk (R) an	nd hazard (H) phrases is given in sect	ion 16 of the sheet.		
2. Label elements.				
Hazard labelling pursuant to EC R	Regulation 1272/2008 (CLP) and subs	equent amendments and sup	plements.	
Hazard pictograms:				
Hazard pictograms:				
Hazard pictograms:				

EPY 8.1.21

INDUSTRIA	MAIMERI S.P.A	\. ;	Revision nr.2 Dated 10/6/2014
MAIMERI PURO	00356 Emera		Printed on 10/6/2014 Page n. 2 / 8
SECTION 2. Hazards identification.	/ >>		
Signal words: Warning			
Hazard statements:			
H410 Very toxic to aq Precautionary statements:	uatic life with long lasting effects.		
P273 Avoid release to	o the environment.		
P391 Collect spillage. P501 Dispose of cont	ents / container to in accordance with	local and national norms.	
.3. Other hazards.			
Information not available.			
SECTION 3. Composition/infor	mation on ingredients.		
.1. Substances.			
Information not relevant.			
.2. Mixtures.			
Contains:			
Identification. Conc. %. CI	assification 67/548/EEC.	Classification ?	1272/2008 (CLP).
Zinc oxide			
CAS. 1314-13-2 62 - 66 NF EC. 215-222-5	250/53	Aquatic Acute 1 H400) M=1, Aquatic Chronic 1 H410
INDEX. 030-013-00-7			
Reg. no. 01-2119463881-32-0000 ETHYLENE GLYCOL MONOBUTYL ETH	IER		
CAS. 112-34-5 0 - 0,05 Xi F		Eye Irrit. 2 H319	
EC. 203-961-6 INDEX. 603-096-00-8			
Note: Upper limit is not included into the ra		<i></i>	
The full wording of the Risk (R) and hazar T+ = Very Toxic(T+), T = Toxic(T), Xn = Harmful(Xn), C			Flammable(F+), F = Highly Flammable(F),
N = Dangerous for the Environment(N)			
SECTION 4. First aid measures	5.		
.1. Description of first aid measures. Not specifically necessary. Observance of	f good industrial hygiene is recomme	nded	
.2. Most important symptoms and effects			
No episodes of damage to health ascribat		I.	
.3. Indication of any immediate medical a Information not available.	ttention and special treatment nee	eded.	
SECTION 5. Firefighting measure	Ires		
.1. Extinguishing media.			
SUITABLE EXTINGUISHING EQUIPMEN		.	
The extinguishing equipment should be of UNSUITABLE EXTINGUISHING EQUIPM		e, toam, powder and water	spray.
None in particular.			
.2. Special hazards arising from the subs			
HAZARDS CAUSED BY EXPOSURE IN ⁻ Do not breathe combustion products.	THE EVENT OF FIRE		
.3. Advice for firefighters.			
GENERAL INFORMATION	re to prevent product decomposition	and the development of an	hstances notentially bazardous for
Use jets of water to cool the containe health. Always wear full fire prevention contaminated water used for extinction an	gear. Collect extinguishing water	to prevent it from draining	

MSDS for #01541 - MAIMERI PURO OIL

INDUSTRIA MAIMERI S.P.A.

MAIMERI PURO

00356 Emerald Green

Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014 Page n. 3 / 8

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137). SECTION 6. Accidental release measures. 6.1. Personal precautions, protective equipment and emergency procedures. Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures. 6.2. Environmental precautions. The product must not penetrate into the sewer system or come into contact with surface water or ground water. 6.3. Methods and material for containment and cleaning up. Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13. 6.4. Reference to other sections. Any information on personal protection and disposal is given in sections 8 and 13. **SECTION 7. Handling and storage.** 7.1. Precautions for safe handling. Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. 7.2. Conditions for safe storage, including any incompatibilities. Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details. 7.3. Specific end use(s). Information not available SECTION 8. Exposure controls/personal protection. 8.1. Control parameters. Regulatory References: United Kingdom EH40/2005 Workplace exposure limits. Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations (as amended). Éire Code of Practice Chemical Agent Regulations 2011. Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive OEL EU 2000/39/EC **TLV-ACGIH** ACGIH 2012 Zinc oxide Threshold Limit Value. Country TWA/8h STEL/15min Type mg/m3 mg/m3 ppm ppm TLV-ACGIH 5 Leaend: (C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction. 8.2. Exposure controls. As the use of adequate technical equipment must always take priority over personal protection equipment, make sure that the workplace is well aired through effective local aspiration. HAND PROTECTION Protect hands with category I (ref. Directive 89/686/EEC and standard EN 374) work gloves, such as those in latex, PVC or equivalent. The following should be considered when choosing work glove material: degradation, breakage times and permeation. Work glove resistance to preparations should be checked before use, as it can be unpredictable. Gloves' limit depends on the duration of exposure. SKIN PROTECTION Wear category I professional long-sleeved overalls and safety footwear (ref. Directive 89/686/CEE and standard EN 344). Wash body with soap and water after removing overalls. RESPIRATORY PROTECTION If the threshold value (if available) for one or more of the substances present in the preparation for daily exposure in the workplace or to a fraction established by the company's prevention and protection service is exceeded, wear a mask with an A or universal filter, the

INDUSTRIA MAIMERI S.P.A.

MAIMERI PURO

00356 Emerald Green

Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014 Page n. 4 / 8

SECTION 8. Exposure controls/personal protection. ... / >>

class (1, 2 or 3) of which must be chosen according to the limit concentration of use (ref. standard EN 141).

The use of respiratory tract protection equipment, such as masks like that indicated above, is necessary to reduce worker exposure in the absence of technical measures. The protection provided by masks is in any case limited.

If the substance in question is odourless or its olfactory threshold is higher than the relative exposure limit and in the event of an emergency, or when exposure levels are unknown or the concentration of oxygen in the workplace is less than 17% volume, wear self-contained, open-circuit compressed air breathing apparatus (ref. standard EN 137) or fresh air hose breathing apparatus for use with full face mask, half mask or mouthpiece (ref. standard EN 138).

EYE PROTECTION

Use of protective airtight goggles (ref. standard EN 166) recommended.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

9.1. Information on basic physical and chem	icai p	roperties.
Appearance		paste
Colour		PASTEL GREEN
Odour		OIL
Odour threshold.		Not available.
pH.		
Melting point / freezing point.		Not available.
Initial boiling point.		Not available.
Boiling range.		Not available.
Flash point.	>	60 °C.
Evaporation Rate		Not available.
Flammability of solids and gases		Not available.
Lower inflammability limit.		Not available.
Upper inflammability limit.		Not available.
Lower explosive limit.		Not available.
Upper explosive limit.		Not available.
Vapour pressure.		Not available.
Vapour density		Not available.
Relative density.		0,2 Kg/l
Solubility		INSOLUBLE, DILUTE WITH WHITE SPIRIT
Partition coefficient: n-octanol/water		Not available.
Auto-ignition temperature.		Not available.
Decomposition temperature.		Not available.
Viscosity		3.500.000/5.000.000 cps
Explosive properties		Not available.
Oxidising properties		Not available.
9.2. Other information.		
Solid content.		72,32 %
VOC (Directive 1999/13/EC) :		0,19 % - 4,28 g/litre.
VOC (volatile carbon) :		0,16 % - 3,62 g/litre.

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

Information not available.

INDUSTRIA MAIMERI S.P.A.

MAIMERI PURO

00356 Emerald Green

Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014 Page n. 5 / 8

According to currently available data, this product has not yet produced health damages. Anyway, it must be handled carefully according to good industrial practices. This product may have slight health effects on sensitive people, by inhalation and/or cutaneous absorption and/or contact with eyes and/or ingestion.

11.1. Information on toxicological effects.

Information not available.

SECTION 12. Ecological information.

This product is dangerous for the environment and highly toxic for aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity.

Information not available.

12.2. Persistence and degradability. Information not available.

12.3. Bioaccumulative potential. Information not available.

12.4. Mobility in soil.

Information not available.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects.

Information not available.

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Avoid littering. Do not contaminate soil, sewers and waterways. Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

These goods must be transported by vehicles authorized to the carriage of dangerous goods according to the provisions set out in the current edition of the Code of International Carriage of Dangerous Goods by Road (ADR) and in all the applicable national regulations. These goods must be packed in their original packagings or in packagings made of materials resistant to their content and not reacting dangerously with it. People loading and unloading dangerous goods must be trained on all the risks deriving from these substances and on all actions that must be taken in case of emergency situations.

Page 5 of 8

MSDS for #01541 - MAIMI	ERI PURO OIL				Page 6
		MERI S.P.A.		Revision nr.2 Dated 10/6/2014	
MAIMERI PURO		00356 Emerald	Green	Printed on 10/6/2014 Page n. 6 / 8	
SECTION 14. Transport informa	tion / >>				
Road and rail transport:					
ADR/RID Class: Packing Group: Label: Nr. Kemler: Limited Quantity. Tunnel restriction code. Proper Shipping Name:	9 UN: 111 9 90 5 L (E) ENVIRONME	3082 NTALLY HAZARDOUS SUB	STANCE, LIQUID	N.O.S. (Zinc oxide)	
Carriage by sea (shipping):					
IMO Class: Packing Group: Label: EMS: Marine Pollutant. Proper Shipping Name:	9 UN: III 9 F-A, S-F YES ENVIRONME	3082 NTALLY HAZARDOUS SUB	STANCE, LIQUID	N.O.S. (Zinc oxide)	
Transport by air:					
IATA: Packing Group: Label: Cargo:	9 UN: III 9	3082	A		
Packaging instructions: Pass.:	964	Maximum quantity:	450 L		
Packaging instructions: Special Instructions: Proper Shipping Name: INFORMATION ON TRANSPORT		Maximum quantity: NTALLY HAZARDOUS SUB			
SECTION 15. Regulatory in					
15.1. Safety, health and environmen Seveso category. 9	-	gislation specific for the su	ibstance or mixti	ire.	
Restrictions relating to the product or		es pursuant to Annex XVII to F	C Regulation 1907	/2006	
Product. Point. 3					
Substances in Candidate List (Art. 59	REACH).				
None.					
Substances subject to authorisarion (/ None.	Annex XIV REACH)	<u>. </u>			
Substances subject to exportation rep None.	porting pursuant to (I	EC) Reg. 689/2008:			
Substances subject to the Rotterdam None.	Convention:				
Substances subject to the Stockholm None.	Convention:				
Healthcare controls. Information not available.					
15.2. Chemical safety assessment.					
No chemical safety assessment has	s been processed	for the mixture and the subst	ances it contains.		

MSDS for #01541 - MAIMERI PURO OIL

INDUSTRIA MAIMERI S.P.A.

MAIMERI PURO

00356 Emerald Green

Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014 Page n. 7 / 8

CTION 16. Othe	r information.
ext of hazard (H) indica	tions mentioned in section 2-3 of the sheet:
Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 H319 H400 H410	Eye irritation, category 2 Hazardous to the aquatic environment, acute toxicity, category 1 Hazardous to the aquatic environment, chronic toxicity, category 1 Causes serious eye irritation. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
ext of risk (R) phrases	mentioned in section 2-3 of the sheet:
R36 R50/53	IRRITATING TO EYES. VERY TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.
EGEND:	
CAS NUMBER: Chemi CE50: Effective concer CE NUMBER: Identifie CLP: EC Regulation 12 DNEL: Derived No Effe EmS: Emergency Sche GHS: Globally Harmor IATA DGR: International Mar INDG: International Mar INDG: International Mar INDG: International Mar INDEX NUMBER: Iden LC50: Lethal dose 50% OEL: Occupational Exp PBT: Persistent bioacc PEC: Predicted envirou PEL: Predicted envirou PEL: Predicted envirou PEL: Predicted no ef REACH: EC Regulatio RID: Regulation conce TLV: Threshold Limit V	ct Level edule ized System of classification and labeling of chemicals al Air Transport Association Dangerous Goods Regulation oncentration 50% ritime Code for dangerous goods time Organization tifier in Annex VI of CLP ation 50% o posure Level umulative and toxic as REACH Regulation immental Concentration re level fect concentration n 1907/2006 ming the international transport of dangerous goods by train alue tration that should not be exceeded during any time of occupational exposure. exposure limit verage exposure limit
2	and very Bioaccumulative as for REACH Regulation.
 Directive 67/548/EEC Regulation (EC) 1907 Regulation (EC) 1272 Regulation (EC) 1272 Regulation (EC) 790/2 Regulation (EC) 453/2 	and following amendments and following amendments and adjustments /2006 (REACH) of the European Parliament /2008 (CLP) of the European Parliament 2009 (I Atp. CLP) of the European Parliament 2010 of the European Parliament 2011 (II Atp. CLP) of the European Parliament th Edition

- 10. Niosh Registry of Toxic Effects of Chemical Substances
- 11. INRS Fiche Toxicologique (toxicological sheet)
- 12. Patty Industrial Hygiene and Toxicology
- 13. N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- 14. ECHA website

EPY 8.1.21

INDUSTRIA MAIMERI S.P.A.

MAIMERI PURO

00356 Emerald Green

Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014 Page n. 8 / 8

SECTION 16. Other information. ... / >>

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified: 02 / 03 / 04 / 05 / 06 / 07 / 08 / 09 / 10 / 11 / 12 / 13 / 14 / 15 / 16.