MSDS for #01541 - MAIMERI PL	Povision pr 2	Page	
	MAIMERI S.P.A.	Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014	
MAIMERI PURO	00261 Tiziano Red	Page n. 1/6	
	Safety data sheet		
ECTION 1. Identification of the	e substance/mixture and of the compa	iny/undertaking	
1. Product identifier			
Code: Product name	00261 MAIMERI PURO 00261 Tiziano Rec	d	
.2. Relevant identified uses of the substar	nce or mixture and uses advised against		
Intended use	Oil colour.		
.3. Details of the supplier of the safety dat	a sheet		
Name	INDUSTRIA MAIMERI S.P.A.		
Full address District and Country	Via Gianni Maimeri, 1 20060 Mediglia	(MI)	
	Italia Tel. +39 02 906981		
e-mail address of the competent person	Fax +39 02 90698999		
responsible for the Safety Data Sheet Product distribution by	schedesicurezza@maimeri.it INDUSTRIA MAIMERI S.P.A. VIA G.MAIMERI	1 20060 BETTOLINO DI MEDIGLI	4
	(MI) ITALY		
.4. Emergency telephone number			
For urgent inquiries refer to	Australia : 131126 USA: 1 800 222 1222 Regno Unito NHS Direct (UK): +44 (0) 845 46	5 47	
SECTION 2. Hazards identificat	ion.		
.1. Classification of the substance or mixt	ure.		
amendments and supplements). However,	pursuant to the provisions set forth in EC Regulation 12 since the product contains hazardous substances in co t with appropriate information, compliant to EC Regulati	ncentrations such as to be declared	in
.1.1. Regulation 1272/2008 (CLP) and follo	wing amendments and adjustments.		
Hazard classification and indication:	-		
.2. Label elements.			
Hazard pictograms:			
Signal words:			
Hazard statements: Precautionary statements:			
Safety data sheet available for professiona	l users on request.		
.3. Other hazards.			
Information not available.			

INDUSTRIA MAIMERI S.P.A. Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014 **MAIMERI PURO** 00261 Tiziano Red Page n. 2/6 SECTION 3. Composition/information on ingredients. 3.1. Substances. Information not relevant. 3.2. Mixtures. Contains: Identification. Classification 67/548/EEC. Classification 1272/2008 (CLP). Conc. %. ETHYLENE GLYCOL MONOBUTYL ETHER 112-34-5 Eye Irrit. 2 H319 CAS. 0 - 0,05 Xi R36 EC. 203-961-6 INDEX. 603-096-00-8 Note: Upper limit is not included into the range. The full wording of the Risk (R) and hazard (H) phrases is given in section 16 of the sheet. T+ = Very Toxic(T+), T = Toxic(T), Xn = Harmful(Xn), C = Corrosive(C), Xi = Irritant(Xi), O = Oxidizing(O), E = Explosive(E), F+ = Extremely Flammable(F+), F = Highly Flammable(F), N = Dangerous for the Environment(N) SECTION 4. First aid measures. 4.1. Description of first aid measures. Not specifically necessary. Observance of good industrial hygiene is recommended. 4.2. Most important symptoms and effects, both acute and delayed. No episodes of damage to health ascribable to the product have been reported. 4.3. Indication of any immediate medical attention and special treatment needed. Information not available **SECTION 5. Firefighting measures.** 5.1. Extinguishing media. SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular. 5.2. Special hazards arising from the substance or mixture. HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products. 5.3. Advice for firefighters. GENERAL INFORMATION Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137). SECTION 6. Accidental release measures. 6.1. Personal precautions, protective equipment and emergency procedures. Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures. 6.2. Environmental precautions. The product must not penetrate into the sewer system or come into contact with surface water or ground water.

MSDS for #01541 - MAIMERI PURO OIL

Page 2 of 6

EPY 8.1.21

MAIMERI PURO

SECTION 6. Accidental release measures. ... / >>

6.3. Methods and material for containment and cleaning up.

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

7.2. Conditions for safe storage, including any incompatibilities.

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters. Information not available

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protection equipment, make sure that the workplace is well aired through effective local aspiration. Personal protection equipment must comply with the rules in force indicated below. HAND PROTECTION

Protect hands with category I (ref. Directive 89/686/EEC and standard EN 374) work gloves, such as those in latex, PVC or equivalent. The following should be considered when choosing work glove material: degradation, breakage times and permeation. Work glove resistance to preparations should be checked before use, as it can be unpredictable. Gloves' limit depends on the duration of exposure. EYE PROTECTION

Use of protective airtight goggles (ref. standard EN 166) recommended. SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (ref. Directive 89/686/CEE and standard EN 344). Wash body with soap and water after removing overalls.

RESPIRATORY PROTECTION

If the threshold value (if available) for one or more of the substances present in the preparation for daily exposure in the workplace or to a fraction established by the company's prevention and protection service is exceeded, wear a mask with an A or universal filter, the class (1, 2 or 3) of which must be chosen according to the limit concentration of use (ref. standard EN 141).

The use of respiratory tract protection equipment, such as masks like that indicated above, is necessary to reduce worker exposure in the absence of technical measures. The protection provided by masks is in any case limited.

If the substance in question is odourless or its olfactory threshold is higher than the relative exposure limit and in the event of an emergency, or when exposure levels are unknown or the concentration of oxygen in the workplace is less than 17% volume, wear self-contained, open-circuit compressed air breathing apparatus (ref. standard EN 137) or fresh air hose breathing apparatus for use with full face mask, half mask or mouthpiece (ref. standard EN 138).

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

Appearance		paste	
Colour		red	
Odour		OIL	
Odour threshold.		Not availa	ble.
pH.			
Melting point / freezing point.		Not availa	ble.
Initial boiling point.		Not availa	ble.
Boiling range.		Not availa	ble.
Flash point.	>	60 °	C.
Evaporation Rate		Not availa	ble.
Flammability of solids and gases		Not availa	ble.
Lower inflammability limit.		Not availa	ble.
Upper inflammability limit.		Not availa	ble.
Lower explosive limit.		Not availa	ble.
Upper explosive limit.		Not availa	ble.

00261 Tiziano Red

Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014 Page n. 3 / 6

MAIMERI PURO

SECTION 9. Physical and chemical properties./>>

Vapour pressure.	Not available.
Vapour density	Not available.
Relative density.	0,2 Kg/l
Solubility	INSOLUBLE, DILUTE WITH WHITE SPIRIT
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature.	Not available.
Decomposition temperature.	Not available.
Viscosity	3.500.000/5.000.000 cps
Explosive properties	Not available.
Oxidising properties	Not available.
9.2. Other information.	
Solid content.	36,11 %
VOC (Directive 1999/13/EC) :	0,57 % - 6,60 g/litre.
VOC (volatile carbon) :	0,48 % - 5,59 g/litre.

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

Information not available.

SECTION 11. Toxicological information.

According to currently available data, this product has not yet produced health damages. Anyway, it must be handled carefully according to good industrial practices. This product may have slight health effects on sensitive people, by inhalation and/or cutaneous absorption and/or contact with eyes and/or ingestion.

00261 Tiziano Red

11.1. Information on toxicological effects.

Information not available.

SECTION 12. Ecological information.

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.

12.1. Toxicity.

Information not available.

- **12.2. Persistence and degradability.** Information not available.
- **12.3. Bioaccumulative potential.** Information not available.

12.4. Mobility in soil. Information not available.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014

Page n. 4/6

MAIMERI PURO

SECTION 12. Ecological information. ... / >>

12.6. Other adverse effects.

Information not available.

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. Avoid littering. Do not contaminate soil, sewers and waterways.

Avoid littering. Do not contaminate soil, sewers and waterway CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

00261 Tiziano Red

SECTION 15. Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso category. None.

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

Substances in Candidate List (Art. 59 REACH).

None.

None.

Substances subject to authorisarion (Annex XIV REACH). None.

Substances subject to exportation reporting pursuant to (EC) Reg. 689/2008:

None.

None

Substances subject to the Rotterdam Convention: None.

Substances subject to the Stockholm Convention:

Healthcare controls.

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

H319

Causes serious eye irritation.

Text of risk (R) phrases mentioned in section 2-3 of the sheet:

R36 IRRITATING TO EYES.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road

- CAS NUMBER: Chemical Abstract Service Number

- CE50: Effective concentration (required to induce a 50% effect)

- CE NUMBER: Identifier in ESIS (European archive of existing substances)

- CLP: EC Regulation 1272/2008

Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014

Page n. 5/6

00004 T

Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014

MAIMERI PURO	00261 T	iziano F	Red	Printed on 10/6/2014 Page n. 6 / 6
ECTION 16. Other information / >>				
- DNEL: Derived No Effect Level				
- EmS: Emergency Schedule				
- GHS: Globally Harmonized System of classifi	ication and labeling of cher	nicals		
- IATA DGR: International Air Transport Associ	-			
- IC50: Immobilization Concentration 50%		egulation		
- IMDG: International Maritime Code for dange	rous goods			
- IMO: International Maritime Organization	.ede geode			
- INDEX NUMBER: Identifier in Annex VI of CL	P			
- LC50: Lethal Concentration 50%				
- LD50: Lethal dose 50%				
- OEL: Occupational Exposure Level				
- PBT: Persistent bioaccumulative and toxic as	REACH Regulation			
- PEC: Predicted environmental Concentration				
 PEL: Predicted exposure level 				
- PNEC: Predicted no effect concentration				
- REACH: EC Regulation 1907/2006				
- RID: Regulation concerning the international t	transport of dangerous goo	ods by train		
- TLV: Threshold Limit Value				
- TLV CEILING: Concentration that should not	be exceeded during any til	me of occupatior	nal exposure	е.
- TWA STEL: Short-term exposure limit				
- TWA: Time-weighted average exposure limit				
- VOC: Volatile organic Compounds				
 vPvB: Very Persistent and very Bioaccumulat 	live as for REACH Regulat	ion.		
GENERAL BIBLIOGRAPHY				
1. Directive 1999/45/EC and following amendm	nents			
2. Directive 67/548/EEC and following amendm				
3. Regulation (EC) 1907/2006 (REACH) of the	European Parliament			
4. Regulation (EC) 1272/2008 (CLP) of the Eur	ropean Parliament			
5. Regulation (EC) 790/2009 (I Atp. CLP) of the	e European Parliament			
6. Regulation (EC) 453/2010 of the European F				
7. Regulation (EC) 286/2011 (II Atp. CLP) of th	ie European Parliament			
8. The Merck Index 10th Edition				
9. Handling Chemical Safety				
10. Niosh - Registry of Toxic Effects of Chemic				
11. INRS - Fiche Toxicologique (toxicological s	sneet)			
12. Patty - Industrial Hygiene and Toxicology	al Matariala 7, 1080 Edition			
 N.I. Sax - Dangerous properties of Industria ECHA website 	a Materials-7, 1969 Edition	I		
14. ECHA Website				
Note for users:				
The information contained in the present sh	neet are based on our o	wn knowledge o	n the date o	of the last version. Users must verify the
suitability and thoroughness of provided inform	•		product.	
This document must not be regarded as a guar				
The use of this product is not subject to o				
health and safety laws and regulations. The pro			rom improp	ber uses.
Provide appointed staff with adequate training	on now to use chemical pr	oducts.		
Changes to previous review:				
The following sections were modified:				
02/03/04/05/06/07/08/09/10/11/12	/ 13 / 14 / 15 / 16.			
Item Numbers: 01541-3980				@EPY 8.1.21 - SDS

Page 6 of 6