MSDS for #01541 - MAIMERI PURO OIL **INDUSTRIA MAIMERI S.P.A.** Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014 **MAIMERI PURO** 00020 Zinc White Page n. 1/8 Safety data sheet SECTION 1. Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Code: 00020 Product name MAIMERI PURO 00020 Zinc White 1.2. Relevant identified uses of the substance or mixture and uses advised against Oil colour. Intended use 1.3. Details of the supplier of the safety data sheet Name INDUSTRIA MAIMERI S.P.A. Full address Via Gianni Maimeri, 1 District and Country 20060 Mediglia (MI) Italia Tel. +39 02 906981 Fax +39 02 90698999 e-mail address of the competent person responsible for the Safety Data Sheet schedesicurezza@maimeri.it INDUSTRIA MAIMERI S.P.A. VIA G.MAIMERI 1 20060 BETTOLINO DI MEDIGLIA Product distribution by (MI) ITALY 1.4. Emergency telephone number Australia : 131126 For urgent inquiries refer to USA: 1 800 222 1222 Regno Unito NHS Direct (UK): +44 (0) 845 46 47 **SECTION 2. Hazards identification.** 2.1. Classification of the substance or mixture. product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent The amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet. 2.1.1. Regulation 1272/2008 (CLP) and following amendments and adjustments. Hazard classification and indication: Aquatic Acute 1 H400 Aquatic Chronic 1 H410 2.1.2. 67/548/EEC and 1999/45/EC Directives and following amendments and adjustments. Danger Symbols: Ν 50/53 R phrases: The full wording of the Risk (R) and hazard (H) phrases is given in section 16 of the sheet. 2.2. Label elements. Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements. Hazard pictograms:

Item Numbers: 01541-1030, 01541-1034

Page 1 of 8

		IA MAIMERI S.P	inc White	Dated 10/6/2014 Printed on 10/6/2014 Page n. 2 / 8	
SECTION 2. Hazards ide					
Signal words:	Warning				
Hazard statements: H410	Veny toxic	to aquatic life with long lasting effects.			
Precautionary statements	5:				
P273 P391	Avoid relea Collect spi	ase to the environment. Ilage.			
P501 2.3. Other hazards.	Dispose of	contents / container to in accordance	with local and national nor	ms	
Information not available.					
SECTION 3 Compo	sition/ir	nformation on ingredients.			
3.1. Substances.		inormation on ingroutorito.			
Information not relevant.					
3.2. Mixtures.					
Contains:					
Identification.	Conc. %.	Classification 67/548/EEC.	Classificati	on 1272/2008 (CLP).	
Zinc oxide					
CAS. 1314-13-2 EC. 215-222-5	74 - 78	N R50/53	Aquatic Acute 1	H400 M=1, Aquatic Chronic 1 H410	
INDEX. 030-013-00-7					
0	63881-32-0 dimethyl-,	000 compd. with alpha-isotridecyl-omeg	a-hydroxypoly(oxy-1,2-et	hanediyl) phosphate	
CAS. 164383-18-0 EC		Xi R36/38, N R51/53), Skin Irrit. 2 H315, Aquatic Chronic 2 H411	
INDEX					
	0 - 0,05	Xi R36	Eye Irrit. 2 H319	9	
EC. 203-961-6 INDEX. 603-096-00-8					
Distillates (petroleum),			Acr. To:: 4 1/20		
CAS. 64742-47-8 EC. 265-149-8	0 - 0,05	Xn R65, Note 4	Asp. Tox. 1 H30	14, Note 4	
INDEX. 649-422-00-2 1,2,4-TRIMETHYLBENZ	ENE				
CAS. 95-63-6	0 - 0,05	R10, Xn R20, Xi R36/37/38, N R51/53		26, Acute Tox. 4 H332, Eye Irrit. 2 H319, 5, STOT SE 3 H335, Aquatic Chronic 2 H411	
EC. 202-436-9 INDEX. 601-043-00-3			GKIT IIII. 2 HOT		
Note: Upper limit is not in					
-	. ,	nazard (H) phrases is given in section			
T+ = Very Toxic(T+), T = Toxic(T) N = Dangerous for the Environme		Xn), C = Corrosive(C), Xi = Irritant(Xi), O = Oxidizin	g(O), E = Explosive(E), F+ = Extrer	nely Flammable(F+), F = Highly Flammable(F),	
SECTION 4. First ai	d meas	ures.			
4.1. Description of first aid					
Not specifically necessary	y. Observar	ice of good industrial hygiene is recom	mended.		
		fects, both acute and delayed. cribable to the product have been repo	rted.		
4.3. Indication of any imme	ediate med	ical attention and special treatment	needed.		
Information not available.					

MSDS for #01541 - MAIMERI PURO OIL

INDUSTRIA MAIMERI S.P.A.

MAIMERI PURO

00020 Zinc White

Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014 Page n. 3/8

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

7.2. Conditions for safe storage, including any incompatibilities.

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s). Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Éire OEL EU

Regulatory References: EH40/2005 Workplace exposure limits. Containing the list of workplace exposure limits United Kingdom for use with the Control of Substances Hazardous to Health Regulations (as amended). Code of Practice Chemical Agent Regulations 2011. Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC. TLV-ACGIH ACGIH 2012

Item Numbers: 01541-1030, 01541-1034

MAIMERI PURO

00020 Zinc White

Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014 Page n. 4 / 8

				7:	
				ZIN	c oxide
Threshold Limit	Value.				
Туре	Country	TWA/8h		STEL/15	min
		mg/m3	ppm	mg/m3	ppm
TLV-ACGIH		5		15	
Legend:					
		alable Fract	tion ; RESF	P = Respirabl	e Fraction ; THORA = Thoracic Fraction.

Protect hands with category I (ref. Directive 89/686/EEC and standard EN 374) work gloves, such as those in latex, PVC or equivalent. The following should be considered when choosing work glove material: degradation, breakage times and permeation. Work glove resistance to preparations should be checked before use, as it can be unpredictable. Gloves' limit depends on the duration of exposure. SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (ref. Directive 89/686/CEE and standard EN 344). Wash body with soap and water after removing overalls.

RESPIRATORY PROTECTION

If the threshold value (if available) for one or more of the substances present in the preparation for daily exposure in the workplace or to a fraction established by the company's prevention and protection service is exceeded, wear a mask with an A or universal filter, the class (1, 2 or 3) of which must be chosen according to the limit concentration of use (ref. standard EN 141).

The use of respiratory tract protection equipment, such as masks like that indicated above, is necessary to reduce worker exposure in the absence of technical measures. The protection provided by masks is in any case limited.

If the substance in question is odourless or its olfactory threshold is higher than the relative exposure limit and in the event of an emergency, or when exposure levels are unknown or the concentration of oxygen in the workplace is less than 17% volume, wear self-contained, open-circuit compressed air breathing apparatus (ref. standard EN 137) or fresh air hose breathing apparatus for use with full face mask, half mask or mouthpiece (ref. standard EN 138).

EYE PROTECTION

Use of protective airtight goggles (ref. standard EN 166) recommended.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chem	ical p	properties.
Appearance	-	paste
Colour		white
Odour		OIL
Odour threshold.		Not available.
pH.		
Melting point / freezing point.		Not available.
Initial boiling point.		Not available.
Boiling range.		Not available.
Flash point.	>	60 °C.
Evaporation Rate		Not available.
Flammability of solids and gases		Not available.
Lower inflammability limit.		Not available.
Upper inflammability limit.		Not available.
Lower explosive limit.		Not available.
Upper explosive limit.		Not available.
Vapour pressure.		Not available.
Vapour density		Not available.
Relative density.		0,2 Kg/l
Solubility		INSOLUBLE, DILUTE WITH WHITE SPIRIT
Partition coefficient: n-octanol/water		Not available.
Auto-ignition temperature.		Not available.
Decomposition temperature.		Not available.
Viscosity		3.500.000/5.000.000 cps
Explosive properties		Not available.
Oxidising properties		Not available.
9.2. Other information.		
Solid content.		76,70 %

Item Numbers: 01541-1030, 01541-1034

Page 4 of 8

	AIMERI S.P		Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014
MAIMERI PURO		Linc White	Page n. 5/8
SECTION 9. Physical and chemical proper	rties / >>		
VOC (Directive 1999/13/EC) : VOC (volatile carbon) :	0,63 % - 16,88 0,53 % - 14,30	g/litre. g/litre.	
SECTION 10. Stability and reactivity	ty.		
0.1. Reactivity. There are no particular risks of reaction with oth	ner substances in normal co	nditions of use.	
0.2. Chemical stability. The product is stable in normal conditions of us	e and storage.		
0.3. Possibility of hazardous reactions. No hazardous reactions are foreseeable in norr	nal conditions of use and st	orage.	
0.4. Conditions to avoid. None in particular. However the usual precautic	ons used for chemical produ	cts should be respected	ed.
0.5. Incompatible materials. Information not available.			
0.6. Hazardous decomposition products. Information not available.			
SECTION 11. Toxicological inform	ation.		
According to currently available data, this pr to good industrial practices. This product ma and/or contact with eyes and/or ingestion.			
1.1. Information on toxicological effects.			
Information not available.			
SECTION 12. Ecological information	on.		
This product is dangerous for the environme aquatic environment.		quatic organisms. In	the long term, it have negative effects on
2.1. Toxicity. Information not available.			
2.2. Persistence and degradability. Information not available.			
2.3. Bioaccumulative potential. Information not available.			
2.4. Mobility in soil. Information not available.			
2.5. Results of PBT and vPvB assessment.			
On the basis of available data, the product does	s not contain any PBT or vP	vB in percentage grea	ter than 0,1%.
2.6. Other adverse effects.			
Information not available.			
SECTION 13. Disposal considerati	ons.		
3.1. Waste treatment methods. Reuse, when possible. Product residues sho product should be evaluated according to applic Disposal must be performed through an authori Avoid littering. Do not contaminate soil, sewers Waste transportation may be subject to ADR re	cable regulations. sed waste management firr and waterways.		

MAIMERI PURO

00020 Zinc White

Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014 Page n. 6 / 8

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

These goods must be transported by vehicles authorized to the carriage of dangerous goods according to the provisions set out in the current edition of the Code of International Carriage of Dangerous Goods by Road (ADR) and in all the applicable national regulations. These goods must be packed in their original packagings or in packagings made of materials resistant to their content and not reacting dangerously with it. People loading and unloading dangerous goods must be trained on all the risks deriving from these substances and on all actions that must be taken in case of emergency situations.

Road and rail transport:

ADR/RID Class: Packing Group: Label: Nr. Kemler: Limited Quantity. Tunnel restriction code. Proper Shipping Name:	9 111 9 90 5 L (E) ENV	UN: IRONMENT	3082 ALLY HAZARDOUS SUBSTA	NCE, LIQUID, N.O.S. (Zinc oxide)
Carriage by sea (shipping):				
IMO Class: Packing Group: Label: EMS: Marine Pollutant. Proper Shipping Name:	9 III 9 F-A, YES ENV		3082 ALLY HAZARDOUS SUBSTA	NCE, LIQUID, N.O.S. (Zinc oxide)
Transport by air:				
IATA: Packing Group: Label: Cargo:	9 111 9	UN:	3082	
Packaging instructions: Pass.:	964		Maximum quantity:	450 L
Packaging instructions: Special Instructions: Proper Shipping Name: INFORMATION ON TRANSPORT OU	ENV			450 L NCE, LIQUID, N.O.S. (Zinc oxide) DR IMO REGULATED.

SECTION 15. Regulatory information.

15.1.	Safety,	health a	and environme	ntal regulation	ns/legislatio	n specific fo	or the substance	or mixture.

Seveso category. 9i	
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.	
Product. Point. 3	
Substances in Candidate List (Art. 59 REACH). None.	
Substances subject to authorisarion (Annex XIV REACH). None.	
Substances subject to exportation reporting pursuant to (EC) Reg. 689/2008: None.	
Substances subject to the Rotterdam Convention: None.	
Substances subject to the Stockholm Convention:	

Item Numbers: 01541-1030, 01541-1034

MAIMERI PURO

00020 Zinc White

SECTION 15. Regulatory information. ... / >>

None.

Healthcare controls. Information not available.

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 3 Acute Tox. 4 Asp. Tox. 1 Eye Irrit. 2 Skin Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1 Aquatic Chronic 2 H226 H332 H304 H319 H315 H335 H400 H411	Flammable liquid, category 3 Acute toxicity, category 4 Aspiration hazard, category 1 Eye irritation, category 2 Skin irritation, category 2 Specific target organ toxicity - single exposure, category 3 Hazardous to the aquatic environment, acute toxicity, category 1 Hazardous to the aquatic environment, chronic toxicity, category 1 Hazardous to the aquatic environment, chronic toxicity, category 2 Flammable liquid and vapour. Harmful if inhaled. May be fatal if swallowed and enters airways. Causes serious eye irritation. Causes skin irritation. Way cause respiratory irritation. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects.
--	--

Text of risk (R) phrases mentioned in section 2-3 of the sheet:

R10	FLAMMABLE.
R20	HARMFUL BY INHALATION.
R36	IRRITATING TO EYES.
R36/37/38	IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN.
R36/38	IRRITATING TO EYES AND SKIN.
R50/53	VERY TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE
	AQUATIC ENVIRONMENT.
R51/53	TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC
	ENVIRONMENT.
R65	HARMFUL: MAY CAUSE LUNG DAMAGE IF SWALLOWED.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road

- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration

Item Numbers: 01541-1030, 01541-1034

MAIMERI PURO

00020 Zinc White

Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014 Page n. 8 / 8

SECTION 16. Other information. .../>> - REACH: EC Regulation 1907/2006 - RID: Regulation concerning the international transport of dangerous goods by train - TLV: Threshold Limit Value - TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure. - TWA STEL: Short-term exposure limit - TWA: Time-weighted average exposure limit - VOC: Volatile organic Compounds - vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation. GENERAL BIBLIOGRAPHY 1. Directive 1999/45/EC and following amendments 2. Directive 67/548/EEC and following amendments and adjustments 3. Regulation (EC) 1907/2006 (REACH) of the European Parliament 4. Regulation (EC) 1272/2008 (CLP) of the European Parliament 5. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament 6. Regulation (EC) 453/2010 of the European Parliament 7. Regulation (EC) 286/2011 (II Atp. CLP) of the European Parliament 8. The Merck Index. - 10th Edition 9. Handling Chemical Safety 10. Niosh - Registry of Toxic Effects of Chemical Substances 11. INRS - Fiche Toxicologique (toxicological sheet) 12. Patty - Industrial Hygiene and Toxicology 13. N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition 14. ECHA website Note for users: The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product. This document must not be regarded as a guarantee on any specific product property. The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products. Changes to previous review: The following sections were modified: 02/03/04/05/06/07/08/09/10/11/12/13/14/15/16. Item Numbers: 01541-1030, 01541-1034

Page 8 of 8