

Safety Data Sheet **#915 Natural Orange Terpene**

SECTION 1. IDENTIFICATION

Product Identifier #915 Natural Orange Terpene Other Means of Identification Solvent Recommended Use

Artist & Wood Finish Solvent

Eco-House Inc. PO Box 220 STN A. Fredericton, NB E3B 4Y9 Initial Supplier Identifier

Emergency Telephone Number 506-366-3529

SECTION 2. HAZARD IDENTIFICATION

GHS Classification: Flammable Liquid Category 3 Aspiration toxicant Category 1





Signal word: Danger For Bulk Packaging only:



Hazards

Precautionary Statements

Flammable liquid and vapor. Causes skin irritation. May cause an allergic skin reaction. May be fatal is swallowed and enters airways.

Keep away from heat, /sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools, Take precautionary measures against static discharge. Wear protective gloves, eye and face protection. Wash hands thoroughly after handling. Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs, get medical attention/advice. If swallowed, immediately call poison control/doctor. Do NOT induce vomiting. Store in well ventilated place. Keep cool at room temperature. Keep away from children. Dispose of contents/container in accordance with local /regional /national/ international regulations.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Concentration
Terpenes and terpenoids, food grade	68917-57-7, 8028-48-6	100.00%

Page | 1

Page 1 of 5 Item Numbers: 01580-1004, 01580-1007

SECTION 4. FIRST-AID MEASURES

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for

breathing. Get medical advice/attention if you fell unwell. For those providing assistance, avoid exposure to yourself and use adequate respiratory protection. If

dizziness, nausea, or unconsciousness occurs, seek medical assistance.

In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops

and persists.

Eye Contact In case of contact, immediately flush eyes with plenty of water for at least 15 mins. If

possible, remove contact lenses, if worn. If irritation persists, get medical attention. If swallowed, do NOT induce vomiting. Never give anything by mouth to an Ingestion

unconscious person. Immediately call poison control or doctor.

Most Important Symptoms and Effects,

Immediate Medical

Skin Contact

May cause respiratory tract irritation. May cause allergic skin reaction. May cause eye Acute and Delayed

irritation. Symptoms may include discomfort or pain marked redness and swelling. May be fatal is swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting. Symptoms may not appear immediately. In case of accident or if you feel unwell, seek

Attention and Special medical advice. Treatment

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing

Media

Unsuitable Extinguishing Media

Specific Hazards

Arising from the Product Special Protective

Equipment and Precautions for Fire-

Fighters

Carbon dioxide. Foam. Dry powder.

High volume water spray/ straight streams of water.

Hazardous combustion products: smoke, fume, incomplete combustion products, oxides of carbon.

Fire fighters should use standard protective equipment and in enclosed spaces, selfcontained breathing apparatus (SCBA). Combustible. Keep upwind of fire and evacuate area. Prevent run-off from fire control or dilution from entering streams,

sewers, or drinking water supplies.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and **Emergency Procedures**

In case of large spills, notify relevant authorities in accordance with all applicable regulations. US regulations require reporting releases of this material to the environment which exceed the applicable reportable quantity or oil spills which could reach any waterway including intermittent dry creeks. The National Response Center can be reached at (800) 424-8802. Use special care to avoid static electric charges. Eliminate sources of ignition. Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Methods for Containment and Cleaning Up

Scoop up material and place in disposal container. Provide ventilation.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Handle empty containers with care because residual vapors are flammable. Keep away from sources of ignition - No smoking. Avoid contact with skin and eyes. Avoid breathing dust/fumes/gas/mist/vapors/spray. Do not swallow. Handle and open

Page | 2

Page 2 of 5 Item Numbers: 01580-1004, 01580-1007

container with care. When using, do not eat, drink or smoke. Wash hands before doing

so. Launder contaminated clothing before reuse.

Proper grounding procedures to avoid static electricity should be followed. Keep out of reach of children. Keep container tightly closed and in a well-ventilated

Storage place at room temperature. Store locked up.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Conditions for Safe

Chemical Name	Terpenes & Terpenoids, food grade
ACGIH	Not Applicable.
OSHA	Not Applicable.

Appropriate Engineering

Controls

Individual Protection Measures

Eye/Face Protection Skin Protection

Respiratory Protection Other Wear eve protection.

Wear suitable gloves. Wear suitable protective clothing.

vapor, etc.) below recommended exposure limits.

In case of insufficient ventilation, wear suitable respiratory equipment. Maintain levels below community environmental protection thresholds.

Use ventilation adequate to keep exposures (air-born levels of dust, fume,

Do not eat, smoke, and drink where material is handled, processed or stored. Wash hands carefully after handling. Handle according to established industrial

hygiene and safety practices.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colorless liquid
Odour Light citrus scent
Odour Threshold No data available

Odour Threshold

pH

No data available

349°F (176°C)

Flash Point 113°F (45°C) closed cup method.

Evaporation Rate Medium/fast Flammability (solid, gas) Flammable

Upper and Lower Flammability or Explosive Limit 6.1 vol% - 0.7 vol% Vapour Pressure 2 mmHg at 68°F (20°C)

Vapour Density

(air = 1)

Relative Density (water = 1)

Solubility in Water

Partition Coefficient, n-Octanol / Water (Log Kow) Auto-ignition Temperature

Decomposition Temperature

Viscosity

0.84 @ 68°F (20°C) Insoluble No data avail.

No data avail.

No data available No data available 1.14 cP at 77°F,

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical Stability

Possibility of Hazardous Reactions Conditions to Avoid Incompatible Materials No dangerous reaction known under normal use. Stable under normal storage conditions. May form flammable/explosive vapor-air mixture if heated. No dangerous reaction known under normal use. Heat. Incompatible materials. Sources of ignition. Strong oxidizers.

Page | 3

Item Numbers: 01580-1004, 01580-1007 Page 3 of 5

Hazardous Decomposition Products

May include and are not limited to: oxides of carbon. May release flammable gases.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute Toxicity: minimally toxic.

LC50 (vapor inhalation)

Irritation No end point data for material LD50 (Ingestion)

LD50 (dermal)

Skin Corrosion / Irritation Eye Damage / Irritation Single Exposure Aspiration Hazard Repeated Exposure Respiratory and/or Skin Sensitization Carcinogenicity: Data available

STOT (Specific Target Organ Toxicity) -STOT (Specific Target Organ Toxicity) -

Reproductive Toxicity

Development of Offspring Sexual Function and Fertility Effects on or via Lactation Germ Cell Mutagenicity

LC50 . 5000 mg/m3m. Minimally Toxic based on structurally similar materials. test(s) equivalent or similar to OECD Guideline 403. Negligible hazard at ambient/normal handling temperatures. >5000mg/kg Minimally Toxic based on structurally similar materials. test(s) equivalent or similar to OECD Guideline 403. >5000mg/kg. Minimally Toxic based on structurally similar materials. test(s) equivalent or similar to OECD Guideline 402. May cause skin irritation. May cause mild, short-lasting discomfort to eyes.

May be fatal if swallowed and enters airways. Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Not expected to cause cancer based on test data for structurally similar materials. Test(s) equivalent or similar to OECD Guideline

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

SECTION 12. ECOLOGICAL INFORMATION (section heading must appear; all content is optional)

Eco-toxicity Persistence and Degradability

Bio accumulative

Potential

Mobility in Soil Other Adverse Effects May cause long-term adverse effects in the aquatic environment.

Not established.

Not established.

No additional information available. No additional information available.

SECTION 13. DISPOSAL CONSIDERATIONS (section heading must appear; all content is optional)

Disposal Methods

This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.

Handle empty containers with care because residual vapors are flammable and may explode. Do not attempt to clean container without proper instructions. Empty containers should be taken for recycling, recovery, or disposal in accordance with governmental regulations. Do not pressurise, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition.

SECTION 14. TRANSPORT INFORMATION

Page | 4

Page 4 of 5 Item Numbers: 01580-1004, 01580-1007

Not regulated for transport in less than bulk quantities. (< 1000kg, or in a container of 450 litre/119 Gallon by land, sea or air, in accordance with: Dept. Of Transportation (DOT-USA), TDG (Canada-), Capacity for land: Dept. Of Transportation (DOT-USA), TDG (Canada-), Sea (IMDG) and air transport (IATA). note: as long as the material is not a hazardous waste or marine pollutant.

UN Number: 2052 Packing group: III Label(s): none

Transport doc. name: UN 2052, Dipentene solution, NOS, flammable liquid.

Special Precautions Do not handle until all safety precautions have been read and understood.

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations US Federal regulations: All components of this product are listed or exempt on the United States Environmental Protection Agency Toxic substances control act (TSCA)

inventory:

SECTION 16. OTHER INFORMATION

NFPA Classification Health Hazard 2 Fire Hazard 2 Reactivity Hazard 0

Date of Latest Revision

March 2016

File name: 915_SDS_US_2016

Item Numbers: 01580-1004, 01580-1007 Page 5 of 5