INDUSTF	Revision nr.1 Dated 19/6/2014			
V FLESH		18068	Printed on 19/6/2014 Page n. 1 / 8	
		Safety data she	et	
SECTION 1. Identification	of the substa	nce/mixture and of the	company/undertaking	
1.1. Product identifier				
Code: Product name	180 V F	968 LESH TINT 18068		
1.2. Relevant identified uses of the	substance or mixtu	are and uses advised against		
Intended use	Wat	ter colour.		
1.3. Details of the supplier of the sa	fety data sheet			
Name Full address District and Country	Via 200 Tel.	Italia +39 02 906981	(MI)	
e-mail address of the competent per responsible for the Safety Data She		x +39 02 90698999 nedesicurezza@maimeri.it		
Product distribution by		DUSTRIA MAIMERI S.P.A. VIA G. ) ITALY	MAIMERI 1 20060 BETTOLINO DI MEDIGLIA	
1.4. Emergency telephone number				
For urgent inquiries refer to	USA	stralia : 131126 A:  1 800 222 1222 gno Unito NHS Direct (UK): +44	(0) 845 46 47	
SECTION 2. Hazards ident	ification.			
2.1. Classification of the substance	or mixture.			
amendments and supplements). 1907/2006 and subsequent amend	The product thus ments.	requires a safety datasheet tha	C Regulation 1272/2008 (CLP) (and subsec t complies with the provisions of EC Regul en in sections 11 and 12 of this sheet.	
2.1.1. Regulation 1272/2008 (CLP) a	nd following amen	dments and adjustments.		
Hazard classification and indication Aquatic Acute 1 H400 Aquatic Chronic 1 H410	:			
2.1.2. 67/548/EEC and 1999/45/EC D	irectives and follov	wing amendments and adjustme	ents.	
Danger Symbols: N	J			
R phrases: 5	60/53			
The full wording of the Risk (R) and	hazard (H) phrases	s is given in section 16 of the shee	t.	
2.2. Label elements.				
Hazard labelling pursuant to EC Re	gulation 1272/2008	(CLP) and subsequent amendme	nts and supplements.	
Hazard pictograms:				
JL I				

Page 1 of 8

EPY 8.1.21

. <i></i>	DUSTRIA	A MAIMERI S.F	P.A.	Revision nr.1 Dated 19/6/2014
V FLESH TINT		NT 1	8068	Printed on 19/6/2014 Page n. 2 / 8
SECTION 2. Hazards	identification.	/>>		
Signal words:	Warning			
Hazard statements: H410	Very toxic to a	quatic life with long lasting effects	5.	
Precautionary stateme P273		to the environment.		
P391	Collect spillag	e.		
P501 2.3. Other hazards.	Dispose of col	ntents / container to in accordance	e with local and hat	ional norms
Information not availa	ble.			
SECTION 3. Com	position/info	ormation on ingredients	5.	
3.1. Substances.	-			
Information not releva	nt.			
3.2. Mixtures.				
Contains:				
Identification.	Conc. %. C	Classification 67/548/EEC.	Cla	assification 1272/2008 (CLP).
Zinc oxide CAS. 1314-13-2	25 - 26,5 N	R50/53	Agu	atic Acute 1 H400 M=1, Aquatic Chronic 1 H410
EC. 215-222-5		R30/33	Adu	
INDEX. 030-013-00 Reg. no. 01-21	-7 19463881-32-0000	,		
Note: Linner limit is no				
The full wording of the T+ = Very Toxic(T+), T = Tox	ic(T), Xn = Harmful(Xn),	ard (H) phrases is given in sectior		F+ = Extremely Flammable(F+), F = Highly Flammable(F),
The full wording of the T+ = Very Toxic(T+), T = Tox N = Dangerous for the Enviro	Risk (R) and haza ic(T), Xn = Harmful(Xn), nment(N)	ard (H) phrases is given in sectior C = Corrosive(C), Xi = Irritant(Xi), O = Oxidiz		F+ = Extremely Flammable(F+), F = Highly Flammable(F),
The full wording of the T+ = Very Toxic(T+), T = Tox	Risk (R) and haza ic(T), Xn = Harmful(Xn), nment(N)	ard (H) phrases is given in sectior C = Corrosive(C), Xi = Irritant(Xi), O = Oxidiz		F+ = Extremely Flammable(F+), F = Highly Flammable(F),
The full wording of the T+ = Very Toxic(T+), T = Tox N = Dangerous for the Environ SECTION 4. First I.1. Description of first	Risk (R) and haza ic(T), Xn = Harmful(Xn), nment(N) aid measures.	ard (H) phrases is given in sectior C = Corrosive(C), Xi = Irritant(Xi), O = Oxidiz	ting(O), E = Explosive(E),	F+ = Extremely Flammable(F+), F = Highly Flammable(F),
The full wording of the T+ = Very Toxic(T+), T = Tox N = Dangerous for the Enviro SECTION 4. First I.1. Description of first Not specifically neces	Risk (R) and haza ic(T), Xn = Harmful(Xn), nment(N) aid measures. sary. Observance	ard (H) phrases is given in sectior C = Corrosive(C), Xi = Irritant(Xi), O = Oxidiz S.	ting(O), E = Explosive(E),	F+ = Extremely Flammable(F+), F = Highly Flammable(F),
The full wording of the T+ = Very Toxic(T+), T = Tox N = Dangerous for the Enviro SECTION 4. First I.1. Description of first Not specifically neces I.2. Most important sym	Risk (R) and haza ic(T), Xn = Harmful(Xn), nment(N) aid measures. sary. Observance nptoms and effec	ard (H) phrases is given in section C = Corrosive(C), Xi = Irritant(Xi), O = Oxidiz PS.	ring(O), E = Explosive(E),	F+ = Extremely Flammable(F+), F = Highly Flammable(F),
The full wording of the T+ = Very Toxic(T+), T = Tox N = Dangerous for the Enviro SECTION 4. First 1.1. Description of first Not specifically neces 1.2. Most important syn No episodes of damage	Risk (R) and haza ic(T), Xn = Harmful(Xn), nment(N) aid measures. sary. Observance nptoms and effec ge to health ascriba mediate medical	ard (H) phrases is given in section C = Corrosive(C), Xi = Irritant(Xi), O = Oxidiz PS. of good industrial hygiene is reconts, both acute and delayed.	ring(O), E = Explosive(E), mmended. ported.	F+ = Extremely Flammable(F+), F = Highly Flammable(F),
The full wording of the T+ = Very Toxic(T+), T = Tox N = Dangerous for the Environ SECTION 4. First I.1. Description of first Not specifically neces I.2. Most important sym No episodes of damage I.3. Indication of any in Information not availa	Risk (R) and haza ic(T), Xn = Harmful(Xn), nment(N) aid measures. sary. Observance nptoms and effec ge to health ascriba nmediate medical ble.	ard (H) phrases is given in section C = Corrosive(C), Xi = Irritant(Xi), O = Oxidiz PS. of good industrial hygiene is recor ts, both acute and delayed. able to the product have been rep attention and special treatmen	ring(O), E = Explosive(E), mmended. ported.	F+ = Extremely Flammable(F+), F = Highly Flammable(F),
The full wording of the T+ = Very Toxic(T+), T = Tox N = Dangerous for the Enviro SECTION 4. First 1.1. Description of first Not specifically neces 1.2. Most important syn No episodes of damage 1.3. Indication of any in Information not availa SECTION 5. Firef	Risk (R) and haza ic(T), Xn = Harmful(Xn), nment(N) aid measures. sary. Observance nptoms and effec ge to health ascribu- nmediate medical ble. ighting meas	ard (H) phrases is given in section C = Corrosive(C), Xi = Irritant(Xi), O = Oxidiz PS. of good industrial hygiene is recor ts, both acute and delayed. able to the product have been rep attention and special treatmen	ring(O), E = Explosive(E), mmended. ported.	F+ = Extremely Flammable(F+), F = Highly Flammable(F),
The full wording of the T+ = Very Toxic(T+), T = Tox N = Dangerous for the Environ SECTION 4. First 1.1. Description of first Not specifically neces 1.2. Most important syn No episodes of damage 1.3. Indication of any in Information not availa SECTION 5. Firef 5.1. Extinguishing med SUITABLE EXTINGU	Risk (R) and haza ic(T), Xn = Harmful(Xn), nment(N) aid measures. sary. Observance optoms and effec ge to health ascribation mediate medical ble. ighting measures.	ard (H) phrases is given in section C = Corrosive(C), Xi = Irritant(Xi), O = Oxidiz S. of good industrial hygiene is record ts, both acute and delayed. able to the product have been rep attention and special treatmen SURES.	ring(O), E = Explosive(E), mmended. Ported. <b>t needed.</b>	
The full wording of the T+ = Very Toxic(T+), T = Tox N = Dangerous for the Environ SECTION 4. First 1.1. Description of first Not specifically neces 1.2. Most important syn No episodes of damage 1.3. Indication of any in Information not availa SECTION 5. Firef 5.1. Extinguishing med SUITABLE EXTINGU The extinguishing equ	Risk (R) and haza ic(T), Xn = Harmful(Xn), nment(N) aid measures. sary. Observance nptoms and effec ge to health ascribent mediate medical ble. ighting measures. ighting meas	ard (H) phrases is given in section C = Corrosive(C), Xi = Irritant(Xi), O = Oxidiz S. of good industrial hygiene is record ts, both acute and delayed. able to the product have been rep attention and special treatmen SURES. NT of the conventional kind: carbon c	ring(O), E = Explosive(E), mmended. Ported. <b>t needed.</b>	
The full wording of the T+ = Very Toxic(T+), T = Tox N = Dangerous for the Environ SECTION 4. First 1.1. Description of first Not specifically neces 1.2. Most important syn No episodes of damage 1.3. Indication of any in Information not availa SECTION 5. Firef 5.1. Extinguishing med SUITABLE EXTINGU	Risk (R) and haza ic(T), Xn = Harmful(Xn), nment(N) aid measures. sary. Observance nptoms and effec ge to health ascribent mediate medical ble. ighting measures. ighting meas	ard (H) phrases is given in section C = Corrosive(C), Xi = Irritant(Xi), O = Oxidiz S. of good industrial hygiene is record ts, both acute and delayed. able to the product have been rep attention and special treatmen SURES. NT of the conventional kind: carbon c	ring(O), E = Explosive(E), mmended. Ported. <b>t needed.</b>	
The full wording of the T+ = Very Toxic(T+), T = Tox N = Dangerous for the Enviro SECTION 4. First 1.1. Description of first Not specifically neces 1.2. Most important sym No episodes of damage 1.3. Indication of any in Information not availa SECTION 5. Firef 5.1. Extinguishing med SUITABLE EXTINGU The extinguishing equ UNSUITABLE EXTING	Risk (R) and haza ic(T), Xn = Harmful(Xn), nment(N) aid measures. sary. Observance of the alth ascribe mediate medical ble. ighting meas ia. ISHING EQUIPME GUISHING EQUIP	ard (H) phrases is given in section C = Corrosive(C), Xi = Irritant(Xi), O = Oxidiz S. of good industrial hygiene is recont ts, both acute and delayed. able to the product have been rep attention and special treatmen SURES. NT of the conventional kind: carbon of MENT	ring(O), E = Explosive(E), mmended. Ported. <b>t needed.</b>	
The full wording of the T+ = Very Toxic(T+), T = Tox N = Dangerous for the Environ SECTION 4. First 1.1. Description of first Not specifically neces 1.2. Most important sym No episodes of damage 1.3. Indication of any in Information not availa SECTION 5. Firef 5.1. Extinguishing med SUITABLE EXTINGU The extinguishing equ UNSUITABLE EXTINGU The extinguishing equ	Risk (R) and haza ic(T), Xn = Harmful(Xn), nment(N) aid measures. sary. Observance nptoms and effec ge to health ascriba mediate medical ble. ighting measures. ighting cull SUISHING EQUIPME igment should be GUISHING EQUIP sing from the sut BY EXPOSURE IN	ard (H) phrases is given in section C = Corrosive(C), Xi = Irritant(Xi), O = Oxidiz S. of good industrial hygiene is recont ts, both acute and delayed. able to the product have been rep attention and special treatmen SURES. NT of the conventional kind: carbon of MENT	ring(O), E = Explosive(E), mmended. Ported. <b>t needed.</b>	
The full wording of the T+ = Very Toxic(T+), T = Tox N = Dangerous for the Enviro SECTION 4. First 1.1. Description of first Not specifically neces 1.2. Most important sym No episodes of damage 1.3. Indication of any in Information not availa SECTION 5. Firef 5.1. Extinguishing med SUITABLE EXTINGU The extinguishing equ UNSUITABLE EXTINGU The extinguishing equ UNSUITABLE EXTING None in particular. 5.2. Special hazards ari HAZARDS CAUSED I Do not breathe combu	Risk (R) and haza ic(T), Xn = Harmful(Xn), nment(N) aid measures. sary. Observance ptoms and effect ge to health ascribion mediate medical ble. ighting measures. ighting measures. ighting measures. ighting measures. ising from the subt BY EXPOSURE IN Istion products.	ard (H) phrases is given in section C = Corrosive(C), Xi = Irritant(Xi), O = Oxidiz C = Corrosive(C), Xi = Irritant(Xi), O = Oxidiz	ring(O), E = Explosive(E), mmended. Ported. <b>t needed.</b>	
The full wording of the T+ = Very Toxic(T+), T = Tox N = Dangerous for the Environ SECTION 4. First 1.1. Description of first Not specifically neces 1.2. Most important sym No episodes of damage 1.3. Indication of any in Information not availa SECTION 5. Firef 5.1. Extinguishing med SUITABLE EXTINGU The extinguishing equ UNSUITABLE EXTINGU The extinguishing equ	Risk (R) and haza ic(T), Xn = Harmful(Xn), nment(N) aid measures. sary. Observance ge to health ascrib- mediate medical ble. ighting meas ia. ISHING EQUIPME ignent should be GUISHING EQUIPME sing from the sub BY EXPOSURE IN istion products.	ard (H) phrases is given in section C = Corrosive(C), Xi = Irritant(Xi), O = Oxidiz C = Corrosive(C), Xi = Irritant(Xi), O = Oxidiz	ring(O), E = Explosive(E), mmended. Ported. <b>t needed.</b>	
The full wording of the T+ = Very Toxic(T+), T = Tox N = Dangerous for the Enviro SECTION 4. First 1.1. Description of first Not specifically neces 1.2. Most important sym No episodes of damag 1.3. Indication of any in Information not availa SECTION 5. Firef 5.1. Extinguishing med SUITABLE EXTINGU The extinguishing equ UNSUITABLE EXTINGU THE extinguishing equ THE extinguishing equ THE extinguishing equ THE extinguíshing equ THE exti	Risk (R) and haza ic(T), Xn = Harmful(Xn), nment(N) aid measures. sary. Observance nptoms and effec ge to health ascribation ighting measures. ighting measures. ighting measures. SHING EQUIPME ighting EQUIPME SUISHING EQUIPME Sing from the sub BY EXPOSURE IN ISTION cool the contain full fire preventio	ard (H) phrases is given in section C = Corrosive(C), Xi = Irritant(Xi), O = Oxidiz <b>S.</b> of good industrial hygiene is recon- <b>ts, both acute and delayed.</b> able to the product have been rep- <b>attention and special treatmen</b> <b>SURES.</b> <b>SURES.</b> INT of the conventional kind: carbon of MENT <b>Distance or mixture.</b> I THE EVENT OF FIRE ers to prevent product decompos- on gear. Collect extinguishing w	ting(O), E = Explosive(E), mmended. forted. <b>t needed.</b> lioxide, foam, powd	ler and water spray. opment of substances potentially hazardous for from draining into the sewer system. Dispose of
The full wording of the T+ = Very Toxic(T+), T = Tox N = Dangerous for the Enviro SECTION 4. First 1.1. Description of first Not specifically neces 1.2. Most important sym No episodes of damag 1.3. Indication of any in Information not availa SECTION 5. Firef 5.1. Extinguishing med SUITABLE EXTINGU The extinguishing equ UNSUITABLE EXTINGU THE extinguishing equ THE extinguishing equ THE extinguishing equ THE extinguíshing equ THE exti	Risk (R) and haza ic(T), Xn = Harmful(Xn), nment(N)  aid measures. sary. Observance inptoms and effec ge to health ascribe imediate medical ble.  ighting meas ising From the sub SHING EQUIPME Sing from the sub SHING EQUIP sing from the sub SHING EQUIP sing from the sub STION cool the contain full fire prevention sed for extinction a	ard (H) phrases is given in section C = Corrosive(C), Xi = Irritant(Xi), O = Oxidiz S. of good industrial hygiene is record ts, both acute and delayed. able to the product have been rep attention and special treatmen SURES. NT of the conventional kind: carbon of MENT Destance or mixture. I THE EVENT OF FIRE ers to prevent product decompose in gear. Collect extinguishing with and the remains of the fire accordit	ting(O), E = Explosive(E), mmended. forted. <b>t needed.</b> lioxide, foam, powd	ler and water spray. opment of substances potentially hazardous for from draining into the sewer system. Dispose of

MSDS for #00397 - MAIMERI VENEZIA WC **INDUSTRIA MAIMERI S.P.A.** Revision nr.1 Dated 19/6/2014 Printed on 19/6/2014 V FLESH TINT 18068 Page n. 3/8 SECTION 6. Accidental release measures. 6.1. Personal precautions, protective equipment and emergency procedures. Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures. 6.2. Environmental precautions. The product must not penetrate into the sewer system or come into contact with surface water or ground water. 6.3. Methods and material for containment and cleaning up. Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13. 6.4. Reference to other sections. Any information on personal protection and disposal is given in sections 8 and 13. **SECTION 7. Handling and storage.** 7.1. Precautions for safe handling. Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. 7.2. Conditions for safe storage, including any incompatibilities. Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details. 7.3. Specific end use(s). Information not available SECTION 8. Exposure controls/personal protection. 8.1. Control parameters. Regulatory References: United Kingdom EH40/2005 Workplace exposure limits. Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations (as amended). Code of Practice Chemical Agent Regulations 2011. Éire OEL EU Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC **TLV-ACGIH** ACGIH 2012 Zinc oxide Threshold Limit Value. TWA/8h STEL/15min Туре Country mg/m3 mg/m3 ppm ppm **TLV-ACGIH** 5 15 Legend: (C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction. 8.2. Exposure controls. As the use of adequate technical equipment must always take priority over personal protection equipment, make sure that the workplace is well aired through effective local aspiration. HAND PROTECTION Protect hands with category I (ref. Directive 89/686/EEC and standard EN 374) work gloves, such as those in latex, PVC or equivalent. The following should be considered when choosing work glove material: degradation, breakage times and permeation. Work glove resistance to preparations should be checked before use, as it can be unpredictable. Gloves' limit depends on the duration of exposure. SKIN PROTECTION Wear category I professional long-sleeved overalls and safety footwear (ref. Directive 89/686/CEE and standard EN 344). Wash body with soap and water after removing overalls. RESPIRATORY PROTECTION If the threshold value (if available) for one or more of the substances present in the preparation for daily exposure in the workplace or to a fraction established by the company's prevention and protection service is exceeded, wear a mask with an B or universal filter, the class (1, 2 or 3) of which must be chosen according to the limit concentration of use (ref. standard EN 141). The use of respiratory tract protection equipment, such as masks like that indicated above, is necessary to reduce worker exposure in the absence of technical measures. The protection provided by masks is in any case limited.

Page 3 of 8

# **INDUSTRIA MAIMERI S.P.A.**

V FLESH TINT

18068

Revision nr.1 Dated 19/6/2014 Printed on 19/6/2014 Page n. 4/8

SECTION 8. Exposure controls/personal protection. ... / >>

If the substance in question is odourless or its olfactory threshold is higher than the relative exposure limit and in the event of an emergency, or when exposure levels are unknown or the concentration of oxygen in the workplace is less than 17% volume, wear self-contained, open-circuit compressed air breathing apparatus (ref. standard EN 137) or fresh air hose breathing apparatus for use with full face mask, half mask or mouthpiece (ref. standard EN 138).

EYE PROTECTION

Use of protective airtight goggles (ref. standard EN 166) recommended. ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## **SECTION 9.** Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

s. 1. Information on basic physical and che	mean p	noperties.
Appearance		paste
Colour		pink
Odour		ARABIC GUM
Odour threshold.		Not available.
pH.		
Melting point / freezing point.		Not available.
Initial boiling point.		Not available.
Boiling range.		Not available.
Flash point.	>	60 °C.
Evaporation Rate		Not available.
Flammability of solids and gases		Not available.
Lower inflammability limit.		Not available.
Upper inflammability limit.		Not available.
Lower explosive limit.		Not available.
Upper explosive limit.		Not available.
Vapour pressure.		Not available.
Vapour density		Not available.
Relative density.		0,2 Kg/l
Solubility		INSOLUBLE, DILUTE WITH WATER
Partition coefficient: n-octanol/water		Not available.
Auto-ignition temperature.		Not available.
Decomposition temperature.		Not available.
Viscosity		35.000 / 40.000 cps
Explosive properties		Not available.
Oxidising properties		Not available.
9.2. Other information.		
Solid content.		55,47 %
VOC (Directive 1999/13/EC) :		0
VOC (volatile carbon) :		0

## **SECTION 10. Stability and reactivity.**

### 10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

#### 10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

## 10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

### 10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

### 10.5. Incompatible materials.

Information not available

### 10.6. Hazardous decomposition products.

Information not available.

Item Numbers: 00397-3840

# **INDUSTRIA MAIMERI S.P.A.**

# V FLESH TINT

# 18068

## **SECTION 11. Toxicological information.**

According to currently available data, this product has not yet produced health damages. Anyway, it must be handled carefully according to good industrial practices. This product may have slight health effects on sensitive people, by inhalation and/or cutaneous absorption and/or contact with eyes and/or ingestion.

### 11.1. Information on toxicological effects.

Information not available.

## **SECTION 12. Ecological information.**

This product is dangerous for the environment and highly toxic for aquatic organisms. In the long term, it have negative effects on aquatic environment.

#### 12.1. Toxicity.

Information not available.

#### 12.2. Persistence and degradability. Information not available.

12.3. Bioaccumulative potential. Information not available.

12.4. Mobility in soil.

Information not available.

### 12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

#### 12.6. Other adverse effects.

Information not available.

## **SECTION 13. Disposal considerations.**

#### 13.1. Waste treatment methods.

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Avoid littering. Do not contaminate soil, sewers and waterways.

Waste transportation may be subject to ADR restrictions CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

### **SECTION 14. Transport information.**

These goods must be transported by vehicles authorized to the carriage of dangerous goods according to the provisions set out in the current edition of the Code of International Carriage of Dangerous Goods by Road (ADR) and in all the applicable national regulations. These goods must be packed in their original packagings or in packagings made of materials resistant to their content and not reacting dangerously with it. People loading and unloading dangerous goods must be trained on all the risks deriving from these substances and on all actions that must be taken in case of emergency situations.

MSDS for #00397 - MAI	MERI VENEZIA V	VC		Page 6 of 8
		MERI S.P.A.	Revision nr.1 Dated 19/6/2014	
V FLESH	TINT	18068	Driptod op 10/6/2014	
SECTION 14. Transport inform	mation / >>			
Road and rail transport:				
	9 UN:	2002		
ADR/RID Class: Packing Group:	9 UN: III	3082		
Label:	9			
Nr. Kemler: Limited Quantity.	90 5 L		9	
Tunnel restriction code.	(E)		· ·	
Proper Shipping Name:	ENVIRONMEN	ITALLY HAZARDOUS SUBS	TANCE, LIQUID, N.O.S. (Zinc oxide)	
Carriage by sea (shipping):				
IMO Class:	9 UN:	3082		
Packing Group:	III			
Label: EMS:	9 F-A, S-F			
Marine Pollutant.	YES			
Proper Shipping Name:	ENVIRONMEN	ITALLY HAZARDOUS SUBS	TANCE, LIQUID, N.O.S. (Zinc oxide)	
Transport by air:				
IATA:	9 UN:	3082		
Packing Group:	III			
Label: Cargo:	9			
Packaging instructions:	964	Maximum quantity:	450 L	
Pass.: Packaging instructions:	964	Maximum quantity:	450 L	
Special Instructions:	A97, A158	Maximum quantity.		
Proper Shipping Name:			TANCE, LIQUID, N.O.S. (Zinc oxide)	
INFORMATION ON TRANSPOR	RT OUTSIDE EU MEN	IBER NATIONS: NOT USDO	OR IMO REGULATED.	
SECTION 15. Regulatory	v information.			
<b>U</b> .				
15.1. Safety, health and environm	nental regulations/leg	islation specific for the sub	stance or mixture.	
Seveso category.	9i			
Restrictions relating to the product	or contained substance	es pursuant to Annex XVII to EC	Regulation 1907/2006	
Product				
Point. 3				
Substances in Candidate List (Art.	59 REACH).			
None.				
Substances subject to authorisaric None.	on (Annex XIV REACH).			
Substances subject to exportation	reporting pursuant to (E	C) Reg. 689/2008:		
None.	<u> </u>			
Substances subject to the Rotterda	am Convention:			
None.				
Substances subject to the Stockho None.	olm Convention:			
Healthcare controls.				
Information not available.				
15.2. Chemical safety assessmer				
No chemical safety assessment	has been processed f	or the mixture and the substar	nces it contains.	
			(CEP)	R 8.1.21 - SDS 1003

MSDS for #00397 - MAIMERI VENEZIA WC

# **INDUSTRIA MAIMERI S.P.A.**

**V FLESH TINT** 

18068

Revision nr.1 Dated 19/6/2014 Printed on 19/6/2014 Page n. 7 / 8

Text of hazard (H) indications mentioned in section 2-3 of the sheet:					
Aquatic Acute 1 Aquatic Chronic 1 H400 H410	Hazardous to the aquatic environment, acute toxicity, category 1 Hazardous to the aquatic environment, chronic toxicity, category 1 Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.				
ext of risk (R) phrases	mentioned in section 2-3 of the sheet:				
R50/53	VERY TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.				
GEND:					
	ment concerning the carriage of Dangerous goods by Road				
	ical Abstract Service Number ntration (required to induce a 50% effect)				
	r in ESIS (European archive of existing substances)				
LP: EC Regulation 12					
NEL: Derived No Effe	set Level				
mS: Emergency Sch					
	nized System of classification and labeling of chemicals				
C50: Immobilization	al Air Transport Association Dangerous Goods Regulation				
	aritime Code for dangerous goods				
MO: International Mar					
	tifier in Annex VI of CLP				
C50: Lethal Concentr					
D50: Lethal dose 50% DEL: Occupational Ex					
	cumulative and toxic as REACH Regulation				
	nmental Concentration				
EL: Predicted exposu	ire level				
NEC: Predicted no et					
REACH: EC Regulatio					
LV: Threshold Limit V	rning the international transport of dangerous goods by train				
	tration that should not be exceeded during any time of occupational exposure.				
WA STEL: Short-tern					
•	average exposure limit				
OC: Volatile organic	·				
PVB: Very Persistent	and very Bioaccumulative as for REACH Regulation.				
ENERAL BIBLIOGRA	РНҮ				
Directive 1999/45/EC	and following amendments				
	and following amendments and adjustments				
	//2006 (REACH) of the European Parliament //2008 (CLP) of the European Parliament				
0 ( )	2009 (I Atp. CLP) of the European Parliament				
	2010 of the European Parliament				
• • • •	2011 (II Atp. CLP) of the European Parliament				
The Merck Index 10					
Handling Chemical S	•				
• •	oxic Effects of Chemical Substances logique (toxicological sheet)				
. Patty - Industrial Hy					
	s properties of Industrial Materials-7, 1989 Edition				
. ECHA website					

# **INDUSTRIA MAIMERI S.P.A.**

# V FLESH TINT

SECTION 16. Other information. ... / >>

18068

Revision nr.1 Dated 19/6/2014 Printed on 19/6/2014 Page n. 8 / 8

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product. This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified: 02 / 03 / 04 / 05 / 06 / 07 / 08 / 09 / 10 / 11 / 12 / 13 / 14 / 15 / 16.

Page 8 of 8