HORADAM AQUARELL 14 102 permanent Chinese white

 Article No.
 Issue date:
 16.12.15

 Version
 2 (16.12.15)
 Page
 1 / 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name 14 102 permanent Chinese white

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use

Products for creation of art.

Uses advised against

1.3 Details of the supplier of the safety data sheet

H. Schmincke & Co. GmbH & Co. KG Otto-Hahn-Str. 2 D - 40699 Erkrath Tel. +49 (0) 211-2509-0 Fax. +49 (0) 211-2509-497 info@schmincke.de www.schmincke.de

Dept. responsible for information

Schmincke-lab: mo-th 8.00-16.30,fr 8.00-13.30 Tel. +49 (0) 211-2509-474 labor@schmincke.de

1.4 Emergency telephone number

Emergency Emer Information (24h Phone # +49

Emergencycall Berlin (24h - counseling in german and english) +49 (0) 30-30686790

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Aquatic Acute 1; H400 Very toxic to aquatic life. Aquatic Chronic 1; H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (CLP)



<u>Signal word</u> Warning

Hazard statements

H410 Very toxic to aquatic life with long lasting effects.

Safety precautions

P102 Keep out of reach of children.

P270 Do no eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P391 Collect spillage.

HORADAM AQUARELL 14 102 permanent Chinese white

 Article No.
 Issue date:
 16.12.15

 Version
 2 (16.12.15)
 Page
 2 / 9

2.3 Other hazards

Contains 1,2-Benzisothiazol-3(2H)-one, 2-Methyl-2H-isothiazol-3-one. May produce an allergic reaction. (EUH208)

SECTION 3: Composition / information on ingredients

3.1 Substances

Chemical characterization

pigment

gum arabic solution Water CAS-Number EINECS / ELINCS / NLP EU index number Customs tariff number REACH registration No. RTECS-no. Hazchem-Code CI-Number

14 230 PW4 PW6 PR242 PY42 14 481 PW4 PB15:1 14 486 PW4 PB29 14 910 PV3 14 930 PR81:2 14 940 PV1

3.2 Mixtures

Substance 1

zinc oxide: 50 - 70 % CAS-Number: 1314-13-2

REACH registration No.: 01-2119463881-32-0043

Classification according to EC regulation 1272/2008 (CLP):

Aquatic Acute 1; H400 / Aquatic Chronic 1; H410

Additional information

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

No special measures are required.

If you feel unwell, seek medical advice (show the label where possible).

In case of inhalation

No special measures are required.

If you feel unwell, seek medical advice (show the label where possible).

In case of skin contact

Thoroughly wash skin with soap and water.

Seek medical attention if irritation persists.

After eye contact

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Seek medical attention if irritation persists.

After swallowing

Item Numbers: 00323-1051 Page 2 of 9

HORADAM AQUARELL 14 102 permanent Chinese white

16.12.15 Article No. Issue date: (16.12.15) 3 / 9 Version Page

Rinse mouth with water. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

Extinguishing media which must not be used for safety reasons

water High power water jet

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment for firefighters

Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing.

6.2 environmental precautions

Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

Take up mechanically. Wash spill area with plenty of water.

Additional information

6.4 Reference to other sections

Dispose of waste according to applicable legislation. refer to section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Handle in accordance with good industrial hygiene and safety practice.

Precautions against fire and explosion

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers

Keep container tightly closed.

Hints on joint storage Storage class

Further details

storage temperature: 5 - 30 °C

Protect from moisture contamination.

7.3 Specific end use(s)

Page 3 of 9 Item Numbers: 00323-1051

HORADAM AQUARELL 14 102 permanent Chinese white

16.12.15 Article No. Issue date: 2 (16.12.15) 4 / 9 Version Page

No special measures necessary if stored and handled as prescribed.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1314-13-2 zinc oxide

DEU	not required	2,000	mg/m³	2(I) - inhalativ
DEU	WEL	0,100	mg/m³	4(I) - alveolengängig

8.2 Exposure controls

Occupational exposure controls

Respiratory protection

With the formation of dust, use a dust mask.

Hand protection

Protect skin by using skin protective cream.

Eye protection

Goggles

Body protection

Wear suitable protective clothing. Wash contaminated clothing prior to re-use.

General protection and hygiene measures After work, wash hands and face.

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

Physical state solid / pasty

white Colour

Odour almost odourless

> min max

Initial boiling point and

boiling range

Melting point/freezing point Flash point/flash point range

Flammability

Ignition temperature

Auto-ignition temperature

Explosion limits

Refraction index

Partition coefficient: n-octanol/water

Explosive properties

Vapour pressure

1,4 -20 °C Density

1,6 kg/l

6,5 PH value

Viscosity dynamic of Viscosity dynamic up to

Viscosity kinematic of Viscosity kinematic up to

9.2 Other information

HORADAM AQUARELL 14 102 permanent Chinese white

10.1 Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2 Chemical stability

Product is stable under normal storage conditions.

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

frost and heat

10.5 Incompatible materials

strong acids oxidizing agents Strong alkali

10.6 Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

No data available

In case of inhalation

No data available

After swallowing

No data available

In case of skin contact

No data available

After eye contact

No data available

Practical experience

General remarks

Toxicological tests

1314-13-2	zinc oxide

_	ZITIC OXI	ac				
	oral	LD50	Rat	10000,000	mg/kg	-
	inhalative	LC50	Rat	5,700	mg/L	(4h)

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity Water Hazard Class WGK catalog number General information

12.2 Persistence and degradability

Further details

Product is partially biodegradable.

1

Oxygen demand

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)

Item Numbers: 00323-1051 Page 5 of 9

HORADAM AQUARELL 14 102 permanent Chinese white

 Article No.
 Issue date:
 16.12.15

 Version
 2 (16.12.15)
 Page
 6 / 9

Partition coefficient: n-octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information

Ecotoxicological effects

1314-13-2

zinc oxide

EC50	Algae	0,170	mg/L	(72h)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number

080112 Recommendation 080112 waste paint and varnish other than those mentioned in 080111

Contaminated packaging

Waste key number Recommendation

Additional information

SECTION 14: Transport information

14.1 UN number

3082

14.2 UN proper shipping name

ADR, ADN ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. IMDG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3 Transport hazard class(es)

ADR, ADN 9 **IMDG** 9 **IATA** 9

14.4 Packing group

III

14.5 Environmental hazards

Marine Pollutant - IMDG Yes
Marine Pollutant - ADN

14.6 Special precautions for user

Land transport

Code: ADR/RID M6
Kemmler-number 90
Hazard label ADR 9
Limited quantities 51

Contaminated packaging: Instructions P001 - IBC03 - LP01 - R001

HORADAM AQUARELL 14 102 permanent Chinese white

 Article No.
 Issue date:
 16.12.15

 Version
 2 (16.12.15)
 Page
 7 / 9

Contaminated packaging: Special provisions PP1
Special provisions for packing together MP19
Portable tanks: Instructions T4
Portable tanks: Special provisions TP1 - TP29
Tank coding LGBV
Tunnel restriction E

Remarks

Special provisions 274 - 335 - 375 - 601

Inland waterway craft

Hazard label Limited quantities Transport permitted Equipment necessary Ventilation Remarks EQ

Special provisions

Sea transport

F-A, S-F **EmS** 274 - 335 - 969 Special provisions Limited quantities P001 - LP01 Contaminated packaging: Instructions PP1 Contaminated packaging: Special provisions IBC03 **IBC: Instructions IBC: Provisions** Tank instructions IMO Tank instructions UN T4 TP2 - TP29 **Tank instructions Special provisions** Stowage and segregation category A Properties and observations

Remarks

EQ E1

Air transport

Hazard -Passenger 9

 Passenger
 964 (450l)

 Passenger LQ
 Y964 (30kg G)

 Cargo
 964 (450l)

 ERG
 9L

Remarks EQ E

Special Provisioning A97 - A158 - A197

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Europe</u>

Contents of VOC [%]
Item Numbers: 00323-1051
Contents of VOC

HORADAM AQUARELL 14 102 permanent Chinese white

 Article No.
 Issue date:
 16.12.15

 Version
 2 (16.12.15)
 Page
 8 / 9

[g/L]

Further regulations, limitations and legal requirements

Germany

Storage class

Water Hazard Class

WGK catalog number Incident regulation

Information on working limitations

Further regulations, limitations and legal requirements

Denmark

Further regulations, limitations and legal requirements

Hungary

Further regulations, limitations and legal requirements

Great Britain

Further regulations, limitations and legal requirements

Switzerland

Contents of VOC [%]
Further regulations, limitations and legal requirements

<u>USA</u>

Further regulations, limitations and legal requirements Federal Regulations State Regulations

Japan

Further regulations, limitations and legal requirements

<u>Canada</u>

Further regulations, limitations and legal requirements

15.2 Chemical Safety Assessment

SECTION 16: Other information

Further information

Hazard statements (CLP) H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

Further information

This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Reason of thange Page 8 of 9

HORADAM AQUARELL 14 102 permanent Chinese white

16.12.15 Article No. **Issue date:** 2 (16.12.15) Version Page 9 / 9

Additional information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.