

~~Brevillier Urban & Sachs GmbH CoKG~~

Safety Data Sheet in Accordance with 1907/2006/EG

Product Name: Aqua Brique 20 colors 410 20 plus a Monolith Graphite stick 204 2B

Date: 17.12.2014

Revision Date :

Seite 1 von 5

1. PRODUCT NAME AND CODE

Product Name:	Aquarelle Blocks/Aqua Brique 20 colors 410 20 + Monolith Graphite stick water resistant 204 02 Monolith Graphite stick water resistant 204 02 = 2B Single colors: 411 01, 411 03, 411 07, 411 09, 411 11, 411 14, 411 16, 411 28, 411 40, 411 53, 411 61, 411 62, 411 76, 411 77, 411 80, 411 91, 412 02, 412 04, 412 11, 412 50
Intended use:	Artist material/Water soluble colored blocks. Water resistant graphite stick.
Company Identification:	Brevillier-Urban & Sachs GmbH & CoKG Am Anger 1 A-7024 Hirm Phone: +43(0)2687 54245-0 Fax: +43(0)2687 54245-549
Person responsible for safety data sheet:	Brigitte Heilmayer
Email:	heilmayer@brevillier.com
Emergency Telephone no.:	+43 2687 54245-0

2. HAZARDS IDENTIFICATION

Directive 67/548/EEC	Not hazardous
Physical hazardous	
Carcinogen status:	OSHA : no NTP: no IARC: no
Preparation Classification:	This preparation has not to be labelled due to the last valid standard.

3. COMPOSITION/INFORMATION OF INGREDIENTS

Chemical characterization	Mixture of the following substances, containing non-hazardous substances and colouring agents
Description	Mixture of substances listed below with non hazardous additions Titanium dioxide: CAS 13463-67-7; EINECS 236-675-5 Kaolin: CAS 1332-58-7; EINECS 310-194-1 Talcum: CAS 14807-96-6; EINECS 238-194-1 Vaseline: CAS 8009-03-8; EINECS 232-373-2 Alcohols C16-18 ethoxylated: CAS 68439-49-6 Polyethylene glycol: CAS 25322-68-3; EINECS 500-038-2 Pigment yellow 154: CAS 68134-22-5; EINECS 268-734-6 Pigment yellow 83: CAS 5567-15-7; EINECS 226-939-8 Pigment yellow 184 Pigment yellow 138 Pigment red 254: CAS 84632-65-5; EINECS 401-540-3

~~Brevillier Urban & Sachs GmbH CoKG~~

Safety Data Sheet in Accordance with 1907/2006/EG

Product Name: Aqua Brique 20 colors 410 20 plus a Monolith Graphite stick 204 2B

Date: 17.12.2014

Revision Date :

Seite 2 von 5

	Pigment red 170 Pigment violet 19: CAS 1047-16-1; EINECS 213-879-2 Pigment red 112: CAS 6535-46-2; EINECS 229-440-3 Pigment red 122 Pigment violet 23 Pigment blue: CAS 147-14-8; EINECS 205-685-1 Pigment violet 19 Carbon black: CAS 1333-86-4; EINECS 215-609-9 Pigment black 7 Pigment blue 29: CAS 101357-30-6; EINECS 309-928-3 Pigment green 7: CAS 1328-53-6; EINECS 215-524-7 Pigment green 36 Pigment yellow 42: CAS 20344-49-4; EINECS 243-746-4 Pigment red 101: CAS 1309-37-1; EINECS 215-168-2 Graphite: CAS 7782-42-5; EINECS 231-955-3 Clay: EINECS 310-127-6 Tallow: CAS 61789-97-7 Stearic acid: CAS 57-11-4; EINECS 200-313-4
Dangerous components	None

4. FIRST AID MEASURES

First Aid	
Skin Contact	Remove any contaminated clothing. Wash with soap & flowing water for 15 minutes. If irritation occurs consult a physician.
Eye Contact	Irrigate with a suitable eye solution or water for ten minutes – obtain medical attention.
Inhalation	
Ingestion	Give plenty to drink if ingestion is suspected. DO NOT induce vomiting and consult a physician.

5. FIRE-FIGHTING MEASURES

Hazard	Explosive Limits: none
Extinguishing Media	Alcohol resistance foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Media to avoid	
Hazardous Combustion Products	Carbon Monoxide (co) can form with incomplete combustion. Some Oxides of Nitrogen (NOx) and Sulphur (SOx) could be formed. Complete combustion will yield primarily Carbon Dioxide (CO2) and Water.
Protective Equipment	Fire fighters should wear proper protective equipment and self-contained breathing apparatus with full face-piece
Additional	Move exposed containers from fire area if it can be done without risk.

Safety Data Sheet in Accordance with 1907/2006/EG

Product Name: Aqua Brique 20 colors 410 20 plus a Monolith Graphite stick 204 2B

Date: 17.12.2014

Revision Date :

Seite 3 von 5

Information	Use water to keep fire-exposed containers cool.
-------------	-------------------------------------------------

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Avoid contact with skin and eyes.
Environmental Precautions	Prevent contamination of soil and water. Refer to Sections 8.0 and 13.0 for additional information on Exposure and Disposal.

7. HANDLING AND STORAGE

Handling	Avoid contact with eyes, skin and clothing, avoid ingestion and inhalation.
Storage	Keep away from direct sunlight and other sources of heat. Keep away from oxidizing agents. Do not smoke in storage areas.
Product	Do not empty into drains. Store at 25° C under dry conditions.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limit Values	Not available
Exposure control	Not available
Personal Protection	
Hand Protection	
Eye Protection	
Skin Protection	
Additional	Do not permit smoking whilst product is used.
Environmental Exposure	See Section 12 for detailed information

9. PHYSIKAL AND CHEMICAL PROPERTIES

Odour Ethereal Appearance	Colored solid
Colour	As per color
Ph Value	Not applicable
Boiling Point /Range	Not applicable
Flash Point	Not applicable
Auto-ignition	
Explosive Properties	This preparation is not considered explosive
Explosive Limits :	Not applicable
Vapour Pressure	None
Relative Density	-
Solubility	Colored blocks dispersible, graphite stick not dispersible.
Viscosity	Not applicable

~~Brevillier Urban & Sachs GmbH CoKG~~

Safety Data Sheet in Accordance with 1907/2006/EG

Product Name: Aqua Briquettes 20 colors 410 20 plus a Monolith Graphite stick 204 2B

Date: 17.12.2014

Revision Date :

Seite 4 von 5

Water Solubility	Colored blocks dispersible, graphite stick not dispersible.
------------------	-------------------------------------------------------------

10. STABILITY AND REACTIVITY

Conditions to Avoid	Considered a Stable Product.
Materials to Avoid	Can also react with acid chlorides, acid anhydrides.
Hazardous Decomposition	May give off irritant / toxic fumes if involved in a fire. Primarily forms oxides of carbon during combustion.

11. TOXICOLOGICAL INFORMATION

Acute Effects	Eyes may cause Lacrimation, Redness, Pain, Blurred Vision Ingestion may cause abdominal Pain, Sore Throat, Drowsiness, Headache
Target Organ Effects	Sensitisation Allergic skin reaction / dermatitis could occur with misuse of this preparation.

12. ECOLOGICAL INFORMATION

Ecotoxicity	Not applicable
Mobility	Not applicable
Persistence and Degradability	Biodegradable
Bio accumulative potential	Not applicable
Other Adverse effects	Not applicable

13. DISPOSAL CONSIDERATIONS

Dispose of spilled material and containers in accordance with State and Local regulations for waste. State or Local regulations are complex and subject to change so should be consulted by the owner of the waste prior to disposal.

14. TRANSPORT INFORMATION

UN No:	
Proper Shipping Name:	
ADR, IATA, IMDG	Not classified as dangerous in the meaning of transport

15. REGULATORY INFORMATION

Hazard Symbol	None
-H-phrases	None
-P-Phrases	None

Safety Data Sheet in Accordance with 1907/2006/EG

Product Name: Aqua Brique 20 colors 410 20 plus a Monolith Graphite stick 204 2B

Date: 17.12.2014

Revision Date :

Seite 5 von 5

16. OTHER INFORMATIONS**Short cuts und Acronyms:**

ATE = appraised value of the acute toxicity

CLP =VEU Regulation (EC) No 1272/2008 on Classification, Labeling and Packaging of Substances and Mixtures,

DNEL = Derived No Effect Level

EUH-Satz = CLP-specific warnings

PNEC = predicted no effect concentration

RRN = REACH Registrationnummer

n.a. not available

The information contained herein does not constitute the user's own assessment of workplace risk as required by other health and safety legislation. The above information is provided in good faith and is based on our present knowledge. It shall not constitute a guarantee for any specific product feature and shall not establish a legally valid contractual arrangement.