

BLOCK STOP BATH SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identity: Block Stop Bath

Recommended use of the chemical and restrictions

Photographic stop bath solution.

on use:

Supplier: Sprint Systems of Photography, Inc.

60 Kindergarten St. Woonsocket, RI 02895 Telephone: +1 800 356-5073

Emergency Phone: For Chemical Emergency

Call ChemTel (1-800-255-3924)

SDS Date of Preparation: 9/1/16

2. HAZARDS IDENTIFICATION

Classification in accordance with US OSHA Hazcom 2012 and Canada WHMIS 2015:

Eye Damage Category 1

GHS Label Elements:



Danger!

Statements of Hazard Precautionary Phrases

Causes serious eye damage. Wear eye protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

Immediately call a POISON CENTER or doctor.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No.	Amount
Water	7732-18-5	65-75%
Acetic Acid	64-19-7	20-<30%
Sodium Acetate	127-09-3	<5%

The exact concentration is being withheld as a trade secret.

4. FIRST AID MEASURES

Eye: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do then continue rinsing. Get immediate medical attention.

Skin: Wash exposed area thoroughly with soap and water. Get medical attention if irritation develops and persists.

Ingestion: Do not induce vomiting unless directed to do so by medical personnel. Rinse mouth with a small amount of water and give one glass of water to dilute. Never give anything by mouth to an unconscious or convulsing person. Get immediate medical attention if symptoms occur.

Inhalation: Remove victim to fresh air. Get immediate medical attention if symptoms occur or victim has difficulty breathing.

Most Important Symptoms: Causes severe eye irritation and burns. Inhalation of mists or vapors may cause mucous membrane and respiratory irritation. Swallowing large amounts may cause gastrointestinal problems.

Indication of immediate medical attention/special treatment: Immediate medical attention is required for eye contact.

5. FIRE FIGHTING MEASURES

Suitable (and Unsuitable) Extinguishing Media: Use water fog, carbon dioxide, foam or dry chemical to extinguish.

Specific Hazards Arising From the Chemical: Fire may produce carbon dioxide and carbon monoxide.

Special Protective Equipment and Precautions for Fire-Fighters: Firefighters should wear NIOSH approved positive pressure self-contained breathing apparatus (SCBA) and full protective clothing for all fires involving chemicals.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures: Evacuate spill area and keep unprotected personnel away. Prevent contact with eyes. Avoid contact with skin and clothing. Ventilate area. Wear personal protective as described in Section 8.

Methods and Materials for Containment and Cleaning Up: Contain and collect using inert absorbent materials, such as sand and diatomaceous earth, and place in appropriate containers for disposal. Report releases as required by local, state and federal authorities.

7. HANDLING AND STORAGE

Precautions for Safe Handling: Avoid contact with the eyes, skin and clothing. Do not breathe mist or vapor. Wear protective clothing and equipment. Use only with adequate ventilation. Wash thoroughly with soap and water after handling. Keep containers closed when not in use.

Do not reuse containers. Empty containers retain product residues and contaminants which can be hazardous. Follow all SDS precautions when handling empty containers.

Conditions for Safe Storage, Including Any Incompatibilities: Store in a cool, dry, well ventilated area away from heat and incompatible materials. Protect from physical damage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines:

Water	None Established	
Acetic Acid	10 ppm TWA (OSHA PEL)	
	10 ppm TWA, 15 ppm STEL (ACGIH TLV)	
Sodium Acetate	None Established	

Engineering Controls: Use with adequate ventilation to maintain exposure levels below the exposure limits.

Respiratory Protection: In operations where exposures limits are exceeded, an approved respirator with organic vapor cartridges and a particulate pre-filter or supplied air respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

Skin Protection: Wear neoprene or other impervious gloves if contact is possible. Contact your glove supplier for selection assistance.

Eye Protection: Chemical safety goggles should be worn where splashing is possible.

Other: Impervious coveralls, apron and boots are required if needed to prevent skin contact and contamination of personal clothing. A safety shower and eye wash should be available in the immediate work area.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor: Clear yellow liquid with a vanilla/acetic acid (vinegar) odor.

Physical State: Liquid	Odor Threshold: 0.21 – 1 ppm (acetic acid)	
Vapor Density: 0.9	Initial Boiling Point/Range: >100°C (212°F)	
Solubility In Water: Soluble	Vapor Pressure: Not available	
Relative Density: 1.1	Evaporation Rate: Not applicable (Buac=1)	
	pH: 4.0 (1:9 Dilution)	
Melting/Freezing Point: -34.4°C (~30°F)		
(Acetic Acid)		
VOC Content: Not determined	Octanol/Water Coefficient: -0.17 (acetic acid)	
Solubility: No data available	Decomposition Temperature: Not available	
Viscosity: No data available	Flammability (solid, gas): Not applicable	
Flashpoint: >200°F (>93°C) (closed cup)	Autoignition Temperature: Not data available	
Flammable Limits: LEL: Not applicable		
UEL: Not applicable		

10. STABILITY AND REACTIVITY

Reactivity: Not normally reactive.

Chemical Stability: Stable under normal storage and handling conditions.

Possibility of Hazardous Reactions: None known **Conditions to Avoid:** Avoid extreme temperatures.

Incompatible Materials: Alkaline materials and strong oxidizers.

Hazardous Decomposition Products: Decomposition may yield carbon dioxide and carbon

monoxide.

11. TOXICOLOGICAL INFORMATION

HEALTH HAZARDS:

Eye: Causes severe irritation and burns with pain, tearing, and redness. May cause permanent eye damage, vision impairment, and blurred vision.

Skin: This product is not a skin irritant. The primary dermal irritation score was 0.17 following a 4-hour occluded dermal exposure in a modified FHSA/CPSC Design, 16 CFR 1500.

Ingestion: Ingestion may cause abdominal discomfort or pain, nausea, vomiting, dizziness, drowsiness.

Inhalation: Inhalation of mist or vapor may cause irritation to the nose, throat and upper respiratory tract.

Chronic: None known.

Sensitization: This material is not known to cause sensitization.

Carcinogenicity: None of the components present are listed as a carcinogen or suspected carcinogen by IARC, NTP, ACGIH, or OSHA.

Germ Cell Mutagenicity: This product is not classified as a germ cell mutagen. **Reproductive Toxicity:** This product is not classified as toxic to reproduction.

Numerical Measures of Toxicity:

Acetic Acid: Oral Rat LD₅₀: 3,310 mg/kg, Dermal rabbit LD₅₀: 1,060 mg/kg, Inhalation rat LC₅₀: 11.4 mg/L/4 hr.

Sodium Acetate: Oral rat LD_{50} : 3,250 mg/kg, Dermal rabbit LD_{50} : >5,000 mg/kg, Inhalation rat LC_{50} : >5.6 mg/L/4hr (No mortality)

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Acetic Acid: 96 hr LC₅₀ Pimephales promelas: 79 mg/L, 24 hr EC₅₀ Daphnia magna: 6,000 mg/L Sodium Acetate: 96 hr LC₅₀ Zebra fish: >100 mg/L, 48 hr EC₅₀ Daphnia magna: >919 mg/L

Persistence and Degradability: No data available

Bioaccumulative Potential: Acetic acid: Not Bioaccumulative. Log BCF for constituents of orange oil: 1.502 – 2.597.

Mobility in Soil: No data available.

Other Adverse Effects: No data available.

13. DISPOSAL CONSIDERATIONS

Dispose in accordance with local and national environmental regulations.

RCRA Waste Code: Not regulated.

14. TRANSPORT INFORMATION

DOT Hazardous Materials Description: Proper Shipping Name: Not Regulated

UN Number: Not applicable

Hazard Class/Packing Group: Not applicable

Labels Required: Not applicable

*This product was not corrosive to steel or aluminum when tested according to 49 CFR 173.137.

IMDG Shipping Name: Not Regulated

UN Number: None

IMDG Hazard Class/Packing Group: None IMDG Hazard Labels Required: None

IATA Shipping Name: Not Regulated

UN Number: None

IATA Hazard Class/Packing Group: None IATA Hazard Labels Required: None

15. REGULATORY INFORMATION

CERCLA 103 Reportable Quantity: This product has an RQ of 16,666 based on the RQ of Acetic Acid of 5000 lbs. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

Hazard Category for Section 311/312: Acute Health

Section 313 Toxic Chemicals: This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None

Section 302 Extremely Hazardous Substances (TPQ): None

STATE REGULATIONS:

California Proposition 65: This product does not contain substances known in the State of California to cause cancer and/or reproductive harm.

INTERNATIONAL CHEMICAL INVENTORY STATUS:

United States TSCA: All the components are listed.

Canada DSL: All the components are listed.

16. OTHER INFORMATION

NFPA Rating: Health = 3 Flammability = 1 Instability = 0

HMIS Rating: Health = 3 Flammability = 1 Physical Hazard = 0

Date of Current Revision: 9/1/16 **Revision Summary:** New SDS **Date of Previous Revision:** None

NOTICE

This above information is believed to be correct but does not propose to be all inclusive and shall be used only as a guide. Sprint Systems of Photography, Inc. shall not be held liable for any damage resulting from handling or from contact with the above product. This information relates only to the product designated herein and does not relate to its use in combination with any other material or process.